

2023

SIKA THE COMPLETE PRODUCT GUIDE

# THE COMPLETE PRODUCT GUIDE 2023

## SALES SUPPORT:

☎ 0113 240 2424

✉ [distribution.sales@uk.sika.com](mailto:distribution.sales@uk.sika.com)

## TECHNICAL SUPPORT:

☎ 0808 141 0709

✉ [distribution.technical@uk.sika.com](mailto:distribution.technical@uk.sika.com)

Sika® Limited  
Site 41, Knowsthorpe Way,  
Cross Green Industrial Estate,  
Leeds LS9 0SW

☎ 0113 240 3456

✉ [distribution.info@uk.sika.com](mailto:distribution.info@uk.sika.com)

🌐 [everbuild.co.uk](http://everbuild.co.uk)

Sika® Ireland Limited  
Sika® House  
Ballymun Industrial Estate,  
Dublin D11 DA2V

☎ +353 (0) 1862 0709

✉ [info@sika.ie](mailto:info@sika.ie)

🌐 [irl.sika.com](http://irl.sika.com)

BUILDING TRUST



BUILDING TRUST



# CONTENTS

## SEALANTS

Professional	6
Fire Protection	14
DIY	15
Sika Sealants	17
Guns and Tools	18
Specifier	21
Specialist Sealants	26

## ADHESIVES

Hybrid Sealants and Adhesives	32
Grab	36
Plasterboard	42
Specialist Adhesives	43
Wood	44
Flooring	46
Contact	49
Superglues and activators	50
Craft	52

## LANDSCAPING

Jointing Compounds	56
Sealing and Protecting	59
Surface Cleaners and Treatments	62

## WOOD CARE AND TREATMENT

Treatments and Preservatives	68
Stains and Varnishes	72

## ROOFING

Roof Repair	76
Flashing	79
Bitumen	80

## EXPANDING FOAMS

Professional and DIY	84
Foam Ancillaries	86
Fire Rated Foam	87

## FILLERS AND DECORATING SUNDRIES

Surface protectors	91
Decorating Fillers	92
Wood Fillers	96
Dust sheets and Tarpaulins	98
Decorating Sundries	99

## TAPES

Building Tapes	104
Repair Tapes	107
Masking Tapes	108
Safety Tapes	109
Packaging Tapes	109
Double sided Tapes	110
Plasterboard Tapes	111

## CLEANERS

Wipes	114
Glazing Cleaners	116
Cleaners and Lubricants	117

## PLUMBING AND HEATING SUPPLIES

Central Heating Treatments	120
Sealers and Compounds	121
Fire and Stove Sundries	123
Fire, Stove and Flue Cements and Mortars	124

## BUILDING SUPPLIES

Waterproofing	128
Building Admixtures	130
Self Levelling Compounds	140
Floor Paints and Line Markers	144
Wall Finishing	145
Concrete and Brick Repair	146
Priming	150
PVA and SBR Bonding	151
Chemical Anchors	154
Putties	156
Pointing	157

## TILING

Wet Room System	160
Tile Adhesives	162
Grouts	167

## BUILDING FINISHING

Mineral Renders	170
Base Coats	171
Lime Renders	171
Top Coats	172
Complementary Products	173

# WE ARE SIKA

BUILDING TRUST



# INTRODUCTION




**Sika's Distribution division is part of Sika Limited, the UK subsidiary of the worldwide Sika group. Established in 1927, Sika Limited is focused on developing and producing high quality products and systems for the construction and industrial markets across its four sites, located in the UK.**

Specialists in construction chemicals, Sika Limited offers access to a comprehensive portfolio of problem-solving products for a variety of applications including waterproofing, roofing, concrete repair, flooring and more.

As the UK's leading manufacturer of sealants, adhesives and building chemicals, Sika embodies the construction industry, working closely with merchant partners to supply the trade with high quality products and technical expertise.

Bringing Sika's unrivalled innovation in product development, high standards of manufacturing and renowned technical advice into the merchant market, customers now have direct access to the complete product portfolio opening up new opportunities for the trade industry.



ACCESS TO TRAINING VIA OUR EXPERIENCED TEAM AND ONLINE KNOWLEDGE CENTRE PORTAL



UNRIVALLED PRODUCT AND TECHNICAL SUPPORT



DIRECT ACCESS TO THE ENTIRE SIKA PRODUCT PORTFOLIO

## Social Media

Stay up to date with all the latest company and product news by following us online.



DEDICATED TRAINING SUPPORT AVAILABLE AT OUR SIKA WISHAW SITE

# WE ARE SIKa

Effective from 1 January 2023, Everbuild Building Products Limited will be legally integrated into Sika Limited. This is the final stage of the integration between Everbuild and Sika to become one statutory organisation.

To find out further information please visit our website:  
[www.everbuild.co.uk/everbuild-to-sika-legal-integration/](http://www.everbuild.co.uk/everbuild-to-sika-legal-integration/)

**BUILDING TRUST**



# SEALANTS

Trusted products are tried and tested by leading tradespeople on the most demanding of projects

**TRUSTED**

Professional	6
Fire Protection	14
DIY	15
Sika Sealants	17
Guns and Tools	18
Specifier	21
Specialist Sealants	26



**Forever White**  
Silicone Sealant**TRUSTED**

**FOREVER WHITE®**  
CONTAINS A HIGH  
QUALITY ANTIMICROBIAL  
ADDITIVE, RIGOROUSLY  
TESTED IN ACCREDITED  
MICROBIOLOGICAL  
LABORATORIES TO SHOW  
NO MOULD GROWTH  
AFTER 10 YEARS\*.

\* Simulated ageing.

**PERMANENTLY  
FLEXIBLE**

**TOOLS DOWN  
SMOOTHLY**

**PREMIUM QUALITY**


**STARTS WHITE -  
STAYS WHITE**



SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
461971	FOREVERWE	295ML	White	12	5029347603540
461972	FOREVERCLEAR	295ML	CLEAR	12	5029347603953
461973	FOREVERIV	295ML	IVORY	12	5029347606404
552487	FOREVERGY	295ML	GREY	12	5029347615376

**A superior silicone sealant that's waterproof, flexible and antibacterial - designed to be used around the home.**

Forever White is a superior silicone sealant that is permanently waterproof, flexible and ideal for sealing: shower bases and cubicles, wetrooms, around baths, sinks and basins. It is also ideal for use in kitchens and utility rooms and for sealing around window and door frames. Contains Mould Shield which actively protects the sealant against the growth of bacteria, mildew and black mould.

**Caulk Once**  
Acrylic Caulk

SLUMPING IS OFTEN FOUND  
WITH INFERIOR CAULKS

CAULK ONCE IS QUICK  
AND EASY TO APPLY


CAULK ONCE TOOLS  
DOWN SMOOTHLY FOR  
A PERFECT FINISH

**TRUSTED**

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489514	CLKONCEWE3	295ML	WHITE	12	5029347612955
489516	CLKONCEWE4	380ML	WHITE	12	5029347612962

**A premium quality acrylic caulk - fast-drying, permanently flexible and tailor-made for a range of jobs.**

Caulk Once - the best caulk you will ever use - is a premium quality acrylic caulk that has been formulated to outperform all other conventional decorating caulks and fillers. Caulk Once has been manufactured using an advanced high quality polymer to offer superior adhesion, low shrink as well as tooling down smoothly.



**APPLY ONCE -  
JOB DONE**

**NO SLUMP**

**EASY SMOOTH**



**EVERFLEX®**

Our huge range is ready for anything you throw at it.

**WATCH THE VIDEO:**

[everbuild.co.uk/resources-and-support/product-overview-videos/here-comes-everflex/](http://everbuild.co.uk/resources-and-support/product-overview-videos/here-comes-everflex/)

**Contract 115**  
GP Building Mastic

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489634	MASBN	285ML	BROWN	25	5029347601386
489635	MASGY	285ML	GREY	25	5029347601393
489636	MASNL	285ML	STONE	25	5029347601409
489637	MASWE	285ML	WHITE	25	5029347600141

A traditional oil based pointing mastic that provides an effective weatherproof seal. Typically used to seal composite sectional panels and low movement vertical building joints. This high solids formulation means excellent gap filling properties. It's semidrying too, so it remains permanently elastic beneath the surface skin.




Brick / Stone / Concrete / Timber

**Contract 125**  
One Hour Caulk

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
482349	125C3	300ML	WHITE	25	5029347000042
485992	125BN	300ML	BROWN	25	5029347601195
485994	125MAG	300ML	MAGNOLIA	25	5029347601201
485997	125C4	380ML	WHITE	12	5029347000059
485998	OHCC425	380ML	WHITE	25	5029347000059

A fast drying flexible decorators filler and sealant that remains permanently flexible. Can be overpainted with most paint types or covered over with wallpaper - no sanding down required. Ideal for sealing and filling cracks and gaps prior to decorating, and for use around skirting boards, ceiling cornices, window and door frames, stair treads and risings and fixtures adjoining walls. Can be used to fill damaged plaster.



Timber / Plaster / Brick / Concrete

**Premium 145**  
Butyl Rubber Sealant

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489633	145GY	300ML	GREY	12	5029347610357

A semi-setting jointing compound. Typically used for roofing, glazing, metal containers and sectional building applications. It forms a skin in approximately 24 hours but remains permanently plastic underneath. The sealant accommodates joint movements of +/- 5% and is overpaintable. Provides an effective weatherproof seal in a variety of exterior and interior applications.



Brick / Stone / Concrete / Timber

**Premium 175**  
Universal Acrylic Sealant

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489426	175BN	300ML	BROWN	25	5029347601218
482253	175WE	300ML	WHITE	25	5029347000066
539204	175C4WE	380ML	WHITE	12	5029347615031

A high quality acrylic sealant that provides a long lasting, permanently flexible seal in a wide variety of applications. Adheres to virtually all substrates. Ideal for internal and external sealing around timber and metal window and door frames. Also for internal sealing around PVCu window, door frames, baths and basins, sealing cracks and gaps in brickwork, stone and concrete, and as an adhesive for bonding polystyrene coving and tiles.




Timber / Plaster / Brick / PVCu / Concrete / Stone

**Premium+ 195**  
Siliconised Acrylic Sealant

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
482346	195WE	300ML	WHITE	25	5029347609535

A high quality sealant that remains highly flexible and can be used on a wide variety of sealing applications both internally and externally. 195 Acrylic has improved adhesion characteristics when compared to conventional acrylic sealants.




Timber / Plaster / Brick / PVCu / Concrete / Stone

**LMA 200**  
Contractors Silicone

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
485984	200BK	295ML	BLACK	25	5029347601492
485985	200BN	295ML	BROWN	25	5029347601485
485986	200TR	295ML	TRANS	25	5029347601478
468667	200WE	295ML	WHITE	25	5029347601461

A cost effective acetox cure sealant that adheres to most smooth and nonporous materials. Contains an anti-fungal compound to prevent mould growth to the sealant in areas of high humidity. Ideal for aluminium sealing, sealing around baths, showers, basins and other sanitary ware, as an adhesive for fixing PVCu trims, cladding and panels, sealing around worktops and laminates, pointing and door frames, for aluminium gutter sealing and for general draughtproofing.



Glass / Timber / Aluminium / Ceramics / Laminates





**Contract 225**  
Industrial and Glazing Silicone

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486133	225BK	295ML	BLACK	25	5029347601225
486134	225STEEL	295ML	STEEL	25	5029347602482
486135	225TR	295ML	TRANS	25	5029347601249
486136	225WE	295ML	WHITE	25	5029347000011

A mid modulus acetox cure silicone sealant that adheres to most smooth and non-porous substrates. Typically used for single glazing, draught-proofing and general industrial use. Quick curing, with low dirt pick up, it remains permanently flexible and provides a waterproof seal. Temperature resistant. Contains a powerful anti-fungal compound to prevent mould growth to the sealant.




Glass / Timber / Aluminium / Ceramics / Laminates

**Premium 335**  
Construction Silicone

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486137	335BK	295ML	BLACK	25	5029347601256
486138	335BN	295ML	BROWN	25	5029347601263
486139	335GY	295ML	GREY	25	5029347601287
486150	335NEWBZ	295ML	BRONZE	25	5029347601270
486152	335TOF	295ML	TOFFEE	25	5029347601294
486154	335TR	295ML	TRANS	25	5029347601300
486153	335WE	295ML	WHITE	25	5029347000028

A low modulus reactive cure silicone sealant specially formulated as a cost-effective PVCu sealant, which also adheres to many common building substrates. It remains permanently flexible, forming a weather tight rubber-like seal. Contains anti-fungal compound to prevent mould growth to the sealant.



PVCu / Brick / Aluminium / Plastics / Glass

**Premium+ 565**  
Clean Room Silicone

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486155	565WE	295ML	WHITE	25	5029347612399

An advanced neutral curing hygienic sealant that contains Mould Shield®, a powerful anti-bacterial compound, and is food contact approved. Prevents the growth of most common moulds. Offers outstanding adhesion to most substrates including plastics, ceramics and metal. Virtually odourless in application with a slow skinning time. Ideal for long joint runs in larger applications. Remains permanently flexible with a movement capability of +/- 25%. **Approved for food contact to 21CFR177.2600 by IANESCO (France) and meets ISO 11600 F 25LM.**




Metal / Ceramics / Glass / Most Plastics

**Contract 700T**  
LMN Silicone

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486156	700TBN	300ML	BROWN	25	5029347615123
486157	700TNEWBZ	300ML	BRONZE	25	5029347615130
486158	700TCA	300ML	CARAMEL	25	5029347615147
486160	700TTR	300ML	TRANS	25	5029347600631
486161	700TWE	300ML	WHITE	25	5029347615116
486162	700TBK	300ML	BLACK	25	5029347615161
486166	FP700TTR	600ML	TRANS	12	NO BARCODE
474142	FP700TWE6	600ML	WHITE	12	NO BARCODE

A fast, neutral cure, low modulus sealant specially formulated for the PVCu and roofline industry. For perimeter pointing window and door frames, sealing plastic roofline areas, general weather sealing, and also sanitary applications. White and translucent also available in a foil pack.




Timber / Brick / Stone / PVCu / Concrete / Metal

**Premium+ 450**  
Builders Silicone

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484831	450BF	300ML	BUFF	25	5029347601317
484832	450BK	300ML	BLACK	25	5029347601324
484833	450BN	300ML	BROWN	25	5029347601331
484834	450GY	300ML	GREY	25	5029347601348
484835	450OAK	300ML	OAK	25	5029347603502
484836	450TR	300ML	TRANS	25	5029347601355
484830	450WE	300ML	WHITE	25	5029347000035

A premium quality low modulus non-corrosive neutral cure silicone sealant that adheres to virtually all substrates, both porous and non-porous. Typically used for construction expansion joints and perimeter pointing of all types of door and window frames. Low dirt pick up - which is particularly important in PVCu work. **Conforms to ISO 11600 Class: F 25LM and G 25LM.**




Timber / Brick / Stone / PVCu / Concrete / Metal

**Premium+ 500**  
Bath and Sanitary Silicone

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484838	500GREY	295ML	GREY	12	5029347603373
484839	500IV	295ML	IVORY	25	5029347601362
484840	500SAND	295ML	STONE	12	5029347603380
484841	500TR	295ML	TRANS	25	5029347601379
484842	500WE	295ML	WHITE	25	50293470000127

A premium quality mid modulus acetox cure silicone sealant that contains a high level of powerful anti-fungal compound to protect the sealant. Typically used in areas of high humidity, such as bathrooms and kitchens. Permanently flexible, waterproof seal. Will not discolour on ageing even in humid/damp conditions.



Ceramics / Acrylic / Laminates / Aluminium / Glass

**Contract AC50**  
Acoustic Sealant and Adhesive

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489512	AC50900	900ML	WHITE	9	5029347600112
489513	AC50C4	380ML	WHITE	12	5029347600358

A high strength, permanently flexible sealant and adhesive specifically formulated for sealing and bonding plasterboard and other kraft lined insulation boards. Typically used for walls, ceilings and dry lining applications. Water based, solvent free formula, easy to use and clean up and adheres to just about all building substrates.



Timber / Plaster / Brick / Stone / Concrete

Check out our full range  
of guns, tools and  
nozzles for cartridge  
and foil packs

See pages 18-20 within  
the Sealants section



## Silicone Eater

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
482505	SILEAT	100ML	-	12	5029347115005


A revolutionary chemical that breaks up and removes all types of silicone sealant. Harmless to most surrounding surfaces and can be used to remove sealant from baths, kitchen worktops, basins, showers, doors and window frames.

Aqua Mate  
Aquarium Sealant

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489687	AQUATR	295ML	TRANS	12	5029347120009

An acetoxycure 100% silicone sealant and adhesive designed specifically for aquarium manufacture. 100% fish safe formula. The waterproof seal will withstand continuous water immersion over a long period of time once cured. Fast cure (tack free in one hour), gives extremely high early strengths.

**Meets the requirements of ISO 11600 G20LM**



Glass / PVCu / Aluminium

Weather Mate  
Gap Filler and Adhesive

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489689	WEACL	295ML	CLEAR	25	5029347601454
489692	WEAWE	295ML	WHITE	25	5029347000073
489693	WEABK	295ML	BLACK	25	5029347601447

Based on an advanced isocrylic formula that provides the ultimate in technology for adhesion to many surfaces. It can be applied in wet weather, to wet surfaces, even under water. Resistant to all weather extremes, remains permanently flexible and can be overpainted with most paints and wood stains when cured, although overpainting is not essential.




Metal / Timber / Galvanised Steel / Bitumen

Galva Mate  
Duct Sealant

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489540	GALVAM	295ML	GREY	25	5029347000707

A high performance solvent free adhesive and sealant specifically designed for sealing high velocity duct work in heating and ventilation systems. Very strong adhesion to galvanised and stainless steel surfaces, excellent slump resistance, permanently flexible and resistant to mildew and mould growth.



Galvanised Steel / Stainless Steel

Heat Mate  
Heat Resistant Sealant

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484772	HEAT	295ML	RED	12	5029347113001
484776	HTSBK	295ML	BLACK	12	5029347615307

A high modulus permanently flexible 100% silicone which is temperature resistant up to 275°C. Ideal for sealing industrial and high performance gaskets, oven doors etc. Cures quickly to reduce dirt pick up. Remains permanently flexible, forming a water tight rubber-like seal. Excellent adhesion to most non-porous surfaces.



Interior and Exterior Use


Lead Mate  
Sealant

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486216	LEAD	295ML	GREY	25	5029347007355

Specially formulated as an alternative to mortaring lead flashing and sheet into brick, stone and concrete, providing a fully waterproof joint. Cleaner and easier to apply than conventional mortar, and a great time-saver. Excellent weathering characteristics, permanently flexible and accommodates thermal movement in lead. Tack free in 1 hour. Temperature resistant to 150°C.



Lead / Brick / Concrete / Stone / Timber



Visit [everbuild.co.uk/Product-Finder](https://everbuild.co.uk/Product-Finder)  
to find the right product for the job



### Fire Mate

Intumescent Acrylic Sealant

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486028	FIRE	295ML	WHITE	25	5029347000134
486040	FIREMATEGY	295ML	GREY	25	5029347613648
486029	FIREMATEBN	295ML	BROWN	25	5029347613631

An intumescent acrylic sealant that swells when exposed to temperatures in excess of 125°C to prevent the passage of fire and smoke. Has a fire rating of up to 4 hours in certain joint configurations. **Fire rated to EN1366-4. Acoustic rated to ISO 140-3. Tested for air permeability to EN13141-1. Tested to EN1366-3.**




Brick / Concrete / Stone / Timber / Plasterboard

### Contract AC95

Intumescent Sealant and Adhesive

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486163	AC95900	900ML	WHITE	9	5029347602413

An intumescent acrylic sealant and adhesive specifically formulated for fire rated sealing and bonding applications on plasterboard and other kraft lined insulation boards. Provides up to 4 hours fire resistance. **Tested to EN1366-4. Acoustic rated to ISO 140-3. Tested for air permeability to EN13141-1 Ventilation for buildings. Performance testing of components/products for residential ventilation. Tested to EN13963, Type 4A.**



Timber / Plaster / Brick / Stone / Concrete

### Pyro Mate

Fire Rated Silicone

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486041	PRYWE	295ML	WHITE	12	5029347608941

A neutral cure elastic silicone sealant which conforms to EN1366-4 for fire protection and has a fire rating of up to 4 hours in certain joint configurations. Acoustic rated to ISO 140-3. Tested for air permeability to EN13141-1 Ventilation for buildings. Performance testing of components/products for residential ventilation. **Conforms to ISO 11600 class: F25LM and EN15651 to ISO 9047, 8339 and 10563.**



Timber / Brick / Stone / Glass / Concrete / Metal

### Firespan

Intumescent Putty Pads

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486164	FSPAN5NGL	SINGLE	RED	20	NO BARCODE
486165	FSPANDBLE	DOUBLE	RED	20	NO BARCODE

Designed to be used on the inside or outside of electrical socket boxes to maintain fire and smoke barrier where service holes are cut into dry lining and all types of fire rated boarding. Tested to EN1366-3 to provide up to 2 hours fire protection, and also maintain acoustic integrity of the drylining system. High tack adhesion, pliable and mouldable, self bonding.

Single Socket Pad Size: 4MM thick x 170MM x 170MM.  
Double Socket Pad Size: 4MM thick x 230MM x 170MM.

**Acoustic rated to BS EN ISO 140-3. Tested for air permeability to EN13141-1 Ventilation for buildings. Performance testing of components/products for residential ventilation.**



### General Purpose

Silicone


#### EASI-SQUEEZE

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
483130	EASIGPCL	80ML	CLEAR	12	5029347606060
483131	EASIGPWE	80ML	WHITE	12	5029347606022

#### CARTRIDGE

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
485955	GPSBK	280ML	BLACK	25	5029347600938
485956	GPSBN	280ML	BROWN	25	5029347200008
487789	GPSGY	280ML	GREY	25	5029347608965
467060	GPSTR	280ML	CLEAR	25	5029347100001
467061	GPSWE	280ML	WHITE	25	5029347000004
485957	12GPSBK	280ML	BLACK	12	5029347600938
485958	12GPSBN	280ML	BROWN	12	5029347200008
481298	12GPSGY	280ML	GREY	12	5029347608965
482390	12GPSTR	280ML	CLEAR	12	5029347100001
482391	12GPSWE	280ML	WHITE	12	5029347000004

A mid modulus silicone sealant that adheres to most smooth and non-porous materials. Contains an anti-fungal compound to be mould resistant in areas of high humidity. Forms a permanently flexible rubber seal. Available in both cartridges and squeeze tubes.



Glass / Ceramics / Timber / Aluminium / Laminates

### Bath and Kitchen

Sealant


#### EASI-SQUEEZE

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484863	EASIBATH	200ML	WHITE	12	5029347000547

#### CARTRIDGE

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486278	BATH	290ML	WHITE	12	5029347000554

A high quality, acrylic based sealant that provides an effective, yet economical seal that is easy to use. With added anti-fungal compound. Perfect for use in bathrooms and kitchens. Available in both cartridge and squeeze tube form.



Acrylic / Ceramics / Laminates / Timber / Plaster

### Flexible Decorators

Filler


#### EASI-SQUEEZE

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484864	EASIFLEX	200ML	WHITE	12	5029347601041

#### CARTRIDGE

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486009	FLEX	290ML	WHITE	12	5029347000554

A fast drying, acrylic based filler and sealant that remains permanently flexible. Can be overpainted with most paint types or covered over with wallpaper. No sanding down required. Available in both cartridge and squeeze tube form.



Glass / Ceramics / Timber / Metal / Laminates

**Showerproof**  
Bathroom Silicone

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
467063	SHOWWE	280ML	WHITE	12	5029347609610
467062	SHOWTR	280ML	CLEAR	12	5029347609627

A mid modulus sanitary and shower silicone sealant that adheres to most smooth and non-porous materials. Contains a powerful anti-fungal compound to be mould resistant in areas of high humidity. Forms a permanently flexible rubber seal.




Glass / Ceramics / Timber / Aluminium / Laminates

**Timber and Laminate**  
Sealant

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
483196	TIMBBCH	290ML	BEECH	6	5029347600143
483199	TIMBOAK	290ML	OAK	6	5029347600136
483200	TIMBPINE	290ML	PINE	6	5029347600129

A polymer rich, permanently flexible sealant and gap filler designed for sealing around laminate flooring, fitted furniture and kitchen worktops. Formulated using high clarity lightfast colour pigments.



Timber / Laminates / MFC / MDF

**Roof and Gutter**  
Sealant

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486214	ROOF	295ML	BLACK	12	5029347000172

A premium quality butyl based sealant and adhesive that provides instant, permanent weather-proofing to a wide variety of roofing applications. Adheres to most common roofing materials such as bitumen, asphalt, felt, metals and wood.



Felt / Slates / Tiles / Wood / Bitumen / Gutters

**External Frame**  
Sealant

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
483170	EXTBN	290ML	BROWN	12	5029347000585
483173	EXTGY	290ML	GREY	12	5029347000592
483174	EXTST	290ML	STONE	12	5029347000608
483175	EXTWE	290ML	WHITE	12	5029347000530

A high quality acrylic based sealant that provides a long lasting, permanently flexible seal that can be overpainted when cured.




Timber / Plaster / Brick / Stone / Concrete

**Sika® Sanisil**  
Sanitary Silicone

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
73988	SKSANISILCL	300ML	CLEAR	12	3240240006050
73999	SKSANISILWE	300ML	WHITE	12	3240240006043

A high quality, acetoxy curing, sanitary silicone containing a powerful anti-fungal compound for resistance to fungus and mildew. Sika® Sanisil is the ideal choice for sealing around baths, showers, sinks, kitchens and areas subject to high humidity levels. It can also be used for cap sealing to metal, timber, PVCu window frames.

**Sikaseal® Multi Purpose**  
General Purpose Silicone


SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
548128	SKSEALMPTR	300ML	TRANSLUCENT	12	5055492701961
548127	SKSEALMPWE	300ML	WHITE	12	5055492701947

A versatile acetoxy curing silicone sealant, suitable for a variety of household applications. Contains an anti-fungal compound to prevent mould growth in the sealant when used in areas of high humidity. Adheres to smooth and non-porous substrates and forms a permanently flexible seal.

**Sika® Plastix-22A**  
Premium LMN Silicone

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
507294	SKPLAS22AANTH	300ML	ANTHRACITE	12	5055492701480
507295	SKPLAS22ABK	300ML	BLACK	12	5055492701503
507297	SKPLAS22ACHGN	300ML	CHARTWELL GREEN	12	5055492701541
507296	SKPLAS22ACML	300ML	CARAMEL	12	5055492701527
507293	SKPLAS22ATK	300ML	TEAK	12	5055492701466
507292	SKPLAS22ATR	300ML	TRANSLUCENT	12	5055492701442
507285	SKPLAS22AWE	300ML	BRILLIANT WHITE	12	5055492701428

A premium grade, low-modulus, neutral curing silicone sealant that is ideal for glazing and roofline applications, along with other construction and industrial uses. This product's low dirt pick up makes it ideal for use with PVCu and plastics. Certified for facade, glazing, cold climate and sanitary applications.



**Power Pro**  
Sealant Gun

SGAN	CODE	SIZE	QTY	BARCODE
484912	SGNEWPPOWER	C4/400ML	6	5029347600945

The ultimate heavy duty sealant gun, extra pull trigger, hook end and swivel action barrel for both 310ML and 400ML cartridges. Engineered for the trade.

**Professional**  
Sealant Gun



SGAN	CODE	SIZE	QTY	BARCODE
483371	SG310	C3/310ML	12	5029347602246
485999	SG400	C4/400ML	12	5029347600952

Sturdy skeleton gun with hexagonal rod and reinforced ring and hook end.

**Jumbo**  
Sealant Gun

SGAN	CODE	SIZE	QTY	BARCODE
489587	SG9	900ML	1	5029347600785

With swivel action and extra heavy duty push rod mechanism to cope with stiff acoustic sealants. For all 900ML cartridges.

**Jumbo**  
Sealant Gun

SGAN	CODE	SIZE	QTY	BARCODE
489588	SGSUPERF	C3/310ML	6	5029347613082

Engineered to be what we believe is the best gun ever with a rotating barrel, smooth action trigger soft grip handle and a non-drip device all wrapped up in a robust, sturdy gun that will handle the toughest of conditions.

**Foil Pack**  
Spare Nozzles and Push Disc


SGAN	CODE	SIZE	QTY	BARCODE
489586	SGCOMBINOZ	-	1	5029347600815

Refill pack for foil pack applicator gun; contains 10 x nozzles and 1 x push disc.

**Foil Pack**  
Applicator Gun

SGAN	CODE	SIZE	QTY	BARCODE
483370	SGCOMBI6	600ML	1	5029347600808

The Foil Pack applicator gun is designed for use with foil packs, the enclosed aluminium barrel can also be used for standard cartridges.

**Sika® PowerCure**  
Dispenser

DISPENSER				
SGAN	CODE	SIZE	QTY	BARCODE
671579	7SPSKPCD	600ML	1	7612895699936

NOZZLE				
SGAN	CODE	SIZE	QTY	BARCODE
496783	7SPSKPCDRNOZZ	-	40	7612895230030

The Sika PowerCure Dispenser provides a quick and efficient way of applying SikaBooster technology found in Sikaflex 423 Powercure. The fast curing technology coupled with the Sika PowerCure Dispenser creates the most convenient application method for when time is of the essence.





## Standard Nozzles

SGAN	CODE	SIZE	QTY	BARCODE
489640	NOZSTD	-	12	5029347606237

Standard cartridge nozzles, handy replacements packed in 6's.

Seal Rite  
Smooth-Out Tool

SGAN	CODE	SIZE	QTY	BARCODE
486847	SMOOTHOUT	-	12	5029347603618

The Smooth-Out Tool is a unique tool that is ideal for smoothing out all sealants after application – it creates a perfect seal every time. Even better, you will have no edge marks and no mess! This tool is really remarkable, once used, you'll never seal again without it.

Seal Rite  
Strip-Out Tool

SGAN	CODE	SIZE	QTY	BARCODE
482769	STRIPOUT	-	12	5029347603557

The Strip-Out Tool is a unique patented tool which works on any type of sealant and is the ideal partner for use before applying silicone sealant. The Strip-Out Tool is incredibly simple and its design and shape provides a really quick way to strip all types of sealant out of any 90° angle joint.

Seal Rite  
Strip-Out and Smooth-Out Twin Pack

SGAN	CODE	SIZE	QTY	BARCODE
483399	SRSSTWIN	-	12	5029347609603

A Twin pack with Strip-Out Tool for easy sealant removal and Smooth-Out Tool to create the perfect seal. Ideal for use with Everbuild Silicone Sealants.

Silicone 825  
Silicone Sealant

TRUSTED

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
467283	825ANTH	380ML	ANTHRACITE	25	5029347615741
467206	825BG	380ML	BEIGE	25	5029347615734
467204	825BK	380ML	BLACK	25	5029347615727
467208	825BN	380ML	BROWN	25	5029347615710
467209	825BRICK	380ML	BRICK RED	25	5029347615703
467222	825BUFF	380ML	BUFF	25	5029347615697
534360	825DKANTH	380ML	DARK ANTHRACITE	25	5029347615673
467225	825DARKGY	380ML	DARK GREY	25	5029347615680
467226	825LMWE	380ML	LIMESTONE WHITE	25	5029347615666
467229	825MAG	380ML	MAGNOLIA	25	5029347615659
467240	825MIDGREY	380ML	MID GREY	25	5029347615642
467242	825PORT	380ML	PORTLAND STONE	25	5029347615628
467202	825WE	380ML	WHITE	25	5029347603977
518711	FP825WE6	600ML	WHITE	12	5029347612870

Shore A Hardness	20-30
Movement Accommodation	+/- 35% (ASTM C719)
Skinning Time	30-45 mins
Elastic Recovery	>80%

**Silicone 825 is a low modulus, neutral curing silicone sealant based on a filled alkoxy curing system.**

Conforms to ISO 11600 class F25LM and G25LM. Used for expansion joints to stone, brick, concrete and composite panels, perimeter pointing around all types of window and door frames. Substrates: glass, aluminium and PVC – all primerless.

**SUBSTRATES: GLASS,  
ALUMINIUM AND PVC  
- ALL PRIMERLESS.**

**TECHNICAL EXCELLENCE  
PROFESSIONAL  
PERFORMANCE**





**Fire Sealant 300**  
Intumescent Acrylic Sealant

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486192	300GY	380ML	GREY	25	5029347603984
486194	300WE	380ML	WHITE	25	5029347603984
486195	FP300GY6	600ML	GREY	12	NO BARCODE
486196	FP300WE6	600ML	WHITE	12	NO BARCODE

<b>Movement Accommodation</b>	+/-12.5%
<b>Skinning Time</b>	10 mins
<b>Elongation at Break</b>	200%

An intumescent and acoustic acrylic sealant that swells when exposed to temperatures in excess of 150°C to prevent the passage of fire and smoke, with a fire rating of up to 4 hours. Typically used for sealing joints, voids and irregular holes in fire walls, partitions and other structures. For internal perimeter pointing of fire rated door and window frames. **Fire rated to EN1366-4 and EN1366-3, Acoustic rated to BS EN ISO 140-3. Tested for air permeability to EN13141-1 Ventilation for buildings. Performance testing of components – products for residential ventilation.**

**Fire Sealant 400**  
Fire Rated Silicone Sealant

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489708	400BK	380ML	BLACK	25	5029347603991
489710	400GY	380ML	GREY	25	5029347603991
489703	400WE	380ML	WHITE	25	5029347603991

<b>Movement Accommodation</b>	+/-25%
<b>Skinning Time</b>	30 – 45 mins
<b>Elastic Recovery</b>	80%
<b>Elongation at Break</b>	350%

A neutral cure, elastic, acoustic rated silicone sealant with a fire rating of up to 4 hours. Typically used for all building and glazing joints which require a fire rating, sealing joints, voids and irregular holes in fire walls, partitions and other structures. **Fire rated to EN1366-4, Acoustic rated to BS EN ISO 140-3. Tested for air permeability to EN13141-1 Ventilation for buildings. Performance testing of components – products for residential ventilation. ISO 11600 class: F25LM.**

**Silicone S50**  
Sanitary Silicone Sealant

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486319	S50JAS	310ML	JASMINE	25	5029347604844
486430	S50MAN	310ML	MANHATTAN GREY	25	5029347604844
486431	S50TR	310ML	TRANS	25	5029347604844
486433	S50WE	310ML	WHITE	25	5029347604844

<b>Movement Accommodation</b>	+/-20%
<b>Skinning Time</b>	15 mins @20°C
<b>Cure Time</b>	3-4MM per 24hrs
<b>Service Temp</b>	-40 to +150°C

A mid modulus, acetox curing silicone sealant that contains a powerful anti-fungal compound to prevent mould and fungal growth to the sealant in areas of high humidity. Gives improved adhesion and flexibility when compared to standard sanitary grades. **Tested to ISO 11600 F/G20LM and EN15651.**

**Joint Backer Rod**

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489399	BACK10	1150MT	GREY	1	NO BARCODE
489410	BACK12	750MT	GREY	1	NO BARCODE
489411	BACK15	550MT	GREY	1	NO BARCODE
489412	BACK19	350MT	GREY	1	NO BARCODE
489413	BACK25	200MT	GREY	1	NO BARCODE
489414	BACK31	160MT	GREY	1	NO BARCODE

Everbuild Tecnic Joint Backer Rod is a non absorbent compressible grey closed cell polyethylene foam backing material. It is inserted into a joint to control sealant depth and create a backstop to allow proper sealant applications.

**HM Silicone**  
Acetox sanitary silicone

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
725250	HMWE	310ML	WHITE	25	5029347610210

<b>Movement Capability</b>	+/-20 % (ISO9047)
<b>Elongation at break</b>	>350% (ISO8339)
<b>Elastic Recovery</b>	>95 % (ISO7390)
<b>Curing Time</b>	2-4 mm/24 hours (23 °C and 50 % RH)

A premium, acetox curing silicone sealant engineered to provide enhanced body and superior toolability in sanitary applications.

It contains powerful anti-fungal compound to prevent mould and fungal growth to the sealant in areas of high humidity.

**Anti Pick 109**  
Pick Resistant Sealant

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489422	ANTIPI09GY	295ML	GREY	25	5029347610210
489423	ANTIPI09SL	295ML	SOFT LINEN	25	5029347610210
489424	ANTIPI09WE	295ML	WHITE	25	5029347610210

<b>Shore A Hardness</b>	~50
<b>Tensile Strength (ISO 8339)</b>	>1N/mm² at 60% elongation
<b>Curing Time at 23°C and 50% RH</b>	2mm / 24hr

A very high modulus, one part, chemically curing sealant. Specifically designed for providing a hand pick resistant seal accommodating small movement for areas where a normal sealant is not hard enough.



**Hybriflex 25LM**  
Low Modulus Sealant

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
------	------	------	--------	-----	---------

484641	HYB25LMWE	380ML	WHITE	25	5029347612054
--------	-----------	-------	-------	----	---------------

<b>Shore A Hardness</b>	20-30
<b>Skin Formation at 23°C and 50% RH</b>	20-45 mins

A one part low modulus building sealant based on hybrid polymer technology. For perimeter pointing of uPVC, window/door frames, for expansion joints, weather sealing applications, parapet and roofline sealing, weatherproofing sealing, construction and dilation joints. Overpaintable. **Tested to ISO11600 class: F25LM.**

**Hybriflex 55**  
Hybrid Polymer Adhesive

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
------	------	------	--------	-----	---------

518713	FPHYB55BK	600ML	BLACK	12	NO BARCODE
486224	FPHYB55WE	600ML	WHITE	12	NO BARCODE

<b>Shore A Hardness</b>	55-60
<b>Skinning Time</b>	30-45 mins
<b>Elastic Recovery</b>	>75%
<b>Tensile Strength</b>	1.5N/mm <sup>2</sup>

A high strength, permanently elastic, neutral cure hybrid polymer based adhesive. Isocyanate, silicone and halogen free, overpaintable with most paints, excellent adhesion to most construction substrate, resistant to most chemicals.

**Hybriflex 40**  
Hybrid Polymer Adhesive

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
------	------	------	--------	-----	---------

492024	HYB40GY	295ML	GREY	12	5029347613334
--------	---------	-------	------	----	---------------

<b>Shore A Hardness</b>	50 +/-5
<b>Skinning Time</b>	10-40 mins
<b>Cure Time</b>	2mm/24 hr
<b>Elastic Recovery</b>	>60%

A high modulus, one-component hybrid based adhesive which adheres strongly to most substrates. Provides excellent resistance to most common chemicals and solvents and can be overpainted when cured.

**Hybriflex 480**  
Hybrid Polymer Building Sealant

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
------	------	------	--------	-----	---------

486725	HYB480GY	380ML	GREY	25	5029347606107
486727	HYB480WE	380ML	WHITE	25	5029347606107

<b>Shore A Hardness</b>	35-45
<b>Skinning Time</b>	+/- 25%
<b>Elastic Recovery</b>	20-35 mins
<b>Tensile Strength</b>	>70%

A one part general purpose building sealant based on hybrid polymer technology. Ideal for perimeter pointing of uPVC and all window/door frames, expansion joints, weatherproof sealing etc. which need to be painted over afterwards. **Conforms to ISO 11600 Class: F25HM.**

**Hybriflex SMP**  
Flooring Sealant

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
------	------	------	--------	-----	---------

486738	FPHYBSMPGY	600ML	GREY	12	NO BARCODE
--------	------------	-------	------	----	------------

<b>Shore A Hardness</b>	30-40
<b>Movement Accommodation</b>	+/-20%
<b>Elongation at Break (ISO 8339)</b>	>250%
<b>Service Temperatures</b>	-40°C to +90°C

Formulated to provide a high shore A sealant combined with a low viscosity to enable high speed application into floor joints. Suitable for sealing saw cut and pre-formed expansion joints on both internal and external floor joints, provides exceptional abrasion resistance.

**Puraflex 25**  
Low Modulus PU

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
------	------	------	--------	-----	---------

464966	INDPU25BK	300ML	BLACK	12	5029347613174
464969	INDPU25BN	300ML	BROWN	12	5029347613181
465347	INDPU25BU	300ML	BUFF	12	5029347613198
464968	INDPU25GY	300ML	GREY	12	5029347613204
464967	INDPU25WE	300ML	WHITE	12	5029347613211
464714	FPINDPU25BK6	600ML	BLACK	20	NO BARCODE
464962	FPINDPU25GY6	600ML	GREY	20	NO BARCODE
464961	FPINDPU25WE6	600ML	WHITE	20	NO BARCODE

<b>Shore A Hardness</b>	20
<b>Movement Accommodation</b>	+100/-50% (ASTM C719)
<b>Skinning Time</b>	70 mins

A one part low modulus building sealant based on polyurethane technology. It is suitable for most construction expansion and dilation joints and adheres to most building surfaces such as concrete, ceramics, wood, metal, uPVC etc. **Conforms ISO11600 F25LM and is CE marked to EN15651-1: 2012 Type F EXT-INT CC.**

**Hybriflex FR**  
Fire Rated Hybrid Polymer

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
------	------	------	--------	-----	---------

501991	FPHYBFRGY	600ML	GREY	12	NO BARCODE
--------	-----------	-------	------	----	------------

<b>Shore A Hardness</b>	40+/-5
<b>Movement Accommodation</b>	+/-25%
<b>Skin Formation at 23°C and 50% RH</b>	20-55 mins
<b>Elongation at Break (ISO 8339)</b>	>200%

A one part, chemically curing solvent free sealant and adhesive. Specifically designed multi-purpose floor/wall sealant for all concrete saw cuts and cladding applications and/or slab expansion joints, where fire resistance is required. **Fire rated up to 4 hours in certain joint configurations (when tested to EN1366 Part 4 2006 - Warrington Fire Certificate 195854/A October 2010).**

**Puraflex 40**  
High Modulus PU

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
------	------	------	--------	-----	---------

464963	INDPU40BK	300ML	BLACK	12	5029347613143
464965	INDPU40GY	300ML	GREY	12	5029347613150
464964	INDPU40WE	300ML	WHITE	12	5029347613167
464712	FPINDPU40BK6	600ML	BLACK	20	NO BARCODE
464839	FPINDPU40GY6	600ML	GREY	20	NO BARCODE
464960	FPINDPU40WE6	600ML	WHITE	20	NO BARCODE

<b>Shore A Hardness</b>	30-40
<b>Skinning Time</b>	~50 mins
<b>Cure Time</b>	3.5mm/24 hr
<b>Elastic Recovery</b>	>75%

A high modulus, one-component PU sealant and adhesive which adheres strongly to most substrates. Provides excellent mechanical resistance (Shore A 30-40), resistance to most common chemicals and can be overpainted when cured.



**Sikaflex® PRO-3 Purform**  
Polyurethane Sealant


SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
693977	FPSKPRO3PBK6	600ML	BLACK	20	7612895756448
694153	FPSKPRO3PGY6	600ML	GREY	20	7612895755496
694308	FPSKPRO3PWE6	600ML	WHITE	20	7612895758466

Containing new Purform technology for a futureproof polyurethane formula, Sikaflex PRO 3 Purform is a one-part, moisture curing, elastic joint sealant with superior mechanical properties combined with excellent weather and chemical resistance. Ideal for use in floor joint sealing. Ultra-low monomer and VOC content and certified for use in food contact areas.

**SikaHyflex®-250**  
Polyurethane Sealant

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
443600	FPSKHY250FCBGY	600ML	BASALT GREY	20	7612894991093
435543	FPSKHY250FCCGY	600ML	CONCRETE GREY	20	7612894945478
435616	FPSKHY250FCDGY	600ML	DARK GREY	20	7612894946819
443569	FPSKHY250FCIV	600ML	IVORY	20	7612894991079
435614	FPSKHY250FCWE	600ML	WHITE	20	7612894949094

A high performance, one-part, moisture curing, low-modulus sealant. SikaHyflex®-250 is designed to provide an elastic and waterproof seal on movement and connection joints in commercial building envelopes. This product possesses excellent weathering and ageing resistance along with good adhesion to many substrates.

**Sikaflex® PRO-3 Self Levelling**  
Polyurethane Floor Sealant

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
410863	FPSKFLEXP3SLCGY	600ML	CONCRETE GREY	20	7612894826821

A one-component, moisture curing, self-levelling, elastic joint sealant which is based on polyurethane. Sikaflex® PRO-3 Self-Levelling is designed for horizontal applications in movement and connection joints in floors, pedestrian and traffic areas, as well as warehouses and production areas. This product is certified for use in food contact areas.

**Sikaflex® Tank N**  
Polyurethane Sealant

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
156879	FPSKFLEXTKGY6	600ML	CONCRETE GREY	20	7612894633962

A one-component, moisture curing, elastic joint sealant based on polyurethane. Sikaflex® Tank N is designed for use in areas for the storage, handling and filling of water polluting liquids.

**Sikaflex® Floor**  
Polyurethane Sealant

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
411915	FPSKFLEXFL6	600ML	GREY	20	7612894830590

A one-component, moisture curing, elastic joint sealant with high mechanical resistance. Sikaflex® Floor is designed for connection joints in floors, joints for crack control in industrial floors and floor joints between pre-cast concrete elements.

**Sikaflex® Construction+**  
Polyurethane Sealant


SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
438640	FPSKFLEXCONCGY	600ML	CONCRETE GREY	20	7612894961690

A one-component, moisture curing, flexible joint sealant. Sikaflex® Construction+ is designed for movement and connection joints in concrete and masonry facades.

**Sikasil® Pool**  
Silicone Sealant

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
130877	SKSILPOOLGY	300ML	GREY	12	7612894590905
150295	SKSILPOOLWE	300ML	WHITE	12	7612894609400

A one-component, neutral curing silicone sealant for joints located in and around swimming pools and areas under permanent water immersion.





## Sikaflex®-423 Powercure

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
713122	7SPSKF423PCCGY	600ML	GREY	14	7612895813158

Sikaflex®-423 Powercure is a 1-part, non-sag, high-performance polyurethane sealant and booster, for vertical and horizontal joints in civil engineering application. Mixed by the Sika PowerCure dispenser, correct ratios of sealant and SikaBooster are applied directly to the joint for a quick and convenient application. Provides high movement capability, and high mechanical and chemical resistance.



**For the ultimate fast curing system use the Sika® PowerCure dispenser.**



See page 19 in the Sealant Guns section



## Sikasil® DW

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
715630	7SPFPKSDWBK6	600ML	BLACK	20	7612895817651
715585	7SPFPKSDW5G6	600ML	SIGNAL GREY	20	7612895817637
680078	7SPFPKSDWTR6	600ML	TRANSPARENT	20	7612895717258

Sikasil® DW is suitable for joints in contact with potable (drinking) water, e.g. in the water industry in drinking water reservoirs, tanks, treatment and filtration plants.



Approval Number: 2203515

## Sika® Primer-115

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
708138	7SPSKP1151L	1LTR	TRANSPARENT (Slightly Yellow)	1	7612895791753

A one-component, solvent based primer based on Sika Purform technology and adhesion promoter; designed for use on porous substrates and metals. Evaporates quickly.



## Sika® Primer 3N

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
122239	SKPRIME3N1	1LTR	TRANSPARENT (Slightly Yellow)	1	7612894543216

A one-component, solvent based primer and adhesion promoter; designed for use on porous substrates and metals. Evaporates quickly.







# ADHESIVES

Trusted products are tried and tested by leading tradespeople on the most demanding of projects

**TRUSTED**

Hybrid Sealants and Adhesives	32
Grab	36
Plasterboard	42
Specialist Adhesives	43
Wood	44
Flooring	46
Contact	49
Superglues and activators	50
Craft	52



Stixall Extreme Power  
Sealant and Adhesive

Stixall Extreme Power is a combined adhesive and sealant, based on hybrid polymer technology, with extreme power to both bond and seal nearly everything in almost all conditions, even underwater and in the rain!

Available in both cartridges and easi-squeeze tubes. CE Marked.



TRUSTED



Metal / Glass / Brick / Timber / Plastic


SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
483107	STIXBK	290ML	BLACK	12	5029347603281
483108	STIXBN	290ML	BROWN	12	5029347603304
483168	STIXCLEAR	290ML	CRYSTAL CLEAR	12	5029347603960
483109	STIXGY	290ML	GREY	12	5029347603298
546801	STIXWE	290ML	WHITE	12	5029347602604
483110	STIXNAT	290ML	NATURAL	12	5029347615291
483124	EASISTIXCL	80ML	CRYSTAL CLEAR	12	5029347606053
483111	EASISTIXWE	80ML	WHITE	12	5029347606015





**Sikaflex® EBT+**

Polyurethane Adhesive, Sealant and Filler




## TRUSTED

3-IN-1 ADHESIVE,  
SEALANT AND FILLERPERMANENTLY  
FLEXIBLE AND ELASTICWATERPROOF AND  
WEATHERPROOFHIGH-GRAB,  
NON-SAG

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
511392	SKFLEXEBTWE	300ML	WHITE	12	7612894368475
463337	SKFLEXEBTCR	300ML	CLEAR	12	5055492700780
511395	SKFLEXEBTBG	300ML	BEIGE	12	7612894370546
511394	SKFLEXEBTBK	300ML	BLACK	12	7612894368437
511393	SKFLEXEBTBN	300ML	BROWN	12	7612894370560
511397	SKFLEXEBTGY	300ML	GREY	12	7612894368451

A multi-purpose, permanently- elastic, one-part, polyurethane\* adhesive and sealant. Sikaflex® EBT+ bonds to all common building materials; its excellent grab and gap filling properties makes it ideal for use in a wide range of building and maintenance applications.

\*Clear product is a hybrid polymer

**EB25**

Sealant and Adhesive




## TRUSTED

SEALS AND BONDS  
UNDERWATERWORKS ON VIRTUALLY  
ANY SUBSTRATESUPERIOR  
FLEXIBILITYSANITARY AND  
FOOD SAFEINCREDIBLE BOND  
STRENGTH

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
614049	EB25ANTH	300ML	ANTHRACITE	12	5029347615598
605669	EB25BK	300ML	BLACK	12	5029347615550
605674	EB25CL	300ML	CRYSTAL CLEAR	12	5029347615543
605670	EB25GY	300ML	GREY	12	5029347615567
605668	EB25WE	300ML	WHITE	12	5029347615536

EB25 uses cutting-edge technology and a unique polymer blend, we've developed a truly universal, top quality hybrid. It's extremely flexible, certified for indoor and outdoor use, and in sanitary and food preparation areas (ISEGA). Plus, it's exceptionally strong, sticks to almost anything and even works underwater!

It's resistant to mould, temperature extremes, chemicals, petrol, UV radiation, plus it does all this whilst meeting the toughest emissions classification! CE Marked.



Brick / Timber / Metal / Plastic / Glass



WATCH THE VIDEO:

How to apply EB25  
on various substrates  
and in different  
situations



For more information visit  
www.sika.co.uk

or call 0800 000 000

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website

or visit our website



### Multi Stick

Hybrid Polymer Adhesive



## TRUSTED



EXCELLENT BOND STRENGTH



ANTI-SLIP BONDING

BONDS VIRTUALLY ANYTHING

APPLY TO POROUS AND  
NON-POROUS SURFACES  
IN THE WET OR DRY!

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
525020	SKMULTISWE	350ML	WHITE	12	5055492701725

Multi Stick is a superior grab adhesive with the ability to bond virtually anything to everything in both wet and dry conditions, even underwater or in the rain.

With incredible initial grab, high bonding strength, and almost limitless applications, no tradesman should be without a tube of this next generation adhesive. Think of any bonding application and it is virtually certain Multi-Stick will handle it with ease.



Metal / Brick / Timber / Plastic / Concrete / PVCu



### Gun A Nail Extra

Solvent Based Adhesive

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486026	SBGANCL4	380ML	BEIGE	12	5029347111007

Gun A Nail Extra is a high strength, solvent based, gap filling adhesive providing extra bond strength and a quick cure in external applications. Ideal for bonding two non-porous materials together.



Brick / Stone / Concrete / Timber



### Gun A Nail Standard

Solvent Free Adhesive

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
485954	GANN3	290ML	WHITE	25	5029347000110

Gun A Nail Standard is a high strength, gap filling multi-purpose building adhesive based on a tackified solvent free system for use in a wide variety of building and home improvement applications. Gun A Nail Standard can be used where at least one of the substrates to be bonded is porous. Ideal for fixing skirting boards, wall panels, cladding, framework and floorboards.



Brick / Stone / Timber / Concrete




### Clear Fix

Crystal Clear Hybrid Polymer Adhesive

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
461970	CLEARFIX3	290ML	CLEAR	12	5029347612931

A clear hybrid polymer grab adhesive that has the ability to bond just about everything in both interior and exterior applications. With added UV stabilisers, Clear Fix is the ideal choice for applications where you may see the colour of the product. Clear Fix is a versatile product which can be used in almost every application imaginable – even when immersed under water! Even more, Clear Fix comes in a completely Clear cartridge to illustrate the clarity of the product.



Metal / Glass / Brick / Timber / PVCu



### Mirror Mate

Mirror Adhesive

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486027	MIRROR	290ML	WHITE	12	5029347112004

Mirror Mate is a one component adhesive based on Hybrid Polymer technology that is specially formulated for bonding mirrors to most common surfaces. The totally neutral curing system will not attack the mirror backing. Excellent primerless adhesion to most surfaces including metals, most plastics, concrete, plaster, plasterboard, polyester, perspex, glass, wood, enamel, painted surfaces etc.



Mirrors / Metal / Plaster / Perspex / Plastic





### Maximum Torque

High Strength Hybrid Polymer Grab Adhesive



## TRUSTED

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484807	MAXTQWE	290ML	WHITE	12	5029347610814

**Maximum Torque, based on next generation hybrid polymer technology is the ultimate high grab adhesive, providing a level of immediate grab strength not previously possible with cartridge packed adhesives.**

The unique polymer blend gives incredible initial grab, typically double that of most grab adhesives on the market today, eliminating the need for temporary support in most applications. Maximum Torque has the ability to bond basically everything to anything in virtually all conditions.



Brick / Metal / Glass / Timber / PVCu

**DOUBLE THE GRAB STRENGTH OF MOST ADHESIVES**

**CAN BE APPLIED TO WET OR DAMP SURFACES**

**INCREDIBLE INITIAL GRAB**




### Griptite

Solvent Based Adhesive

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486238	GRIPITTEC3	310ML	BUFF GREEN	12	5029347611965
486717	GRIPITTEC4	350ML	BUFF GREEN	12	5029347611644

Griptite is an extra-tough, high grab construction adhesive that combines great performance with 'easyflow' gunability. This high bond strength, solvent based adhesive adheres to most common substrates and can be used on direct bond or double stick applications. With good early grab properties Griptite is suitable for a wide variety of applications including being usable in both vertical and horizontal positions.




Brick / Stone / Timber / Concrete



### Coving Adhesive and Joint Filler

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486008	COVE	290ML	WHITE	12	5029347600921

A high strength solvent free gap filling adhesive that provides a quick 'grab' for fixing polystyrene, plaster coving and cornices to sound porous surfaces. Dries white and is overpaintable when dry.



Plaster / Timber / Polystyrene / Brick / Stone / Concrete




### Instant Nails

Solvent Free Adhesive

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484866	EASIINST	200ML	WHITE	12	5029347000578

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484815	INST	290ML	WHITE	12	5029347000561
484816	25INST	290ML	WHITE	25	5029347000561

Instant Nails is a high strength, solvent free, gap filling, multi use adhesive that provides a quick grab and replaces mechanical fixings in many home improvement applications. Dries white and may be overpainted if required.



Plaster / Timber / Polystyrene / Brick / Stone / Concrete / PVCu





**Pinkgrip MS**

Minimum Solvent Adhesive

TRUSTED

**PINKGRIP MS** is a hybrid polymer grab adhesive. This next generation product is designed to overcome the limitations of traditional grab adhesives, whilst maintaining the legendary grab strength of the original Pinkgrip formulation.

**MULTI SURFACE**

Forget the limitations of traditional solvent or water-based adhesives, PINKGRIP MS will bond almost all common building materials, porous and non-porous, indoors and out. It will even work on wet surfaces or underwater.

**MAXIMUM STRENGTH**

Worthy of the famous Pinkgrip name, PINKGRIP MS has an incredible grab strength.

**MINIMUM SOLVENTS**

The high adhesive performance of a solvent based product, without all of the harmful emissions. Amazing!



SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
708010	PINKGMS3	290ML	PINK	12	5029347615925



Brick / Metal / Timber / Concrete / Plastic

**Pinkgrip**


Solvent Based Adhesive



SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486022	PINKGRIP	350ML	PINK	12	5029347601690

**Pinkgrip's revolutionary grabbing strength usually removes the need to pin under the workpiece to prevent slipping or slumping.**

Pinkgrip will stick just about anything on a building site that needs sticking. Its amazing grabbing strength not only removes the need to pin under the workpiece to prevent slumping, but its revolutionary initial 'Direct Bond' eliminates the need for double stick methods.



Brick / Metal / Timber / Concrete / Plastic



NON-SLIP BONDING

SOLVENT BASED

NO NEED TO  
'DOUBLE STICK'


FAST GRAB

**Pinkgrip SF**

Solvent Free Adhesive

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486023	SFPINK	380ML	PINK	12	5029347602420
486024	PINKWE	380ML	WHITE	12	5029347610081

A direct bond adhesive with all the legendary grabbing performance of original Pinkgrip but in a solvent free formula. Can be used to replace mechanical fixings in a wide variety of home improvement applications. Ideal for bonding wood, brick, plaster, plasterboard, polystyrene, metals and plastics. Available in Pink and White colours.



Brick / Metal / Timber / Concrete / Plastic



### Pinkgrip Dry Fix FR Plasterboard Adhesive Foam

**SIGNIFICANT TIME SAVING  
OVER CONVENTIONAL DRY  
WALL ADHESIVES**

**SUITABLE FOR  
PLASTERING IN  
JUST 1 HOUR**

**BOARDS ONLY NEED  
HOLDING  
FOR 1 MINUTE**

**NO MIXING,  
NO MESS**




## TRUSTED

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489721	DRYFIX7	750ML	PINK	12	5029347606282

Pinkgrip Dry Fix FR is a revolutionary type of fast curing, adhesive foam that has been specially developed for the rapid installation of Plasterboard, Insulation Boards and other sheet materials such as Roof Decking and Floorboards.

The Dual Flow system means that it can be applied using the nozzle provided or attached to the Dry Fix Applicator Gun. Pinkgrip Dry Fix FR provides significant labour saving and convenience benefits when compared to traditional dry wall adhesives. It will bond to most common building substrates; can be applied horizontally or vertically to the board, wall or battens/beams.

Dry Fix FR conforms to the requirement of EN13501-1 Class E for fire rating.



Brick / Stone / Concrete / Timber / Plasterboard

### Pinkgrip Dry Fix Applicator Gun

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486434	DRYGUN	-	-	1	5029347606466


Pinkgrip Dry Fix Applicator Gun - for use with Pinkgrip Dry Fix Fast Cure Dry Wall Adhesive.



### Smart Tack Handy Aerosol

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488882	SMARTHANDY	500ML	BLUE	12	5029347601188

Standard aerosol for smaller jobs. Offers all benefits with lower pressure application. 500ML aerosol will cover 2.5-3.5m<sup>2</sup> of laminate when applied to both surfaces.



Laminates / Timber / Cork / Rubber / Metal

### Smart Tack Bulk Tank

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488883	SMARTBULKCL	17KG	CLEAR	1	5029347601171

For large scale use, delivers adhesive via a flexible hose to the gun. Bulk Tank will cover ca. 128m<sup>2</sup> per 17kg of laminate when applied to both surfaces.



Laminates / Timber / Cork / Rubber / Metal

### Smart Tack Bulk Tank Gun

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488889	SMARTBULKGUN	-	-	1	NO BARCODE

For use with Smart Tack bulk tank and hose.



### Smart Tack Bulk Tank Hose

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488892	SMARTBULKHOSE	-	-	1	NO BARCODE

For use with Smart Tack bulk tank and gun. Hose length: 3.66 metres.





**D4**  
Wood Adhesive


SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484942	D41	1LTR	WHITE	12	5029347602703
484947	D425	25LTR	WHITE	1	5029247611545

A solvent free industrial grade wood adhesive based upon hybrid resin technology. Can be used internally or externally, gives a high strength, totally waterproof, impact and temperature resistant bond. Dries clear, sets in 10 minutes. Ideal for all general woodworking and joinery uses, assembly line work, RF/HF Cure systems, wood on wood laminating, furniture assembly and household DIY use. **Conforms to EN 204. D4 Strength and WATT91.**

**502 All Purpose Weatherproof**  
Wood Adhesive


SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
483366	WOODBOT125	125ML	-	12	5029347005276
482248	WOODBOT250	250ML	-	12	5029347005238
482247	WOOD005	500ML	-	20	5029347005207
479511	WOOD01	1L	-	12	5029347005214
488859	WOOD05	5L	-	4	5029347005252
488861	WOODA25	25L	-	1	5029347052492

All Purpose Weatherproof Wood Adhesive is a high quality, resin based wood adhesive for all wood bonding. It can be used internally and externally and provides a high strength, impact resistant bond that is usually stronger than the wood itself. Ideal for all general woodworking and joinery uses, furniture assembly and household DIY use. Dries clear. Fast cure, initial set in just 10 minutes. **Conforms to the international standard EN 204 D3 and EN 14256 for resistance to static load.**

**5 Minute Polyurethane**  
Wood Adhesive Gel

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484682	5MINPU3	310ML	TRANS	12	5029347809034

Lumberjack 5 Minute Polyurethane Wood Adhesive Gel is a thixotropic, transparent, gap filling gel which sets hard in just 5 minutes. This product gives exceptionally high bond strength and is resistant to most chemicals. It foams slightly on application to fill small gaps, which in turn increases the bond strength. Particularly suitable for equipment manufacture and production line applications where rapid handling is required. **Conforms to EN 204. D4 Strength.**



Wood / Metal / Brick / Concrete / Stone

**5 Minute Polyurethane**  
Wood Adhesive Liquid

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484683	5MINPU7	750GR	BROWN	6	5029347601133

Lumberjack 5 minute polyurethane wood adhesive liquid is brown in colour and is ideal for larger applications, or in the workshop where greater economy is required. Sets hard in 5 minutes. The liquid is 100% waterproof, gives exceptionally high bond strength and is resistant to most chemicals. The product foams slightly on application to fill small gaps, which increases bond strength. **Conforms to EN 204. D4 Strength.**




Wood / Metal / Brick / Concrete / Stone

**30 Minute Polyurethane**  
Wood Adhesive Gel

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484684	30MINPU3	310ML	TRANS	12	5029347809010

Lumberjack 30 Minute Polyurethane Wood Adhesive Gel is a thixotropic, transparent, gap filling gel which sets hard in 30 minutes. This one part, moisture curing gel gives exceptionally high bond strength and is resistant to most chemicals. It foams slightly on application to fill small gaps, which increases bond strength. **Conforms to EN 204. D4 Strength.**




Wood / Metal / Brick / Concrete / Stone

**30 Minute Polyurethane**  
Wood Adhesive Liquid

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484685	30MINPU7	750GR	BROWN	6	5029347809027

Lumberjack 30 Minute Polyurethane Wood Adhesive Liquid is brown in colour and ideal for larger, horizontal applications where greater economy is required. Sets hard in 30 minutes. This liquid gives exceptionally high bond strength and is resistant to most chemicals. It foams slightly on application to fill small gaps, which increases bond strength. **Conforms to EN 204. D4 Strength.**



Wood / Metal / Brick / Concrete / Stone

**45 Minute Polyurethane**  
Wood Adhesive Liquid

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484686	45MINPU7	750GRM	BROWN	6	5029347610258

Lumberjack 45 Minute is a one part moisture curing wood adhesive which sets hard in 45 minutes. Supplied as a liquid which is waterproof, gives exceptionally high bond strength and is resistant to most chemicals. The product foams slightly on application to fill small gaps, which increases bond strength. **Conforms to EN 204. D4 Strength.**



Wood / Metal / Brick / Concrete / Stone

**Our Wood Filler  
range is perfect  
for professional  
preparation**

See page 96 in the  
Fillers and Decorating  
Sundries section





**SikaBond®-52**  
Wood Floor Adhesive


SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
424418	FPSKBD52	600ML	BEIGE	20	7612894887525

A one-component, solvent-free, fast-curing, elastic wood flooring adhesive for professional use. SikaBond®-52 Wood Floor is suitable for use on most common types of wood floors, even problematic woods such as beech, maple and bamboo using liquid batten. Suitable for use with underfloor heating when used with the Sika® AcouBond System.

**SikaBond®-151**  
Wood Floor Adhesive

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
583888	SKBD15117	17KG	PARQUET BROWN	1	7612895512556

A one-part, solvent-free wood floor adhesive which is suitable for use on all types of wood flooring and most common types of floor substrates. SikaBond®-151 is a elastic adhesive that is easy to spread, whilst maintaining stable trowel peaks.

**SikaBond®-54**  
Wood Floor Adhesive


SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489209	SKBD54WF6	600ML	BEIGE	20	7612894887525
423888	SKBD5407	700ML	BEIGE	12	7612894885484
427784	SKBD5413	13KG	BEIGE	1	7612894907285

A one-component, solvent-free and elastic wood flooring adhesive that is for professional use. SikaBond®-54 Wood Floor is a full stick down adhesive for use on both solid and engineered wood floors. This product is also suitable for use with underfloor heating systems.

**SikaBond® MS**  
Wood Floor Adhesive

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
466914	SKBDM5FL14	14KG	PARQUET BROWN	1	5055492700902

A high quality, trowel applied MS adhesive which is specifically designed for bonding wooden floors to all common substrates. SikaBond® MS Wood Floor utilises a formulation that is completely water free, thereby reducing the likelihood of wooden boards cupping or crowning. With an extended open time of 40 minutes, this product is ideal for larger application areas.

**SikaBond® MS**  
Wood Floor Gun Grade Adhesive


SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
467798	FPSKBDMSFL6	600ML	PARQUET BROWN	12	5055492700933

A high quality, gun applied MS adhesive which is specifically designed for bonding wooden floors to all common substrates. Suitable for use with the AcouBond System.

**SikaBond® 5500 S**

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
165745	SKBD5500S18	16KG	BEIGE	1	5055047210177

A one-part, solvent based, rigid adhesive for bonding wood block parquet and engineered boards onto porous substrates. SikaBond®-5500 S provides a high strength bond that is suitable for use with underfloor heating. This product is suitable for use with all types of wood.

**SikaBond®**  
Wood Floor Installation Kit

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
712872	SKBDWOODKIT	-	-	1	5055047209805

A complete wood floor bonding kit to easily and quickly fit up to 20M² of wood flooring. This kit contains ten 600ml SikaBond® MS Wood Floor adhesive foils, one bulk gun and two reusable precut nozzles.

**Sika®**  
Silent Layer Mat

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
50368	SKSILENT0316	16.66M	-	1	5055047210252
55606	SKSILENT0513	13.33MTR	-	1	5055047210269


A high quality, polyethylene foam mat that is specifically designed to reduce the sound of footfall. Ideal for use in conjunction with SikaBond® MS Wood Floor gun grade or SikaBond® 52. Sika® Silent Layer Mat is pressure resistant and dimensionally stable.



### Lumberjack 650 Floor Adhesive

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484940	LJACK65014	14KG	BUFF	1	5029347603175


Lumberjack 650 is a standard setting, hybrid polymer, trowel applied adhesive, specially designed for fixing all types of wooden floors directly on to all common substrates. Lumberjack 650 is 100% active, and will not cause warpage of wood.



### Lumberjack 160 Woodbond

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484937	LJACK16010	10LTR	BUFF	1	5029347609665

Lumberjack 160 is a high specification, trowel applied adhesive, based on resins in solvent and is specifically designed for fixing all types of wooden floors directly on to porous substrates.



### Lumberjack 550 Floor Adhesive

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484939	LJACK5503	300ML	BUFF	12	5029347603151
484938	LJACK5506	600ML	BUFF	12	5029347603168


Lumberjack 550 is a high specification, hybrid polymer, cartridge or foil pack applied adhesive specially designed for fixing all types of wooden floors directly on to all common substrates. Lumberjack 550 is 100% active and water free, and will not cause warpage of wood.



### Stick 2 Instant Contact Adhesive

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484614	CON125	125ML	BEIGE	10	5029347006518
484613	CON250	250ML	BEIGE	12	5029347065027
484612	CON750	750ML	BEIGE	12	5029347065058
484611	CONA5	5L	BEIGE	4	5029347006556

Stick 2 All Purpose Contact Adhesive is a premium grade rubber based contact adhesive suitable for use with a wide variety of materials for both professional and DIY use. The product may be used for bonding decorative laminates, all types of wood, rigid PVC, ABS, leather, cork, linoleum, rubber, stone, metals and dense fabrics.




Laminates / Timber / Cork / Rubber / Metal

### Stick 2 Carpet Fix Spray Adhesive

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488880	CARSPRAY5	500ML	-	12	5029347603212


Sprayable medium duty glue which fixes P.U. and foam backed carpets, carpet tiles, underlay, paper felt and cork to most common substrates. Economical and time saving – quicker and easier than spreader applied adhesives. Foaming formula gives low soak into substrates.



### Stick 2 Instant Spray Contact Adhesive

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484593	CONSPRAY5	500ML	-	12	5029347060855


A sprayable glue which bonds to most common materials including wood, concrete, stone, tiles, rubber, foam, metals, rigid plastics, polyethylene, canvas fabrics, cardboard, paper and cork. Ideal for securing most carpets/floor coverings. Suitable for internal and external use. Time saving spray – easier and quicker to apply than most trowel/spreader applied adhesives. Repositionable.



### Mammoth Spray Adhesive

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
483334	ZSPRAY05	500ML	-	12	5029347611323

A ready to use solvent based flooring adhesive designed for fixing carpet grippers and trims, stair nosings and plastic and wooden skirting. Adheres to most common surfaces including wood, carpet, metal, stone, concrete, PVCu and much more.



## Stick 2 Industrial Superglue GP

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484651	CYN20	20GRM	CLEAR	25	5029347900069
484652	CYN50	50GRM	CLEAR	20	5029347602345

Medium viscosity formula fills gaps to 0.1mm. For use on perfect fit surfaces where fast set is required. Bonds nonporous surfaces eg. most plastics, metals, glass, PVCu, rubber and EPDM. Viscosity at 25°C – 100cPs. Set time 5 to 15 seconds. Packed in self merchandising display boxes.



PVCu / Plastic / Glass / Metal

## Stick 2 Superglue De-bonder

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488881	DEBONDER	20ML	CLEAR	10	5029347601096

For de-bonding cured cyanoacrylate adhesive from most common surfaces e.g. steel, plastic, wood, glass and rubber. Can also be used on skin when applied as per instructions.




Metal

## Stick 2 Industrial Superglue HV

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484654	HV20	20GRM	CLEAR	25	5029347601072
484655	HV50	50GRM	CLEAR	20	5029347601089

High viscosity formula for porous and non porous substrates where a slightly delayed set is required. For use on MDF, rubber, metals, PVCu and plastics. Viscosity at 25°C – 1500 cPs. Set time range 10 to 30 seconds. Packed in self merchandising display boxes.



PVCu / Plastic / Glass / Metal

## Stick 2 Thread Lock GP

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486668	THREADLOCK10	10GRM	BLUE	10	5029347601720

Medium strength anaerobic, allows for disassembly, thixotropic non-drip formula For nuts, bolts, screws and threads. Can be used on oil contaminated parts.



## PVCu Acti-Spray Aerosol Activator

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486901	PVCACT	200ML	CLEAR	12	5029347602765

PVCu Acti-Spray is an aerosol applied activator for use with Everbuild Industrial Superglue GP and HV, setting superglue in 10 seconds. Guaranteed not to stain PVCu. Acti-Spray is ideal for use on all PVCu and plastics, and works on all common building surfaces.



PVCu / Plastic / Glass / Metal

## Mitre Fast Adhesive

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489752	MITREADH5	50GRM	CLEAR	10	5029347603434

Mitre Fast Adhesive as supplied in bonding kit.




Timber / Plastics / Metal

## Mitre Fast Kit

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489755	MITRE1	STD	CLEAR	6	5029347601119
462029	MITRE1IND	STD	CLEAR	24	5029347611637
489750	MITRE2	LRGE	CLEAR	6	5029347601126

Mitre Fast Bonding Kit is a two part instant adhesive system comprising a cyanoacrylate adhesive and aerosol activator. Mitre Fast is mainly used in the furniture, timber, kitchen and plastics industries where its instant bonding properties dramatically reduce assembly times for mitre joints.



Timber / Plastics / Metal

## Mitre Fast Activator

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489753	ACTIV2	200ML	CLEAR	12	5029347000615

Mitre Fast Activator as supplied in bonding kit.




Timber / Plastics / Metal



**Stick 2 Instant Bond**  
Contact Adhesive

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489420	S2CONADH	30ML	BEIGE	10	5029347601607

Stick 2 Contact Adhesive is a premium grade rubber contact adhesive suitable for internal and external use with laminate, trim, wood, rigid PVC, ABS, leather, cork and metals. Instant bond.




Laminates / Timber / Cork / Metal

**Stick 2 All Purpose**  
Clear Adhesive

TUBE	SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
	489510	S2CLEAR	30ML	-	12	5029347600013

Stick 2 All Purpose Clear Adhesive is a strong, clear, quick drying adhesive suitable for a variety of household repairs and hobbies. Will stick ceramic, porcelain, wood, card, paper, most plastics, leather, cork, linoleum, rubber, stone, glass, metals and dense fabrics. 5 minutes repositionable.

**Stick 2 All Purpose Superglue**  
Tube and Bottle

TUBE	SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
	483372	S2SUP03	3GM	-	12	5029347600013

BOTTLE	SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
	483374	S2SUPBOT05	5GM	-	6	5029347605933

Stick 2 All Purpose Superglue fills gaps up to 0.1mm and bonds non-porous surfaces such as plastics, metals, PVCu, rubber, ceramics and much more. 1 minute instant bond, perfect where a fast set is required. Re-sealable cap.




PVCu / Plastic / Glass / Metal

**Stick 2**  
Hard Plastic Adhesive

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
482347	S2HARD	30ML	CLEAR	10	5029347601638

Stick 2 Hard Plastic Adhesive is a strong, clear, quick drying adhesive suitable for bonding most types of hard plastic such as rigid PVC, acrylic, polycarbonate and ABS. Ideal for use on non-pressure pipework, and numerous household applications.

**Stick 2 Superglue**  
Gel Formula

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
482348	S2GEL3	3GM	-	12	5029347605926

Stick 2 Superglue Gel will bond most common materials. The high viscosity formula is ideal for nondrip, vertical, porous or small gap filling applications. Superglue Gel is ideal for bonding wood, plastics, metals, paper, porcelain, rubber and more.



PVCu / Plastic / Glass / Metal

**Stick 2 Rapid Epoxy**  
Tube Adhesive

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
490483	S2RAPEXTUBE	12ML X 2	-	16	5029347605964

Stick 2 Rapid Epoxy Tube is an industrial strength, two part clear adhesive system which sets hard in just 4 minutes. Ideal for bonding most materials and once cured can be drilled, sanded and painted.



Metal / Glass / Wood / Ceramics

**Stick 2**  
Touch Up Enamel

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
487746	S2ENAMEL	25ML	-	10	5029347609580

A high quality gloss enamel that provides superior rust protection and dries to a mirror like finish. It is ideal for touching up scratches and chips or enamel and lacquer damages on bathroom fixtures, kitchen appliances and ceramics. It provides excellent colour and gloss retention, even after repeated cleaning.

**Stick 2 Rapid Epoxy**  
Syringe Adhesive

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
483851	S2RAPEX24	24ML	-	12	5029347601645

Stick 2 Rapid Epoxy Syringe is an industrial strength two part clear adhesive which sets hard in 10 minutes. Will bond most common materials and once cured may be drilled, sanded or painted. For industry and home.



Metal / Glass / Wood / Ceramics





# LANDSCAPING

Joining Compounds	56
Sealing and Protecting	59
Surface Cleaners and Treatments	62

Trusted products are tried and tested by leading tradespeople on the most demanding of projects

TRUSTED



**Sika® FastFix All Weather**  
Paving Jointing Compound

TRUSTED

FOR USE ON JOINTS FROM  
JUST 20MM DEEP


EASY TO APPLY - FAST TO SET

ACTS AS A NATURAL BARRIER  
FOR WEED GROWTHNO WASTE - STORE AND REUSE  
ONCE OPENED


SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
669017	SKFFIXDKBF15	15KG	DARK BUFF	1	5055492703644
669016	SKFFIXDPCY14	14KG	DEEP GREY	1	5055492703637
626733	SKFFIXCHRL16	15KG	CHARCOAL	1	5055492703125
626734	SKFFIXFLT16	15KG	FLINT	1	5055492703118
626320	SKFFIXSTN16	15KG	STONE	1	5055492703101

A self-setting paving jointing compound that provides the ideal solution to perfect pointing on paving, paths and patios. Containing a unique formula, Active Resin Technology for advanced durability, Sika® FastFix All Weather is ready to use with no mixing required.

Suitable for use in all weather conditions; even in the rain. This product will not shrink or crack over time. Available in 5 colours.



Colour swatches are a guide only and may vary.



**WATCH THE VIDEO:**  
EVERBUILD.CO.UK/RESOURCES-AND-SUPPORT/HOW-TO-VIDEOS/FASTFIX-ALL-WEATHER-APPLICATION-VIDEO/

**SikaCeram® FlowFix**  
Porcelain Paving System

**SikaCeram® FlowFix is a high performance porcelain paving installation system, consisting of a bonding primer and jointing compound.**

SikaCeram® FlowFix Bonding Primer is used to provide an exceptional bond between porcelain paving and the bedding mortar. Mixed solely with water, SikaCeram® FlowFix Bonding Primer is applied with a brush or roller to the rear of the paving when laying, to prevent the paving system breaking away from the mortar bed.


SikaCeram® FlowFix Jointing Compound is a controlled, emmentitious flowable jointing grout which is applied by mixing with water on site. SikaCeram® FlowFix Jointing Compound is poured over joints with ease and worked into other exposed joints by squeegee. Once dry the surplus is simply washed off. SikaCeram® FlowFix Jointing Compound is a highly workable product that is non-permeable once cured.

**WATCH THE VIDEO:**

EVERBUILD.CO.UK/RESOURCES-AND-SUPPORT/HOW-TO-VIDEOS/SIKACERAM-FLOWFIX-APPLICATION-VIDEO/


**SikaCeram®-62 FlowFix**  
Bonding Primer

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
633196	SKCMPRIM20	20KG	-	1	5055492703286

**SikaCeram®-621 FlowFix**  
Porcelain Jointing Compound

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
633363	SKCMJOINTIV	20KG	IVORY	1	5055492703279
633361	SKCMJOINTLTGY	20KG	LIGHT GREY	1	5055492703255
667996	SKCMJOINTDKGY	20KG	DARK GREY	1	5055492703613
667995	SKCMJOINTBUF	20KG	BUFF	1	5055492703620

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
711500	SKCM621TUBIV15	15KG	IVORY	1	5055492703972
711449	SKCM621TUBLTGY15	15KG	LIGHT GREY	1	5055492703965
711447	SKCM621TUBDKGY15	15KG	DARK GREY	1	5055492703989
711448	SKCM621TUBBUF15	15KG	BUFF	1	5055492703996



Colour swatches are a guide only and may vary.




### Sika® Setting Sand

Narrow Paving Joint Filler

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
442722	SKSANDBF20	20KG	BUFF	1	5055492700223

A easy to use, moisture curing jointing compound for narrow joints. Sika® Setting Sand can be simply poured or swept into joints before being saturated with water. Provides perfect pointing for all types of block paving; once cured, it will not wash out, shrink or crack over time.




### Sika® Water Repel +

Water Repellent and Protector

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
407296	SKWATREP5	5LTR	CLEAR	4	5055047210986

Sika Water Repel+ is a solvent free water repellent and protector for concrete, brick, stone and masonry which protects against rainwater penetration without changing the aesthetic appearance of the substrate.




### Sika® Patio Seal

Clear Paving Sealer

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
115338	SKPAT5	5LTR	CLEAR	4	5055047206354

A low-odour, water-based, acrylic coating that is ideal for sealing and protecting patios, paths, natural stone, concrete and block paving. Sika® Patio Seal protects against the effects of water, petrol and organic growth. The product dries to a hard-wearing, water repellent film which gives a low sheen slip-resistant finish.




### Sika® Water Seal

Waterproofing and Protector

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
171270	SKWATSEAL5	5LTR	-	4	5055047210580

A solvent based water sealer for masonry. Protects structures against rain and damp. Upon application, Sika® Water Seal penetrates up to a depth of 5mm. This product is designed to have minimal affect on appearance or breathability of the surface it product is applied to.




### Sika® Stone Protector

Water Based Protector and Sealer

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
410465	SKSTONE5	5LTR	CLEAR	4	5055047210993

A water-based sealer which is suitable for all forms of porous stone. Once applied to a surface, Sika® Stone Protector resists stains without changing the aesthetic look of the surface it is applied to.




### Sika® Block Paving Seal

Clear Driveway Sealer

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
114882	SKBLOCKS5	5LTR	CLEAR	4	5055047206330
114883	SKBLOCKS25	25LTR	CLEAR	1	5055047206347

A clear, low-odour resin solution that impregnates, enhances and seals block paving to improve the overall appearance by leaving a protective finish. Sika® Block Paving Seal is ideal for use on vehicle and pedestrian areas as well as new and existing drives.



### Resiblock Indian Sandstone Sealer Invisible

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
173783	RBINDINV5	5LTR	INVISIBLE	4	5036143000039

A urethane based, low-viscosity, surface sealer that provides long-term resistance against staining and algae growth for paths, patios and driveways. Resiblock Indian Sandstone Sealer Invisible lasts up to five years and can be applied in one simple coat.



### Resiblock Indian Sandstone Sealer Colour Enhancer

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
171756	RBINDENH5	5LTR	-	4	5036143000237

A urethane based, low-viscosity surface sealer and colour enhancer. Resiblock Indian Sandstone Colour Enhancer incorporates a completely unique moisture curing system to enhance Indian Sandstone or coloured concrete products.



### Resiblock Superior Block Paving Sealer

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
116918	RBORIGGL5	5LTR	GLOSS	4	5036143000015
116919	RBORIGGL25	25LTR	GLOSS	1	5036143000022
119626	RBORIGNAT5	5LTR	NATURAL	4	5036143000312
119627	RBORIGNAT25	25LTR	NATURAL	1	5036143000244

A urethane based, low-viscosity, paving sealer and jointing sand stabiliser that protects the paver face from oil and water infiltration.



### Resiblock Trade All Purpose Paving Sealer

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
171755	RBTRADD5	5LTR	-	4	5036143000503
171757	RBTRAD25	25LTR	-	1	5036143000510

A solvent free, all purpose sealer that is suitable for concrete and clay paving as well as most forms of natural stone. Resiblock Trade is ideal for binding jointing sand, sealing the surface of concrete block paving.



### 402 Water Seal Water Repellent

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488954	WAT5	5L	-	4	5029347004255
488955	WAT25	25L	-	1	5029347004262

A high performance transparent water repellent specially formulated to prevent water penetration on all mineral substrates such as brick, stone, masonry, pebble dashed and rendering. Water Seal is water based and not harmful to the user or the environment, and it's non-flammable.



### 405 Path and Patio Seal Water Repellent

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
482656	PAT5	5L	-	4	5029347000653
482655	PAT25	25L	-	1	5029347000660

Path and Patio Seal is an acrylic coating used to seal and protect patios, paths, natural stone, concrete and block paving from the effects of water, petrol and fungal/green growth. The milky solution dries to a clear hard-wearing, water repellent film giving a low sheen slip resistant finish.



### 409 Block-Guard Block Paving Seal and Joint Sand Stabiliser

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
482659	BLOCKGUARD5	5L	-	4	5029347603083
482658	BLOCKGUARD25	25L	-	1	5029347605780

Block Guard is a block paving seal and joint sand stabiliser based on a clear solvent based acrylic coating to bind jointing sand and form a durable seal over block paving and other mineral pavers/flags. It penetrates deeply into pavers and jointing sand and then cures by solvent evaporation.



### 408 Super Seal High Performance Water Repellent

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489023	WALLSEAL5	5L	-	4	5029347606817

Super Seal is a solvent based transparent water repellent, formulated to prevent attack by water penetration on brick, stone, masonry, plaster, rendering etc. Super Seal penetrates deep into the treated area to provide effective repellency for many years. Dries clear. Can be applied by spray, brush or roller.






## Sika® Mould Buster

Mould and Algae Treatment

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
174996	SKMBUST5	5LTR	-	4	5055047209096

A powerful, fast acting solution which is effective on most surfaces. Sika® Mould Buster removes algae, mould and green growth without the need for scrubbing or pressure washing.




## Sikagard®-112

Mortar and Brick Cleaner

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
649545	SKGD112CLN5	5LTR	-	4	5055492703347


Sikagard®-112 Mortar and Brick Cleaner is a highly concentrated, fast acting acid based formula which dissolves mortar and cement stains, ingrained dirt and most paints on mineral surfaces such as brick, render and concrete.



## Sika® Brick and Patio Cleaner

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
102476	SKBC5	5LTR	-	4	5055047200581

A fast acting, acid based cleaning solution for brickwork, concrete and paving. Sika® Brick and Patio Cleaner contains a powerful formula that dissolves mortar and cement stains, ingrained dirt, efflorescence on mineral surfaces.




## Sika® Dustproofer

Concrete Surface Hardener

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
102470	SKDUST5	5LTR	-	4	5055047200611

A economic, ready to use dustproofer and concrete surface hardener for concrete floors, paths and driveways. Sika® Dustproofer is suitable for hardening and dustproofing both old and new concrete.




## 401

Brick and Patio Cleaner

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484097	BC5L	5L	-	4	5029347004156

Brick and Patio Cleaner is a fast acting acid based formula (9.5% strength) that dissolves mortar and cement stains and ingrained dirt and paint on most mineral surfaces such as brick, concrete, paving flags and earthenware.




## 404

Fungicidal Wash

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488952	FUN1	1L	-	12	5029347004415
488953	FUN5	5L	-	4	5029347004453

Fungicidal Wash is a powerful, fungicidal wash for the removal of lichens, fungi and algae on all mineral surfaces such as walls, paths, roofs, drives etc.




## 403

Concrete Hardener and Dustproofer

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488957	CHD5L	5L	-	4	5029347004354
488958	CHDU25	25L	-	1	5029347004361

Concrete Hardener and Dustproofer is formulated from high quality silicate resins to both harden and dustproof new and old concrete floors for both internal and external use. It reacts chemically with the lime content of concrete to form a hard-wearing surface. **Tested to BSEN1504-2.**



**Need a quick fix before you clean and treat? Check out our Concrete and brick repair range.**


See page 146



## 406 Stabilising Solution

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
483195	STABS	5L	-	4	5029347601508


406 Stabilising Solution is a microscopically fine polymer emulsion which penetrates dusty/chalky and badly weathered surfaces to leave a stable sound base for decoration with paint, wallpaper, tiling etc. Suitable for both interior and exterior use.



## Patio Wizard Mould and Algae Treatment

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484817	PATWIZ1	1LTR	-	12	5029347606305
484818	PATWIZ5	5LTR	-	4	5029347606312


Patio Wizard kills algae, green growth, mould and fungi on patios, paths, driveways and all hard surfaces. It is so easy to use, just apply and leave to dry, no need for any washing off, scrubbing or pressure washing. Supplied as a concentrate that dilutes with water at 1:10 i.e. 5L makes 50L and 1L makes 10L.



## Oil Away Oil Remover

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484752	OIL1	1L	-	12	5029347611187


Oil-Away is a ready to use high performance cleaner for drives, paths and patios. Oil-Away is the quick and easy solution for removing oil, petrol, diesel and grease stains from driveways, garage floors and car parks. It works on most common surface types including concrete, stone, tarmac and most common paving materials. Oil-Away can also be used as a general cleaner to revive the look of pathway and patio areas.



## Cemstrip Cement Stain Remover

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
482947	CEM5	5L	-	4	5029347611026
482948	CEMSPRAY1	1L	-	12	5029347611033


Everbuild Cemstrip is a new type of cement, concrete and mortar stain remover that provides a more environmentally friendly alternative to conventional hydrochloric acid based cement removers. Cemstrip will also remove salts and efflorescence from the surface of mineral substrates and is a very effective general cleaner for removing ingrained dirt, grease and stains from paths and patios as well as being safe for use on metal surfaces such as tools and cement mixers. Cemstrip is a highly concentrated formula that can be diluted by up to 10 times with water to suit a variety of applications.



## Salt Away Salt Remover

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484750	SALT5	5L	-	4	5029347611200
484751	SALT1	1L	-	12	5029347611194


Salt-Away removes salt and unsightly white efflorescence from bricks and concrete. It is a biodegradable formula, works on walls, paths and patios and can be poured, sprayed or brushed on.



## Tarmac Restorer

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488956	TARR5	5LTR	BLACK	4	5029347612856

Tarmac Restorer is a high performance surface coating specially formulated to make tired old tarmac look just like new. Tarmac Restorer provides a tough, durable, low sheen finish which protects from weathering, oil and petrol spills and unsightly plant and weed growth. Tarmac restorer is easy to apply, provides long term protection, reduces further tarmac repair needs and restores the deep, black finish of your tarmac. As it is quick drying, driveways can be used after only 4 hours of the product being applied.







# WOOD CARE AND TREATMENT

Treatments and Preservatives	68
Stains and Varnishes	72

Trusted products are tried and tested by leading tradespeople on the most demanding of projects

TRUSTED



### Sikagard® Universal 5 Star Wood Treatment

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
422881	SKGDUNIS	5LTR	CLEAR	4	5055047210344


An all-in-one, deeply penetrating wood treatment and preservation solution with micro-fine active technology. Contains fungicides, algacides and permethrin to actively kill and protect against all known wood rot, decay, fungi and wood boring insects.



### Sikagard® Wood Preserver

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
172046	SKGDWPCL5	5LTR	CLEAR	4	5055047210436


A low-odour solution based on micro-fine active technology. Sikagard® Wood Preserver contains fungicides and algacides that are finely dispersed ensuring deep penetration and long term protection.



### Sikagard® Woodworm Killer

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
408177	SKGDWORM5	5LTR	CLEAR	4	5055047210368

A low-solvent, low-odour solution based on micro-fine active technology with added insecticide to penetrate deep into the wood to actively and effectively kill all life stages of wood boring insects and protect against re-infestation.



For perfect pointing  
on paving, paths  
and patios

See page 56





## Wood Preserver

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
482976	LJCR01	1L	CLEAR	10	5029347802011
482977	LJCR05	5L	CLEAR	4	5029347802035
482978	LJCR25	25L	CLEAR	1	5029347802042
483723	LJD005	5L	DARK OAK	4	5029347802073
483724	LJGC05	5L	GOLDEN CHESTNUT	4	5029347802110
483725	LJRC05	5L	RED CEDAR	4	5029347802158
483727	LJFG05	5L	FIR GREEN	4	5029347803032

Wood Preserver is a low odour solution that effectively penetrates wood to give long lasting protection. Can be used on most interior and exterior wood and joinery and contains micro fine actives which penetrate deep into the wood. Wood Preserver is quick drying, available in light fast colours and provides an even colour distribution.



## Triple Action Wood Treatment

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
483183	LJUN01	1L	CLEAR	10	5029347801014
483184	LJUN02	2.5L	CLEAR	6	5029347801021
483185	LJUN05	5L	CLEAR	4	5029347801038
483186	LJUN25	25L	CLEAR	1	5029347801045

Triple Action takes care of remedial wood treatment and preservation in one can. Deeply penetrates all wood and joinery to give lasting protection from damage caused by wet rot, dry rot, fungi and wood boring insects/larvae. Kills, protects, preserves. Micro fine actives penetrate deep into the wood.



## Masonry Dry Rot Treatment

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
483768	LJROT05	5L	CLEAR	4	5029347610982

Masonry Dry Rot Treatment is a ready to use treatment for the eradication of dry rot in masonry and brickwork. The added biocide helps to protect against re-infestation. Low solvent, low odour and low VOC.



## Creocote

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489043	CREODKBN4	4LTR	DARK BROWN	4	5029347610401
489045	CREOLBN4	4LTR	LIGHT BROWN	4	5029347610388

Creocote is an oil based wood treatment, effective when applied to exterior timbers such as garden sheds, fences and trellis work. The oil based properties provide excellent surface water repellence and restricts weather damage. The product improves grain definition and exhibits the characteristic odour familiar to traditional Creosote users.



## Woodworm Killer

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
483790	LJWORM05	5L	CLEAR	4	5029347610975

Woodworm Killer is a ready to use treatment for the eradication of all types and life stages of wood boring insects and their larvae, specifically woodworm. The added insecticide also aids to actively kill the woodworm and protect against re-infestation low odour with micro fine actives that penetrate deep into the wood.



Don't forget your patio, paths, stone and surface care treatments


See page 62



## Shed and Fence Mate Water Repellent Treatment

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
514334	FENCEB05	5LTR	BURNT OAK	1	5029347805036
514335	FENCEC05	5LTR	COUNTRY OAK	1	5029347805050
515025	FENCEEB5	5LTR	EBONY BLACK	1	5029347805098
514337	FENCERR5	5LTR	RUSTIC RED	1	5029347805074

Shed and Fence Mate is an easy to use, solvent free shed and fence treatment specifically designed to provide a safe alternative to creosote. Penetrates and protects wood to give a durable, water repellent finish. Uses advance colour pigmentation, carefully selected UV resistant pigments and water repellent waxes that will make the colour last up to six times longer than creosote. Designed for use on all rough sawn and garden timber including sheds, fences, gates, hutches, kennels, cold frames and trellises. Totally harmless to plants and animals. Easy to use, solvent free, water repellent, no VOC's.



## Wood Stain



TRUSTED

HIGH RESISTANCE TO UV LIGHT

WEATHERPROOF PROTECTION

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
483215	WSTAINSNO02	250ML	NATURAL OAK	6	5029347612177
483219	WSTAINSPN02	250ML	ANTIQUE PINE	6	5029347612184
483210	WSTAINSMH02	250ML	MAHOGANY	6	5029347612191
483229	WSTAINSWAL02	250ML	WALNUT	6	5029347612214
483229	WSTAINSRW02	250ML	ROSEWOOD	6	5029347612221
483207	WSTAINSDO02	250ML	DARK OAK	6	5029347612238
483226	WSTAINSTK02	250ML	TEAK	6	5029347612207
483216	WSTAINSN007	750ML	NATURAL OAK	6	5029347611330
483221	WSTAINSPN07	750ML	ANTIQUE PINE	6	5029347611347
483212	WSTAINSMH07	750ML	MAHOGANY	6	5029347611354
483230	WSTAINSWAL07	750ML	WALNUT	6	5029347611378
483224	WSTAINSRW07	750ML	ROSEWOOD	6	5029347611385
483208	WSTAINSDO07	750ML	DARK OAK	6	5029347611392
483227	WSTAINSTK07	750ML	TEAK	6	5029347611361
483217	WSTAINSN02	2.5L	NATURAL OAK	2	5029347611408
483222	WSTAINSPN2	2.5L	ANTIQUE PINE	2	5029347611415
483214	WSTAINSMH2	2.5L	MAHOGANY	2	5029347611422
483231	WSTAINSWAL2	2.5L	WALNUT	2	5029347611446
483225	WSTAINSRW2	2.5L	ROSEWOOD	2	5029347611453
483209	WSTAINSDO2	2.5L	DARK OAK	2	5029347611460
483228	WSTAINSTK2	2.5L	TEAK	2	5029347611439
483204	WSTAINCLEAR07	750ML	CLEAR	6	5029347611514

A professional, wood stain that enhances the natural qualities of wood, and provides long lasting protection, with a satin finish.

The weatherproof protection provided also gives a crack and peel resistant finish and excellent resistance to ultra violet light degradation. Ideal for use on smooth planed exterior and interior timber, such as doors, window frames, architectural timbers, conservatories, cladding and garden furniture etc. Under normal weathering conditions it can be expected to provide protection for up to 5 Years. Maintenance Clear Coat is a clear wood stain maintenance coat that protects and enhances without colouring or darkening.

TOUCH DRY IN 30 MINS,  
OVERCOAT AFTER 4 HOURS

ANTIQUE PINE

DARK OAK

MAHOGANY

TEAK



NATURAL OAK

ROSEWOOD

WALNUT

CLEAR COAT

These swatch colours may not be a true representation, please obtain a sample from your local stockist.

## Clear Varnish

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
482973	WVARCLS02	250ML	CLEAR	6	5029347611477
482980	WVARCLS07	750ML	CLEAR	6	5029347611484
482975	WVARCLS2	2.5LTR	CLEAR	2	5029347612047
482967	WVARCLG02	250ML	CLEAR	6	5029347611491
482968	WVARCLG07	750ML	CLEAR	6	5029347611507
482969	WVARCLG2	2.5LTR	CLEAR	2	5029347612030
482972	WVARCLM02	250ML	CLEAR	6	5029347612979
482971	WVARCLM07	750ML	CLEAR	6	5029347612986
482970	WVARCLM2	2.5LTR	CLEAR	2	5029347612993


Quick Drying Clear Varnish is a professional, low solvent varnish that enhances the natural qualities of wood, and provides long lasting protection. It has been developed specifically to give an ultra hard, scratch resistant and heatproof, non-yellowing finish. It is ideal for use on interior wood such as tables, chairs, doors, skirtings, furniture etc.



## Floor Varnish

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488529	FLOORVGL07	750ML	CLEAR	6	5029347612580
488530	FLOORVGL2	2.5L	CLEAR	2	5029347612597

Everbuild Ultra Hard Floor Varnish is a clear quick drying varnish ideal for use on most common types of wooden floors including hardwood, softwood, hardboard, chipboard and composite wooden boards. Floor Varnish has been specifically developed to provide an ultra-hard scratch resistant natural finish to most interior wooden floors. Suitable for use in kitchens, bathrooms, lounge, dining areas or where heavy foot traffic would be expected. It provides superior protection for wooden floors and has a hammer hard, tough finish to protect wood against scratches and spills and is touch dry in 30 mins.





# ROOFING

Roof Repair	76
Flashing	79
Bitumen	80

Trusted products are tried and tested by leading tradespeople on the most demanding of projects

TRUSTED



Evercryl One Coat

Roof Repair Compound



Evercryl is a resin based, fibre re-enforced\* roof repair compound which is effective on all common roofing surfaces, giving instant roof repairs even in the wet and on wet surfaces. May also be applied in frosty conditions down to -5°C.

Evercryl is instantly waterproof when applied, there is no fear of wash off so emergency leaks can be tackled immediately as there is no need to wait for the rain to stop. Evercryl is brush applied and dries to a smooth seamless flexible membrane which resists algae and fungal growth. Because of the high level of fibre reinforcement, Evercryl will bridge small cracks and requires only a one coat brush application to give instant and total water protection, even in areas subject to ponding. Evercryl requires no primer on sound non-porous surfaces. Specifically designed for the following applications: general sealing, maintenance, repair and waterproofing of most common roofs in wet or dry conditions – for use on concrete, fibre/cement, roofing felt, mastic asphalt, existing bituminous roof coatings, rigid PVCu, corrugated iron, metals, slates, brickwork, tiles, lead, copper and zinc.

\*Excludes translucent.

TRUSTED


CAN BE USED IN THE WET

NO PRIMER NEEDED

ONE COAT APPLICATION

APPLY WITH A BRUSH

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484619	EVCBK02	2.5KG	BLACK	6	5029347600969
484625	EVCBK5	5KG	BLACK	4	5029347600976
484621	EVCLL01	1KG	TRANS	12	5029347612658
484620	EVCLL5	5KG	TRANS	4	5029347612665
484626	EVCGY01	1KG	GREY	12	5029347609658
484627	EVCGY02	2.5KG	GREY	6	5029347600709
484628	EVCRYL5GY	5KG	GREY	4	5029347600716
484629	EVCGY20	20KG	GREY	1	5029347600723
484640	EVCWE5	5KG	WHITE	4	5029347600686



Evercryl

Emergency Roof Repair Cartridge

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486678	EVCGYCART	C3	GREY	12	5029347612368
486271	EVCLLCART	C3	TRANS	12	5029347612375

Evercryl Emergency Roof Repair is an emergency repair aid for use on external roofing applications. The Evercryl formula has been gelled up to allow it to be cartridge applied while still containing the top quality fibres that you expect with Evercryl. The product is applied through a special 'duck bill' shaped nozzle ideal for emergency repairs to gaps, cracks and holes in roofs, gutters, flashing, upstands and felt. It even works in wet conditions so there is no need to wait for the rain to stop.




Leadmate

Patination Oil

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489040	PATOIL05	500ML	-	10	5029347608927
489041	PATOIL1	1LTR	-	10	5029347608873

Specially formulated to provide a protective coating for newly installed leadwork, that helps to prevent the white carbonate staining that affects new lead and surrounding tiles, brickwork, stonework etc. Just one coat of Patination Oil helps to provide a uniform attractive appearance to newly installed lead and helps the ageing process whilst the natural patina of the lead is being formed.



Lead Mate Sealant provides the perfect finish

See page 13 within the Sealant section



### Liquid Roof

All Weather Roofing System



## TRUSTED

PU WATERPROOFING LIQUID MEMBRANE  
FOR FLAT AND PITCHED ROOFS

FAST CURING - RAIN  
RESISTANT IN 10 MINUTES

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
511382	AQLIQRFCY7	7KG	SLATE GREY	4	5029347614164
511383	AQLIQRFCY21	21KG	SLATE GREY	1	5029347614171
97480	SKLASFLE120150	1M X 50M	-	1	7612894436402

#### An easy to use, all weather roofing system ideal for waterproofing flat or pitched roofs.

Everbuild Liquid Roof is a one-component, fast curing, polyurethane based waterproofing system for flat and pitched roofs.

Applied in two coats by brush or roller, Everbuild Liquid Roof creates a solid, seamless, waterproof membrane that remains permanently flexible, making it the ideal solution for new installations, the refurbishment of old or to overlay most common roofing substrates.

Everbuild Liquid Roof comes ready to use and is cold applied by brush or roller, using moisture in the air to cure meaning no additional catalyst is required. And what's more, it will cure in many weather conditions becoming completely rain resistant in just 10 minutes, even if a pool of water forms on top of it.

Suitable for use on a variety of substrates, Everbuild Liquid Roof is compatible with concrete, mortar, stone, fibre cement, roof tiles and metals. Not only that but it can also be applied to wood, asphalt, roofing felt and bituminous coatings with the use of full reinforcement in the form of Sikalastic Fleece-120.



MOISTURE CURING TECHNOLOGY  
- NO CATALYST REQUIRED

FOR NEW ROOFS AND  
REFURBISHING OLD ROOFS



#### STEP ONE

Ensure all surfaces are sound, clean and free from dust and loose friable material.



#### STEP TWO

Apply the first coat of Everbuild Liquid Roof liberally at a thickness of 1mm, by brush or solvent-resistant roller.



#### STEP THREE


If required, apply Sikalastic Fleece-120 on top of the first coat whilst still wet, overlapping the edges.



#### STEP FOUR

Apply a second coat at a similar thickness to the first, immediately after laying the fleece.

For full application instructions, please refer to latest Product Data Sheet or contact the Everbuild Technical Services Department.




### Black Jack

Flashing Tape Trade

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
482958	FLAS075	75MM	LEAD LOOK	8	5029347099015
482959	FLAS100	100MM	LEAD LOOK	6	5029347099022
482960	FLAS150	150MM	LEAD LOOK	4	5029347099039
482961	FLAS225	225MM	LEAD LOOK	2	5029347099046
482962	FLAS300	300MM	LEAD LOOK	2	5029347099053
482963	FLAS450	450MM	LEAD LOOK	1	5029347099060

Black Jack self adhesive flashing with natural lead-look finish. All available in 10mtr long rolls.



### Black Jack

Flashing Tape DIY

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
490255	FLDIY100	100MM	LEAD LOOK	6	5029347099084
490256	FLDIY150	150MM	LEAD LOOK	4	5029347099091
490258	FLDIY225	225MM	LEAD LOOK	2	5029347099107


Black Jack self adhesive flashing with natural lead-look finish. All available in 3mtr long rolls.



### Sika® MultiSeal

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
446882	SKMULTI100	10MTR	GREY	3	5055492700285
446883	SKMULTI150	10MTR	GREY	2	5055492700292
446884	SKMULTI225	10MTR	GREY	2	5055492700308
446885	SKMULTI300	10MTR	GREY	1	5055492700315

A self-adhesive, bituminous tape that is suitable for sealing cracks and joints in common domestic and commercial situations.



### 901 Black Bitumen Paint

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486937	90101	1LTR	BLACK	12	5029347009113
486938	90102	2.5LTR	BLACK	6	5029347009120
486939	90105	5LTR	BLACK	4	5029347009151
486951	90125	25LTR	BLACK	1	5029347009137

Black Bitumen Paint is a solvent based, full bodied black bituminous paint. When dry, the product forms an odourless and taint free black film suitable for metal protection, and overcoating felt.



### 903 Bitumen Trowel Mastic

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486987	90301	1LTR	BLACK	12	5029347009311
486989	90302	2.5LTR	BLACK	6	5029347009328
486991	90305	5LTR	BLACK	4	5029347009359

A trowel applied, black, heavily filled bituminous compound with added fibres for reinforcement. The product forms a surface skin, but the mass below remains soft to allow for moderate movement. Suitable for sealing and filling holes in mastic asphalt, roofing felt, corrugated iron, metal guttering and downpipes.



### 902 Bitumen and Flashing Primer

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486984	90201	1LTR	BLACK	12	5029347009212
486986	90205	5LTR	BLACK	4	5029347009250

Bitumen and Flashing Primer is a thin black primer used to give a key prior to applying bitumen paints, roof coatings and flashing.



### 904 Roof Felt Adhesive

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486992	90401	1LTR	BLACK	12	5029347009410
486993	90402	2.5LTR	BLACK	6	5029347009427
486995	90405	5LTR	BLACK	4	5029347009458
486996	90425	25LTR	BLACK	1	5029347009434

Roof Felt Adhesive is a cold applied, oxidised bitumen based adhesive used to bond roofing felt to most surfaces. Specifically designed for bonding all types of roofing felt to metal and concrete, sealing felt laps and as a cold gritting solution for bonding mineral chippings.



### 905 All Weather Roof Coating

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486998	90505	5LTR	BLACK	4	5029347009557
487000	90525	25LTR	BLACK	1	5029347009533

A solvent based, full bodied black brushable bitumen compound with added fibres for reinforcement. It is an effective general purpose roof coating that is resistant to wash off by rain almost immediately. The product is specifically designed for general waterproofing in all roofing applications.



### 907 Solar Reflective Paint

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
482683	90705	5LTR	SILVER	4	5029347009755
482682	90725	25LTR	SILVER	1	5029347601027

Solar Reflective Paint is a thin bituminous based aluminium protective paint of brushable consistency which dries to a silvery finish. The product is specifically designed for application over primed metal walls and roofs to reduce heat absorption.



### 906 Bitumen Roofing Emulsion

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
487001	90605	5LTR	BLACK	4	5029347009656

Bitumen Roofing Emulsion is a stable bitumen/water emulsion of medium brushing consistency which dries to a black, flexible coating. The product is specially designed for general waterproofing of roofs and provides protection against corrosion of pipes and structural steelwork.



### 908 D.P.M

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
487003	90805	5LTR	BLACK	4	5029347009854
487004	90825	25LTR	BLACK	1	5029347009830

DPM is a rubber enriched bitumen emulsion which provides a highly effective sandwich damp proof membrane for floors. Acts as a waterproofer for walls, above ground structures and foundations. DPM is also suitable as an adhesive for wood block and mosaic panels, insulation boards etc.







# EXPANDING FOAMS

Trusted products are tried and tested by leading tradespeople on the most demanding of projects

TRUSTED

Professional and DIY	84
Foam Ancillaries	86
Fire Rated Foam	87


### Fix and Fill Expanding Foam

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484689	EVFF5	500ML	-	12	5029347000080
484700	EVFF7	750ML	-	12	5029347000097

#### ADDITIONAL NOZZLES

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488732	FOAMNOZZLE	-	-	1	NO BARCODE

Fix and Fill Expanding Foam is a quick setting polyurethane based foam which expands greatly on application and yields up to 50 times original can contents. Can be cut, sawn, plastered and sealed over after approximately one hour. Fills irregular gaps, fixes framework, insulates and sound deadens.




PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

### Exact Gap Expanding Foam

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484701	EVEXACT5	500ML	-	12	5029347609405
484702	EVEXACT7	750ML	-	12	5029347609337

Formulated to provide a more precise foam product that only expands by between 5-10% from the bead extruded on application. The controlled application significantly reduces the amount of cured excess foam that has to be cut back, reducing the danger of wet foam falling onto the floor and surrounding substrates, and the damage and staining this can cause.



PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber


### No Waste Expanding Foam

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484704	NOWASTEHH	750ML	-	12	5029347602383

#### ADDITIONAL NOZZLES

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488733	NOWNOZZ	-	-	1	NO BARCODE

Using new foam technology, No Waste Expanding Foam is the first Hand Held Foam that allows part used cans to be saved and used again and has a shelf life of 24 months, compared with 12 months for conventional foams. Its unique safety valve will not clog or leak.




PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

### Professional Gun Grade Expanding Foam

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484707	EVGF7	750ML	-	12	5029347000103

A quick setting polyurethane based foam which expands greatly on application and yields up to 50 times original can contents. Can be cut, sawn, plastered and sealed over after approximately one hour. Fills irregular gaps, fixes framework, insulates and sound deadens.

For professional use only.



PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

### Thermofoam

#### Insulating and Acoustic Expanding Foam



## TRUSTED

ACOUSTIC RATED UP TO  
64 DB TO EN ISO 717-1

CERTIFIED AIR PERMEABILITY:  
A<0,1 M³ TO EN 12114:2000

TEMPERATURE RESISTANT  
-40 TO +80°C (SHORT TERM  
EXPOSURE TO +100°C)

FIRE RATED TO ISO  
13501 (CLASS E)

AIRTIGHT


ENERGY SAVING

ADHERES TO ALL  
COMMON BUILDING  
MATERIALS



SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489712	EVTHERM7	750ML	-	12	5029347613587

Specially formulated, highly flexible PU foam that absorbs component movement thereby giving an air tight seal to reduce heat loss and improve energy efficiency in buildings.




PVCu / Plastic / Brick / Stone  
/ Concrete / Metal / Timber

### Constructa-Pro Adhesive Foam

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
538593	CONPRO07	750ML	-	12	5029347615024

A high strength adhesive foam designed for use in a multitude of building applications. Adheres well to most common building materials. Once cured, it's rot-proof, and moisture and temperature resistant from -40°C to +80°C. Suitable for a wide range of applications, e.g. as an adhesive for fixing plasterboard, insulation board, fixing skirting boards or a mortar substitute for building rough garden walls, planters etc.



Brick / Stone / Concrete / Metal / Timber



**P45 Medium Duty  
Metal Gun**

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486679	GFAPP35	P45	-	1	5029347603526

P45 Foam Gun gives the user more control to apply the foam precisely in hard to reach places, saving unnecessary wastage.

**P65 Heavy Duty  
Metal Gun**

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486680	GFAPP65	P65	-	1	5029347123000

A gun for heavy duty applications, now with unique 'Easy Clean Tip' for cleaning of the valve and gun nozzle. For use with all gun grade foams.

**Dual Purpose  
Foam Cleaner**


SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488713	GFSCS	500ML	-	12	5029347126001

Dual Purpose Foam Cleaner is used to remove wet/uncured foam. Attaches to Gun Foam Applicator for purging through; also includes spray nozzle for use without applicator to remove wet foam from outside of the gun and from most building substrates. The unique threaded collar fits most gun foam applicators, including the above Everbuild foam applicators guns.

**Firefoam B1  
Handheld**

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488714	EVFIRE	750ML	PINK	12	5029347125004

Firefoam B1 Handheld is a quick-setting fire rated, one part polyurethane foam. It expands on application to yield up to 50 times the can contents and meets the test criteria BS476 Part 20. Fire rated up to 4 hours in certain joint configurations. Once cured, the foam can be cut, sawn or plastered over after approx one hour.




PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

**Firefoam B2  
Handheld**

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488717	B2FIREHAND	750ML	PINK	12	5029347600471

Firefoam B2 Handheld is a quick setting fire rated, one part polyurethane foam in a ready to use hand held canister. Fire resistant for up to 2 hours in certain joint configurations. It expands on application to up to 50 times the can contents and meets the requirements of the test criteria for BS476 Part 20.




PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

**Firefoam B1  
Gun Grade**

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488715	B1FIREGUN	750ML	PINK	12	5029347611729

A quick-setting fire rated, one part polyurethane foam. It expands on application to yield up to 50 times the can contents. Fire rated up to 4 hours in certain joint configurations, meets requirements of the test criteria DIN 4102 Part 1 for Construction Materials, Class B1 and BS 476 Part 20.

For professional use only.




PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

**Firefoam B2  
Gun Grade**

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488718	B2FIREGUN	750ML	PINK	12	5029347600464

Firefoam B2 Gun Grade is a quick setting fire rated, one part polyurethane foam for application by a foam applicator gun. Fire resistant for up to 2 hours in certain joint configurations. It expands on application to up to 50 times the can contents and meets the requirements of the test criteria for BS476 Part 20.

For professional use only.



PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

# FILLERS AND DECORATING SUNDRIES

Surface protectors	90
Decorating Fillers	92
Wood Fillers	96
Dust sheets and Tarpaulins	98
Decorating Sundries	99

Trusted products are tried and tested by leading tradespeople on the most demanding of projects

TRUSTED



### Roll and Stroll Premium Carpet Protector



SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
462111	ROLL20	25MTR	YELLOW	6	5029347605636
484946	ROLL75	75MTR	YELLOW	1	5029347605643

The ultimate fire-rated, self-adhesive carpet protector with the adhesive coating on the outside making light work of unwinding and applying to the area. Safer than dust sheets, Roll and Stroll is totally waterproof, won't tear and can be left for up to 4 weeks.



**FIRE RATED**

**TOTALLY WATERPROOF - PROTECTS AGAINST SPILLAGES**

**WON'T TEAR OR RIP**

**CAN BE USED ON FLAT SURFACES AND STAIRCASES**



### Roll and Stroll Textured Non-Slip Carpet Protector

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484868	ROLLTEXT75	75MTR	YELLOW	1	5029347610265

Roll and Stroll Textured Non-Slip Carpet Protector is the ultimate self adhesive carpet protection system. With the adhesive coating on the outside, it is easy to unwind, safer than dust sheets and has a multitude of uses across all trade sectors. Totally waterproof and textured to make it non-slip.



### Roll and Stroll Contract Carpet Protector

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484869	ROLLCON50	50MTR	CLEAR	1	5029347606206
484910	ROLLCON100	100MTR	CLEAR	1	5029347606213

Roll and Stroll Contract Carpet Protector is the ultimate clear self adhesive carpet protection system. With the adhesive coating on the outside, it is easy to unwind, safer than dust sheets and has a multitude of uses across all trade sectors. Totally waterproof, it protects against spillage, and won't tear or rip.



### Roll and Stroll Hard Surface Protector

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
462110	ROLLHARD20	25MTR	CLEAR	6	5029347606077
484945	ROLLHARD75	75MTR	CLEAR	1	5029347606084

Roll and Stroll Hard Surface Protector is the ultimate self adhesive floor protection, works on all hard surfaces such as timber, ceramic tiles, laminate, vinyl, metal and stone. It is also suitable for use on worktops, window sills; doors and kitchen units. With the adhesive coating on the outside it is easy to unwind, safer than dust sheets and has a multitude of uses, protects against spillage and won't tear or rip.



### Glass Protector

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
467445	ROLLGLASS25	25MTR	RED	15	5029347611248

Glass Protector is the ultimate self adhesive protector ideal to protect glass against the mess, dirt, staining, spillages and soiling that occurs during general building and decorating work. It also reduces the risk of costly scratches to glass. With the adhesive coating on the outside it is also easy to apply.





### Fill Once Ready Mixed Filler



## TRUSTED

MINIMAL SANDING

WON'T SHRINK

QUICK DRYING

APPLY ONCE - JOB DONE

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486747	FILONCE03	325ML	WHITE	12	5029347602147
486748	FILONCE06	650ML	WHITE	12	5029347602154

The best filler you will ever use – Fill Once is a revolutionary ready mixed filler ideal for filling large or small holes in one application.

Provides a smooth, fine finish that won't shrink and only requires minimal sanding. Sets hard and will support nails or screws. Apply once – job done.



Brick / Stone / Concrete / Plaster



### All Purpose Ready Mixed Filler

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
480176	RMFILL06	600GM	WHITE	12	5029347000899
480182	RMFILL1	1KG	WHITE	12	5029347000882

All Purpose Filler is an easy to use ready mixed filler which is suitable for both interior and exterior use. Fills holes up to 9mm deep. Dries to a smooth but tough crack resistant sandable finish which may be painted, papered or stained. Designed for repairs to plaster, plasterboard, brick, render, wood, stone and most other building materials.



### Fine Surface Ready Mixed Filler

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
480440	RMFINE	600GM	WHITE	12	5029347000998

Fine Surface Filler is an easy to use ready mixed filler for filling small holes up to 4mm deep, and surface imperfections in most porous surfaces such as plaster and wood. Dries to a very smooth finish that can be painted or papered.



### Deep Gap Ready Mixed Filler

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
480445	RMDEEP1	1LTR	LIGHT GREY	6	5029347609368

Deep Gap Filler is a revolutionary filler, formulated to fill most holes and cracks; especially deep holes up to 50mm, in just one quick application. It will not shrink, sag or crack and finishes smooth, requiring little or no sanding.



## Keep it simple with Caulk Once

See page 7





### One Strike

Ready Mixed Filler



## TRUSTED

IT WON'T SLUMP  
(EVEN OVERHEAD)

IT WON'T SHRINK OR CRACK


IT WON'T NEED LAYERS TO FILL

IT WON'T NEED SANDING

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
461918	ONE025	250ML	WHITE	18	5029347300029
461917	ONE05	450ML	WHITE	12	5029347300050
461916	ONE1	1LTR	WHITE	6	5029347300012
488534	ONE2	2.5LTR	WHITE	1	5029347603458
480347	ONE55	5LTR	WHITE	1	5029347300500
461919	ONEC3	300ML	WHITE	12	5029347609450

**One Strike is a revolutionary filler, formulated using lightweight polymer bubbles that fill most holes and cracks; even deep holes.**

For use in plaster, wood, brick, stone and rendering. Ideal for overhead applications as One Strike will not slump out of cracks. One Strike finishes smooth, requiring little or no sanding and is ready to paint or wallpaper over in just 30 minutes.



Brick / Stone / Concrete / Plaster



IT WON'T TAKE LONG  
TO DRY (30 MIN)


IT WON'T BREAK THE BANK

### All Purpose

Powder Filler

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
480442	FILL450	450GM	WHITE	16	5029347600570
480443	FILL15	1.5KG	WHITE	10	5029347600587
480444	FILL5	5KG	WHITE	1	5029347611873

All Purpose Powder Filler for both interior and exterior use, with added PVA for extra strength. Fills holes up to 40mm deep. For repairs to plaster, brick, stone, wood, can be nailed or screwed when dry. Quick setting, non-shrink.



### Fill and Skim

Ready Mixed Plaster

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486745	FILLSKIMS	5LTR	WHITE	1	5029347603229

Fill and Skim is a ready mixed lightweight plaster for both patching jobs and covering larger areas. Fill and skim is ideal for covering over old textured surfaces. Ideal for trade and DIY use.



Brick / Stone / Concrete / Plaster

### All Purpose

Ready Mixed Filler Easi Squeeze

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
480266	READYINST	330GRM	WHITE	12	5029347600389

Fast drying ready mixed filler in an easy to use squeeze tube, can be used for a multitude of filling applications both internally and externally. Fills holes up to 5mm deep.




### Filler Coat

Thick Base Coat

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486746	FILLCOATS	5LTR	WHITE	1	5029347610067

Filler Coat is a thick base coat for use on imperfect surfaces prior to painting. It hides and obliterates areas that have been filled, as well as covering and preventing the reappearance of hairline cracks. Working like a roll on filler, the thick formula completely covers strong colours. Ideal for use on walls and ceilings.



Brick / Stone / Concrete / Plaster

### Multi Purpose Joinery Grade Wood Filler

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
480449	MPWOODASILT1	100ML	LIGHT STAINABLE	6	5029347603335
480461	MPWOODLT2	250ML	LIGHT STAINABLE	6	5029347603359
480462	MPWOODMED2	250ML	MEDIUM STAINABLE	6	5029347603366
480463	MPWOODPINE2	250ML	PINE	6	5029347608286
480464	MPWOODMAH2	250ML	MAHOGANY	6	5029347608323
480465	MPWOODLOAK2	250ML	LIGHT OAK	6	5029347608309
480466	MPWOODDKOAK2	250ML	DARK OAK	6	5029347608316
499701	MPWOODTEAK2	250ML	TEAK	6	5029347613921
480467	MPWOODWE2	250ML	WHITE	6	5029347608293

Multi-Purpose Wood Filler fills nail holes, cracks, gaps and minor imperfections in wood. It is easy to sand, can be stained, varnished and painted and is solvent free.




Wood / Brick / Stone / Concrete / Plaster



### 2 Part High Performance Wood Filler

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
481022	2PLITE05	500GR	LIGHT STAINABLE	6	5029347608194
481023	2PLITE14	1.4KG	LIGHT STAINABLE	6	5029347608262
481028	2PMAH05	500GR	MAHOGANY	6	5029347608156
481029	2PMAH14	1.4KG	MAHOGANY	6	5029347608248
481024	2PMED05	500GR	MEDIUM STAINABLE	6	5029347608200
481051	2POAK05	500GR	OAK	6	5029347608132
481050	2POAK14	1.4KG	OAK	6	5029347608217
481027	2PPINE05	500GR	PINE	6	5029347608170
481026	2PPINE14	1.4KG	PINE	6	5029347608330
481052	2PREDO5	500GR	REDWOOD	6	5029347608187
481053	2PREDO14	1.4KG	REDWOOD	6	5029347608347
484991	2PWHITE05	500GR	WHITE	6	5029347608149
484990	2PWHITE14	1.4KG	WHITE	6	5029347608231

2 Part High Performance Wood Filler, is a fast drying, interior and exterior wood filler. The 2 Part Wood Filler is easy to mix and apply and is completely weatherproof. Once mixed, the filler sets hard to a shatterproof finish in approximately 30 mins and may be drilled, carved or planed once dry.



Wood / Brick / Stone / Concrete / Plaster



### Pro-Fill High Performance Filler

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
490423	PROFILL5	500GR	LIGHT GREY	6	5029347608781

Pro-Fill 2 Part High Performance filler, for joinery, decorating and building applications, suitable for repairing most building materials including concrete, metal, wood and GRP. Rapid cure non-tack surface that's easy to sand.



Wood / Brick / Stone / Concrete / Plaster



### Wood Filler Hardener / Catalyst

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488531	WFCATALYST	40GRM	-	25	NO BARCODE

Spare catalyst/hardener tubes for use with all 2 part wood fillers.



### Wet Rot Wood Hardener

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488537	WOODHARD2	250ML	-	6	5029347807016

Wet Rot Wood Hardener is a highly penetrative solution of selected resins in solvent which soaks deep into the fibres of decaying wood and dries to leave the wood hard and resistant to further moisture penetration. The resin modified wood then becomes an ideal base for repair with Everbuild 2 part wood fillers.



Time of the essence?  
Use our 5 minute  
Polyurethane Wood Adhesive

See page 44






**Cotton**  
Dust Sheets


SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484993	DUST	3.7M X 2.7M (12' X 9')	-	10	5029347604127

Genuine cotton twill, protect from spills, splashes and dust. Strong hardwearing cotton resists wear from tools, stepladders and feet. Reversible, machine washable.

**Laminated Cotton**  
Dust Sheets


SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484992	LAMDUST	3.7M X 2.7M (12' X 9')	-	10	5029347602574

Top quality cotton twill with polythene inter-laminate, stops paints and liquids passing through.

**Polythene**  
Dust Sheets

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484995	POLYDUST	3.7M X 2.7M (12' X 9')	CLEAR	20	5029347602253


Heavy duty, perfect for painting. Protects from paint spills, splashes, dirt and dust.

**Tarpaulins**

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484996	1TARP9	3.7M X 2.7M (12' X 9')	BLUE	25	5029347605612
484997	1TARP18	3.7M X 5.5M (12' X 18')	BLUE	8	5029347605629


Heavy duty tarpaulin. 100% waterproof and tear proof. Reinforced eyelets and corners.

Comes in two sizes:  
Standard: 12ft x 9ft - 90gm  
Heavy Duty: 12ft x 18ft - 120gm

**Brush Cleaner**


SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
482945	BRUSHCL	500ML	-	12	5029347601812

A thin solvent based liquid which removes wet paint quickly from brushes, rollers and pads. Works on emulsion, spirit based paints, varnish and is water washable. Conditions to prolong brush/roller life.

**Brush Restorer**


SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488550	BRUSHREST	500ML	-	12	5029347601829

A thin solvent based liquid which removes paint from gummed up and old hardened brushes. Works on most paint types and is water washable.

**Sugar Soap Powder**

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488588	SOAPPOW	430GR	-	12	5029347601911

A silicate free powder which when diluted with water effectively removes grease and grime from painted surfaces to improve adhesion and gives a better final finish. Sugar Soap Powder is also the ideal choice as a general household cleaner.

**Sugar Soap**  
Liquid and Spray

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488589	SOAPLIQ	500ML	-	12	5029347601904
488591	SOAPSPRAY	500ML	-	6	5029347610883

A concentrated solution which when diluted with water effectively removes grease, grime and nicotine from painted surfaces to ensure improved adhesion. Also ideal as a general household cleaner. Also available in ready to use spray.



## Stain Block

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
------	------	------	--------	-----	---------

488592	STAINSTP	400ML	-	12	5029347602017
--------	----------	-------	---	----	---------------

Stain Block is a spray applied, heavily pigmented white paint which permanently prevents existing stains from water, mould, rust, nicotine, grease, soot, crayon showing through subsequent coatings. Quick drying, overcoat in 15 mins, easy to apply.




## Turps Substitute

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
------	------	------	--------	-----	---------

488596	TS2	2LTR	-	8	5029347601935
--------	-----	------	---	---	---------------

A solvent designed for cleaning paint off brushes and rollers to prolong their life and as a general household cleaner/degreaser.



## White Spirit


SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
------	------	------	--------	-----	---------

488597	WS7	750ML	-	12	5029347602000
--------	-----	-------	---	----	---------------

488598	WS2	2LTR	-	8	5029347601997
--------	-----	------	---	---	---------------

488599	WS4	4LTR	-	4	5029347602215
--------	-----	------	---	---	---------------

White spirit is a solvent designed for thinning paints and varnishes, cleaning brushes and general household degreasing and cleaning.



## Safer Spirit

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
------	------	------	--------	-----	---------

488594	SAFERSP07	750ML	-	12	5029347611774
--------	-----------	-------	---	----	---------------

Safer Spirit is a revolutionary water based alternative to White Spirit. Safer Spirit can be used for many of the same applications as White Spirit. It is not only low in VOC's and has a solvent content of below 8%, but it is also virtually odourless, non-toxic, non-flammable and non-corrosive. Safer Spirit also contains a conditioning agent, leaving paint brushes soft and supple.




## Methylated Spirit

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
------	------	------	--------	-----	---------

488607	MS5	500ML	-	6	5029347605872
--------	-----	-------	---	---	---------------

Mineralised Methylated Spirits is an alcohol prepared for industrial use. Suitable for use as a solvent for patent knotting, some varnishes, some spirit based paints and French polish. Can also be used as a cleaner/degreaser for paint work, glassware, for wiping resinous matter from knots prior to knotting and as a fuel.



## Wallpaper Stripper

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
------	------	------	--------	-----	---------

488619	WALLSTP	500ML	-	12	5029347601980
--------	---------	-------	---	----	---------------

A highly concentrated solution of surfactants designed to strip wallpaper fast. Dilute to make up to 18 litres. Water washable.

All Purpose  
Wallpaper Adhesive


SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
------	------	------	--------	-----	---------

488610	PASTES	5ROLL	-	25	5029347601874
--------	--------	-------	---	----	---------------

488612	PASTE10	10ROLL	-	12	5029347601850
--------	---------	--------	---	----	---------------

488614	PASTE20	30ROLL	-	10	5029347601867
--------	---------	--------	---	----	---------------

A powdered adhesive which when mixed with water is suitable for hanging all common wallcoverings including sculptured, blown and textured vinyl, washable and heavy embossed. Also suitable for fixing polystyrene tiles. High tack combines with excellent adjustability. Contains a powerful fungicide.

Overlap and Border  
Adhesive

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
------	------	------	--------	-----	---------

488615	BORD2	250GR	-	12	5029347601799
--------	-------	-------	---	----	---------------


A high strength, ready mixed paste suitable for all types of borders (inc. vinyl). May be used for adhering overlaps and repairs to damaged paper sections. Will stick all common papers as well as to gloss and emulsion paint. High tack excellent adjustability. Contains a powerful fungicide.

Ready Mixed  
Wallcovering Adhesive

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
------	------	------	--------	-----	---------

488621	WALLREADY4	4.5KG	-	2	5029347601973
--------	------------	-------	---	---	---------------

A ready mixed paste suitable for hanging all common papers including vinyls and heavy embossed. High tack, excellent adjustability. Contains a powerful fungicide.



## Boiled Linseed Oil

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
------	------	------	--------	-----	---------

484799	BOILLIN	500ML	-	12	5029347601775
--------	---------	-------	---	----	---------------

A traditional wood treatment used to replace the natural sheen in aged/ tired wood. Quicker drying than raw linseed oil. May also be mixed with mastic sand to make trowel grade pointing mastic.



## Raw Linseed Oil

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
------	------	------	--------	-----	---------

484802	RAWLIN	500ML	-	12	5029347601898
--------	--------	-------	---	----	---------------

A traditional wood treatment for use on cricket bats, oak beams etc and as a lubricant in the French polishing industry. Nourishes and revives wood.




## Teak Oil

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
------	------	------	--------	-----	---------

484805	TEAK	500ML	-	12	5029347601928
--------	------	-------	---	----	---------------

A traditional wood treatment used to replace the natural oils lost through ageing or weathering and brings out the natural colour of wood. Suitable for interior or exterior use on unpainted timbers.





# TAPES

Trusted products are tried and tested by leading tradespeople on the most demanding of projects

**TRUSTED**

Building Tapes	104
Repair Tapes	107
Masking Tapes	108
Safety Tapes	109
Packaging Tapes	109
Double sided Tapes	110
Plasterboard Tapes	111



**Mammoth Powerful Grip Tape**  
Extra Strong Double Sided Tape



**TRUSTED**

ULTIMATE GRIP STRENGTH

BONDS ALMOST ANYTHING

OUTDOOR AND  
INDOOR USE

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484678	2POWERGRIP12	2.5MTR	CLEAR	48	5029347605896
484679	2POWERGRIP25	2.5MTR	CLEAR	24	5029347605773
484680	2POWERGRIP50	2.5MTR	CLEAR	12	5029347605766

Mammoth Powerful Grip Tape is a double sided tape that breaks the rules, with an incredible immediate bond strength that has to be seen to be believed. It will bond to virtually any material, indoors or outdoors including ceramics, brickwork, wood, metal, plastics and PVC.

It is moisture resistant and will not degrade with U.V light. Ideal for use in the home, industry, construction and office. Can be used in many applications to replace drilling, plugging and unsightly screws.



**American Duct Tape**



**TRUSTED**

100% WATERPROOF

50MM WIDTH

**EASY  
TEAR**

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
487240	USDUCTOG25	25MTR	ORANGE	12	5029347610326
487241	USDUCTSV25	25MTR	SILVER	12	5029347613228

American Duct Tape is a remarkable tape which is not only thick, strong and 100% waterproof; it also has the most amazing adhesive quality.

DOUBLE STRENGTH ADHESIVE

STRONG WEAVE FABRIC

EASY TEAR





## Mammoth Mega All Purpose Tape

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
483326	2MEGBK50	50MTR	BLACK	24	5029347600549
483327	2MEGBL50	50MTR	BLUE	24	5029347604226
483328	2MEGRD50	50MTR	RED	24	5029347602611
483329	2MEGSV50	50MTR	SILVER	24	5029347602628
483330	2MEGW50	50MTR	WHITE	24	5029347602635
483331	2MEGYW50	50MTR	YELLOW	24	5029347604233

The ultimate all purpose duct tape, top quality cloth with aggressive natural rubber adhesive. Tough, durable and waterproof, for thousands of applications on site, in the home and industry, in the widest possible range of colours.



## Mammoth Builders PVC Tape

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488626	2BUILDBK50	33MTR	BLACK	24	5029347604646
488627	2BUILDBK75	33MTR	BLACK	16	5029347604653

Strong PVC tape with versatile adhesive, ideal for jointing all PVC and polythene sheets and membranes. Perfect for contamination barrier fastening, dust sealing of sheets and many other uses in construction and industry.



## Mammoth Gaffa Tape

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
467448	2VGAFFBK45	45MTR	BLACK	12	5029347611743
696047	2VGAFFSV45	45MTR	SILVER	12	5029347611736

Gaffa Tape is a strong, tough and durable utility grade cloth tape for use in repairs in construction, industry, home and garden.



## Mammoth Aluminium Tape

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
482270	2ALUM50	45MTR	SILVER	24	5029347604509
482271	2ALUM75	45MTR	SILVER	16	5029347604516
482259	2ALUM100	45MTR	SILVER	12	5029347604523

Heat and light reflective aluminium foil tape, heat resistant to 180°C, flame retardant to Class O. Excellent moisture resistance, ideal for use as a vapour barrier between foil faced insulation panels in roof and wall applications, duct sealing on all types of air conditioning and ventilation and protecting wires and pipes from heat.



## Mammoth Clear Weatherproof Tape

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488634	2CLEAR10	10MTR	CLEAR	36	5029347610494

Strong Weatherproof Tape with aggressive adhesive, ideal for jointing and repairing all PVC and polythene Sheets and many other uses in construction, industry and the home. Also ideal for repairing cracks in glass and acrylic without obscuring vision/light.



## Silweld Silicone Self Fusing Repair Tape

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484806	2SILWELD3BK	3MTR	BLACK	6	5029347611279

Silweld is the incredible silicone self fusing tape that can be used to repair almost anything from an emergency repair to a water hose or air pipe to insulating electrical wires or connections.

It creates an air tight, watertight seal in seconds without the need for any adhesive and even works underwater. Excellent electrical insulator up to 8,000 volts, withstands extreme temperatures -65°C to 260°C and even withstands pressure to 700psi. Silweld also resists petrol, oil, acids, solvents, salt water and UV rays.



## Check out our Wonder Wipes range

See page 114 – 115 in the  
Cleaning Products section



### Mammoth Low Tack Masking Tape

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486865	2LOWMASK25	25MTR	OFF WHITE	60	5029347604622
486864	2LOWMASK50	25MTR	OFF WHITE	30	5029347604639

The professionals choice for application to more delicate surfaces and wallpaper, where conventional Masking Tapes could damage the surface. Can be left on for up to 7 days, without a residue being left on the surface.



### Mammoth Labelled Masking Tape

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
487011	2MASKLAB19	50MTR	OFF WHITE	64	5029347604325
467447	2MASKLAB25	50MTR	OFF WHITE	48	5029347604332
487012	2MASKLAB38	50MTR	OFF WHITE	32	5029347604349
487013	2MASKLAB50	50MTR	OFF WHITE	24	5029347604356
487014	2MASKLAB75	50MTR	OFF WHITE	16	5029347604363

General Purpose, trade quality Masking Tape, suitable for many uses. Easily removable within 3 days. Rolls individually film wrapped and labelled with separate barcode per size.



### Mammoth Pro Blue Masking Tape

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486861	2PRO25	33MTR	BLUE	48	5029347604530
486860	2PRO50	33MTR	BLUE	40	5029347604547

Professional Long Stay Masking Tape that can be left on for up to 14 days without leaving a residue or damage to the surface.



### Mammoth Value GP Masking Tape

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486871	2MASKVAL19	50MTR	OFF WHITE	64	NO BARCODE
486870	2MASKVAL25	50MTR	OFF WHITE	48	NO BARCODE
486868	2MASKVAL38	50MTR	OFF WHITE	32	NO BARCODE
486867	2MASKVAL50	50MTR	OFF WHITE	24	NO BARCODE
486866	2MASKVAL75	50MTR	OFF WHITE	16	NO BARCODE

General Purpose Trade Quality Masking Tape for conventional paint masking, can be left on for up to 3 days without leaving a residue. Loose packed rolls without individual film wrap or barcode.



### Mammoth PVC Hazard Tape

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488638	2HAZRD	33MTR	RED/WHITE	24	5029347604400
488639	2HAZYW	33MTR	BLACK/YELLOW	24	5029347604394

A strong and durable self adhesive PVC Hazard tape for all hazard marking, ideal for marking floors, walls and overhead. Abrasion resistant, damp tolerant, can be used internally and externally.



### Mammoth Retail / Labelled Packaging Tape

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488640	2PACKLABBN	50MTR	BROWN	36	5029347610432
488641	2PACKLABCL	50MTR	CLEAR	36	5029347610456

Low noise, quality packaging tape, individually wrapped and labelled. Ideal for all packing applications.



### Mammoth Barrier Tape

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
482932	2BARRD500	500MTR	RED/WHITE	8	5029347604424

Super strength non adhesive polythene barrier tape supplied in an individual box.



### Mammoth Value Packaging Tape

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488642	2PACKBN	50MTR	BROWN	36	5029347604387
488643	2PACKCL	50MTR	CLEAR	36	5029347604370

Quality Packaging Tape, available packed in towers, labelled and barcoded per tower.





**Mammoth**

Multi-Purpose Double Sided Tape

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488735	2DOUBLE25	25MTR	CLEAR	48	5029347604707
488736	2DOUBLE50	25MTR	CLEAR	24	5029347604714
488737	2DOUBLEDY5	5MTR	CLEAR	30	5029347610623

High tack multi-purpose double sided tape, ideal for securing many items to smooth surfaces, vertically and horizontally.

**Mammoth**

Carpet Fix Cloth Tape

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488761	2CARPT50	25MTR	CLEAR	24	5029347604738

Premium quality double sided Carpet Fix Cloth Tape is ideal for fixing all carpets to all surfaces. Easily torn by hand during application.

**Mammoth**

Heavy Duty Double Sided Tape

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488760	2HDDDOUBLE50	5MTR	CLEAR	36	5029347610609

A premium quality, heavy duty, Double Sided Tape with a strong, thick cloth membrane and an aggressive rubber resin adhesive. Ideal for fixing floor coverings and other heavy duty applications.

**EuroScrim**

Self Adhesive Scrim Tape



FLEXIBLE, WILL NOT  
BUBBLE OR BLISTER

FOR DRYWALL, PLASTER  
WALLS AND CEILINGS

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484687	2EURO48	90MTR	WHITE	24	5029347611750
484688	2EURO100	90MTR	WHITE	12	5029347612627

**EuroScrim is a premium quality, quick and easy to apply, self-adhesive scrim tape that is made in Europe to perform!**

EuroScrim has a quality high tack adhesive and an open mesh that will not blister or bubble, creating perfect joints every time.



TRUSTED

QUICK AND EASY TO APPLY

SELF ADHESIVE -  
ELIMINATES NEED FOR  
PRE-PLASTERING







# CLEANERS

Trusted products are tried and tested by leading tradespeople on the most demanding of projects

**TRUSTED**

Wipes	114
Glazing Cleaners	116
Cleaners and Lubricants	11



### Wonder Wipes Multi-Use



## TRUSTED

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
467442	WIPE80	100	-	6	5029347601522
484948	GIANTWIPE	300	-	1	5029347604172
524290	MONSTERW	500	-	1	5029347614379

Multi-Use Wonder Wipes are specially formulated to clean hands, tools and surfaces from wet and semi-cured paint, sealant, adhesive, bitumen, expanding foam, oil, grease and even silicone.

Useful when there is no water on site. Wonder Wipes contain a powerful anti-bacterial additive that is tested by an independent laboratory to BSEN 1276:2009.



INTERIOR AND  
EXTERIOR  
USE

ROBUST AND EXTRA  
ABSORBENT TRIPLE LAYER  
WIPE THAT TRAPS DIRT  
AND ABSORBS MOISTURE

ANTIBACTERIAL ADDITIVE  
TO PROVIDE PROTECTION

CONTAINS VITAMIN E  
AND ALOE VERA TO  
NOURISH HANDS



### Wonder Wipes Heavy Duty

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
467443	WIPEHD75	75	-	6	5029347609467

Heavy Duty Wonder Wipes are textured wipes which are specially formulated for the building, engineering and allied trades to clean ingrained dirt from hands, tools and surfaces.



INTERIOR AND  
EXTERIOR  
USE



### Wonder Wipes Multi-Use Spray

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
511711	WIPESPRAY	1LTR	-	12	5029347613952

Multi-Use Wonder Wipes is available in a hand spray. Wonder Wipes Spray is the ideal solution for cleaning large surface areas by using the spray with Paper Wipe Rolls or refreshing a Wipe to make it go that extra mile. Wonder Wipes Spray is also the perfect way to keep the PVC door and window frames looking good as new.




INTERIOR AND  
EXTERIOR  
USE



## Glass Cleaner

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
490894	GLACL	1L	-	12	5029347900014


Glass Cleaner is a powerful glass cleaning agent containing a high level of detergents and solvents for rapid drying to a smear and static free finish. May also be used on tiling, VDUs, TV screens, chrome etc.



## PVCu Solvent Cleaner

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486919	PVCS1	1L	-	12	5029347900045


PVCu Solvent Cleaner is a solvent based product formulated to remove ingrained dirt from PVCu and most plastics. Also suitable to restore an "as new" look to old windows and plastic garden furniture. Fast drying.



## PVCu Cream Cleaner

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486930	PVCC1	1L	-	12	5029347900052

PVCu Cream Cleaner is a solvent free formulation designed to remove ingrained dirt, stains and pollution from PVCu window frames without scratching. Buffs to a deep sheen.



## Paper Glass Wipe Rolls

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
467444	PAPCENTRE	150MTR	-	6	5029347603427
488767	PAPRL	280MTR	-	2	5029347119003


Paper Glass Wipe Rolls are made of an extra strong, soft 2-ply paper for effective glass industrial and home cleaning.



## All Purpose XT44 Maintenance Spray

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484811	MULTI	400ML	-	12	5029347600044

All Purpose Maintenance Spray has 100s of uses around the home, garage, workshop and in industry. Penetrates rusted parts and fastenings to assist dismantling, lubricates locks, hinges and tools. Can be used to protect metals and tools from rusting. Displaces water and can be used to assist starting wet petrol engines and damp ignition systems. Lubricates just about any moving part.



## All Purpose Silicone Spray

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484813	SILSPRAY	400ML	-	12	5029347600648


All Purpose Silicone Spray is a dry silicone lubricant and mould release agent for the easing of friction between two surfaces. Ideal for use in mould making/release industries, to ease installation of rubber and EPDM gaskets to window and door frames and has 100's of uses around the home, garage, workshop and industry. Silicone Spray will also enhance the appearance of vinyl and hard surfaces such as car dashboards etc, where the dry-bright finish will eliminate the need for polish.



## Graffiti Remover

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484814	GRAFF	400ML	-	12	5029347601683

Graffiti Remover is a powerful non-drip gel formula, works on vertical and horizontal surfaces to remove paint, felt tip marker pen and most other forms of casual graffiti. Water washable, effective on all substrates. Graffiti Remover is aided by its slow evaporation rate, penetrating deeply into graffiti and after a few minutes, marks are easily and safely removed by rinsing with water.







# PLUMBING AND HEATING SUPPLIES

Trusted products are tried and tested by leading tradespeople on the most demanding of projects


TRUSTED

Central Heating Treatments	120
Sealers and Compounds	121
Fire and Stove Sundries	123
Fire, Stove and Flue Cements and Mortars	124

## P24 Power Cleaner

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
688226	P24CLEAN	500ML	-	12	5055492703774


P24 Power Cleaner is a high-strength, universal, rapid liquid cleaner for all central heating systems. It is designed to remove all debris, sludge, flux and scale from existing systems – its high-strength formulation makes it ideal for use for both new and older systems with heavier build-up.



## P28 Filter Fluid

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
687374	P28FILTERFLUID	500ML	-	12	5055492703798


P28 Filter Fluid has been specifically developed to penetrate, release and lift magnetite deposits and contaminants. Debris is delivered directly to the in-line filter for fast and safe removal. Magnetite particles are over five times heavier than water and tend to settle in less turbulent areas of the system and cannot be captured by the filter.



## P32 Leak Sealer

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
687371	P32LEAKSEALER	500ML	-	12	5055492703804


P32 Leak Sealer is a rapid, internal leak sealer that is designed for central heating systems suffering from small, inaccessible leaks and weeps which may cause pressure loss. Once added to the system, the product locates the area of water loss and forms a soft barrier to seal the hole. P32 Leak Sealer is effective within 1 to 24 hours and has been tested and proven to prevent blockages or restrictions in system components.



## P26 Biocide

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
686663	P26BIOCIDIE	500ML	-	12	5055492703781


P26 Biocide is a high-strength, rapid attacking biocide designed for use with all central heating and underfloor heating systems. This product contains three active biocidal ingredients that rapidly acts to eliminate and prevent further formation of fungal growth and bacteria in heating systems.



## P30 Protector

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
687372	P30PROTECTOR	500ML	-	12	5055492703811

P30 Protector is a high performance, long lasting, easy to use inhibitor that protects domestic heating systems against internal corrosion, limescale and hydrogen gassing. This product has enhanced pH buffering capabilities to ensure the system water pH level does not drop below 8.0 or exceed 8.5 – the optimum pH range for preventing limescale and corrosion build-up.

Plumbers Gold  
Sealant & Adhesive

## TRUSTED


CAN BE APPLIED  
TO WET SURFACES



WILL EVEN WORK  
UNDERWATER

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486774	PLUMBGCL	290ML	CLEAR	12	5029347607081
486777	PLUMBGWE	290ML	WHITE	12	5029347607074

Specially formulated for the plumbing professional, Plumbers Gold is a sealant and adhesive based on hybrid polymer technology that offers outstanding adhesion to all sanitary, bathroom, wetroom, kitchen and plumbing materials.



Brick / Timber / Metal / PVCu / Glass

P11 Central Heating  
System Cleanser

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486756	P11CLEAN1	1LTR	-	12	5010618213100

This will remove commissioning and flux residue from new systems and restore circulation to old systems which suffer from sludge. P11 System Cleanser should also be used when components are replaced or existing systems are extended.

P14 Central Heating  
System Inhibitor

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486773	P14INHIB1	1LTR	-	12	5010618214107

P14 System Inhibitor is a multi purpose treatment specially designed to protect the entire central heating system from scale, sludge and corrosion. BuildCert Performance Standard.






### P12 Silicone Grease

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
687373	P12GREASE	200GR	-	12	5055492703842


P12 Silicone Grease is a lubricant and sealant with excellent resistance to most chemicals, extreme temperatures and exceptional water resistance. It has low vapour tension up to 200 °C, enabling low residual pressure to be achieved. Everbuild P12 Silicone Grease is also chemically inert – it is non-corrosive on metals and has no plasticising effect on rubbers or plastics.



### P13 Putty

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488411	PLUMB7	750GR	BEIGE	12	5029347600655

Plumber's Putty is a ready-mixed, waterproof, non-setting putty designed for sealing and bedding WC soil pipes, joints in sanitary wear, sinks and waste water fittings. Plumber's Putty will seal ceramics, vitreous enamels, metals and PVC. Remains permanently flexible to allow for joint movement.




### P16 PVC Pipe Cement

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488408	P16PIPE	250ML	-	12	5029347607029

PVC Pipe Cement is a non-drip, thixotropic solvent based pipe cement for bonding non-pressure PVC and ABS thermoplastic pipes and conduits to themselves and each other.

**Conforms to BSEN14814 and BSEN14680.**



PVC/PVCu/ABS

### P18 Gas Leak Detector

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486898	P18GASLEAK	400ML	-	12	5010618216101


Gas Leak Detector is a specially formulated foam designed specifically to identify even the smallest positive pressure, gaseous leak. It is suitable for use with most common gases and is compatible with paintwork, metals, wood and most plastics.



### Heat Resistant Matt Black Paint Tin

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486783	PCHEATPNT1	125ML	BLACK	12	5029347609306


Heat Resistant Paint is a protective and decorative paint which is heat stable for temperatures up to 600°C. It is suitable for use on domestic stoves, furnace chimneys, industrial ovens and exhausts. It can be used as a single coat, or two coats on bare ferrous metal surfaces.



### Heat Resistant Matt Black Paint Aerosol

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486786	PCHEATPNT4	400ML	BLACK	12	5029347609313

Heat Resistant Paint in an aerosol is a protective and decorative paint which is heat stable for temperatures up to 600°C. It is suitable for use on domestic stoves, furnace chimneys, industrial ovens and exhausts. It can be used as a single coat, or two coats on bare ferrous metal surfaces.



### P20 Flux Soldering Paste

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488416	P20FLUX140	140GR	WHITE	12	5029347613068

Plumber's Flux is a soft paste which is applied to joint areas prior to soldering. It is suitable for use with most metal types. It is self cleaning and can be used with potable water.



### Heat Resistant Silicone

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486749	PCHEATSIL	310ML	BLACK	12	5029347609290

Heat Resistant Silicone is a high temperature resistant, fast cure, silicone, heat stable up to 275°C, which is permanent flexibility – high modulus sealant. It is ideal for joints and assemblies in ducting, metal chimneys, industrial/domestic ovens, heating appliances. Excellent adhesion to most non-porous surfaces.



## KOS Fire Cement



# TRUSTED

ASBESTOS FREE

RESISTANT TO EXTREME  
TEMPERATURES

AVAILABLE IN BUFF  
OR BLACK

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484657	PKOSFIRE05	500G	BUFF	18	5010618001110
484658	PKOSFIRE1	1KG	BUFF	12	5010618002117
484659	PKOSFIRE2	2KG	BUFF	6	5010618003114
484670	PKOSFIRE6	6KG	BUFF	2	5010618005118
484672	PKOSFIRE25	25KG	BUFF	1	5029347606657
484673	PKOSBKFIRE05	500G	BLACK	18	5029347606619
484674	PKOSBKFIRE1	1KG	BLACK	12	5029347606626
484675	PKOSBKFIRE2	2KG	BLACK	6	5029347606633
484676	PKOSBKFIRE12	12.5KG	BLACK	1	5029347606640

**KOS Fire Cement** is a ready mixed blend of thermo setting resins and inorganic fillers that cures when exposed to heat, resulting in a mortar which is resistant to temperatures up to 1250°C.

Can be used for domestic and commercial applications. Excellent adhesion to fire bricks, blockwork, stone and clayware.



## KOS Fire Cement Cartridge

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486239	PKOSFIREC3	300ML	BUFF	12	5010618070161
488425	PKOSBKFIREC3	300ML	BLACK	12	5029347606886


KOS Fire Cement is a ready mixed blend of thermo setting resins and inorganic fillers that cures when exposed to heat, resulting in a mortar which is resistant to temperatures up to 1250°C. Can be used for domestic and commercial applications. Excellent adhesion to fire bricks, blockwork, stone and clayware.



## Flue Jointing Compound

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488403	PCFJC05	500GM	-	12	5010618050019
488407	PCFJC1	1KG	-	12	5010618050217


Flue Jointing Compound is a finely dispersed asbestos free material with a stiff consistency. It will not harden completely and small movements can be accommodated without cracking. Flue Jointing Compound is nonflammable and, therefore, there is no risk of fire.



## KOS Flue Cement

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488394	PKOSFLUE3	300ML	-	12	5010618016169

KOS Flue Cement is a high temperature (to 1250°C) ready mixed fireproof mortar paste, designed for the safe installation/jointing of Type A1 (BS EN1857) concrete flue liners for use with domestic fires and stoves e.g. coal, wood burning or gas (including flame effect).



## XL Fire Cement

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488389	PCXLFIRE05	500G	BUFF	18	5010404120056
488390	PCXLFIRE1	1KG	BUFF	12	5010404120100
488391	PCXLFIRE2	2KG	BUFF	6	5010404120209
488392	PCXLFIRE5	5KG	BUFF	2	5010404120254

XL Fire Cement is a ready mixed blend of thermo setting resins and inorganic fillers that cures when exposed to heat, resulting in a mortar which is resistant to temperatures up to 1250°C. Can be used for domestic and commercial applications. Excellent adhesion to fire bricks, blockwork, stone and clayware.







Trusted products are tried and tested by leading tradespeople on the most demanding of projects

**TRUSTED**

# BUILDING SUPPLIES

Waterproofing	128
Building Admixtures	130
Self Levelling Compounds	140
Floor Paints and Line Markers	144
Wall Finishing	145
Concrete and Brick Repair	146
Priming	150
PVA and SBR Bonding	151
Chemical Anchors	154
Putties	156
Pointing	157



**Sika®-1 Waterproofer**  
 Liquid Waterproofing Additive


## TRUSTED

PROVEN TRACK RECORD  
FOR OVER 100 YEARS

EXCELLENT RESISTANCE  
TO BACKWATER PRESSURE

WATERPROOF RENDERS  
TO RESIST MOISTURE  
ABOVE GROUND

CONSUMPTION: 0.75LTR  
PER 25KG CEMENT

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
114448	SK1WAT5	5LTR	YELLOW	4	5055047200024
114449	SK1WAT25	25LTR	YELLOW	1	5055047200123

**A liquid waterproofing additive for mortar and concrete.**

The colloidal silicates in the additive swell and block the capillaries and pores in the applied sand/cement renders, screeds and mortar to provide an effective barrier against the transmission of liquid water.

INTERIOR AND EXTERIOR	WATERPROOF	CHLORIDE FREE	DOSAGE


**Sika®-2**  
 Water Plug

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
114452	SK2PLUG5	5LTR	RED	4	5055047200048

A ready to use, rapid setting, leak stopping liquid which is mixed with ordinary portland cement to produce a paste for immediate leak sealing against high water pressure infiltration. Suitable to seal severe water leaks and to be applied on surfaces with running surface water.

QUICK CURING/ DRYING	CHLORIDE FREE
0.7L TO 1KG	
DOSAGE	


**Sika®-4**  
 Rapid Setting

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
114453	SK4RAP5	5LTR	BROWN	4	5055047200086

A ready to use liquid for accelerating the set time of mortars and renders where low water pressure or slow water movement exists. Sika®-4 Rapid Setting Provides excellent resistance to backwater pressure and prevents cement wash out.

QUICK CURING/ DRYING	CHLORIDE FREE
0.7L TO 1KG	
DOSAGE	


**Sika®-4a**  
 Water Stop

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
114454	SK4A5	5LTR	CLEAR	4	5055047200109

A ready to use, quick setting, liquid which is mixed with water and ordinary portland cement to produce a paste for leak stopping. Sika®-4a Water Stop is suitable for use against high or moderate water pressure infiltrations.

QUICK CURING/ DRYING	CHLORIDE FREE
0.35L TO 1KG	
DOSAGE	


**Sikalastic®-1K**

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489549	SKLAS1K20	20KG	GREY	1	5055492701305

A one-component, highly flexible, cementitious, fibre-reinforced mortar for the waterproofing of concrete structures. It can be used for the outside waterproofing and protection of basement walls as well as on hydraulic structures, such as swimming pools.

	1.2KG/M <sup>2</sup> /mm
WATERPROOF	APPROX COVERAGE






## Sika® Damp Proofing Slurry

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
456454	SKDPSLUR20	20KG	GREY	1	5055492700704
102198	SKDPSLUR25	25KG	GREY	1	5055047201021

A high-quality, thin layer, waterproof slurry coating that contains special cements and admixtures that provides a finish that prevents dampness and water penetration. Easy to mix and apply as well as being overpaintable with vapour permeable coatings.

SikaMur®  
InjectoCream-100



SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
175179	FPSKMURINJ100	600ML	-	10	7612894718317
425016	SKMURINJCM100	300ML	-	12	7612894892604

A silane-based, waterproof cream that can be inserted into holes in mortar course of the wall to provide a Damp Proof Course (DPC) that will block future rising damp.

Febtank Super  
Waterproof Coating

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486609	FBTANKSGV	25KG	GREY	1	5029347607807
489396	FBTANKTUBG	20KG	GREY	1	5029347609856

Febtank Super, when mixed with clean water, forms an extremely durable waterproof coating for concrete and masonry which is easily applied by a stiff hand brush, broom or spray. Ideal permanent waterproofing system for basements, cellars, pools, reservoirs and below ground level applications. Resists both negative and positive water pressure. **BBA approved. Tested to BSEN 1504-3.**



## Febtank Plug

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486603	FBWATPLUG5	5KG	-	1	5029347607814

Febtank Plug is an ultra-rapid setting, durable plugging compound designed to stop active water leaks in concrete and masonry.

Once applied, the material expands as it cures to form a permanent watertight seal with similar characteristics to concrete. Suitable for use with Febtank Super.

THE WATERTIGHT  
SOLUTION ENGINEERED  
FOR BASEMENTS

Our ground-breaking **Sika® Watertight Concrete System** is specifically designed for water resistance underground. Made in Britain by the original innovators of watertight concrete to keep water in its place. Available now in powdered (hydrophobic or crystalline) and bulk liquid (hydrophobic).

- Keeps water out – and in for swimming pools
- Industry leading design and technical support for complex projects
- Includes complementary jointing products for a complete watertight seal
- Incorporates the latest concrete admixture technology
- No.1 in the UK – all formulas are BBA certified, backed with 15-year Sika® Guarantee

Find out more at [sikawaterproofing.co.uk](http://sikawaterproofing.co.uk)




BUILDING TRUST



**SikaMix® Plus**  
Mortar Plasticiser

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
445021	SIKAMIXPS	5LTR	-	4	5055492700483
445917	SIKAMIXP25	25LTR	-	1	5055492700544




A general purpose, liquid mortar plasticiser for brick and blockwork mortars. SikaMix® Plus increases the workability and improves the quality of mortars, renders and plasters. Also, improves the frost resistance of hardened mortar.

	125-250ML 50KG
AIR ENTRAINING PLASTICISER	DOSAGE
	$H_2O$
CHLORIDE FREE	WATER REDUCING
	
WATER-BASED/CLEAN UP	


**Sika® Rendermix**  
Water Resisting Plasticiser

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
102452	SKREND5	5LTR	YELLOW	4	5055047200529


A water resisting plasticiser and air entraining agent for improving renders and screeds. Can also be used as an admixture for pebble dashing or roughcast finishes.

	0.5-1L 50KG
WATERPROOF	DOSAGE
	$H_2O$
AIR ENTRAINING PLASTICISER	WATER REDUCING
	
CHLORIDE FREE	


**Sika® Proof**  
Liquid Waterproof

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
102327	SKPROOF5	5LTR	WHITE	4	5055047200635

General purpose, economic waterproofing admixture for mortars and concretes. Ideal for use on swimming pools, water tanks, ponds, below ground applications and more.

0.5L 50KG	
DOSAGE	WATERPROOF


**Sika® Release Oil**

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
513849	SKRELEASE5	5LTR	-	4	5055047200604


A ready to use, formwork release agent that is suitable for mould and shuttering. Sika® Release Oil is suitable for use prior to casting concrete in order to achieve a clean release after removal of formwork.

PER LITRE
30M <sup>2</sup>
APPROX COVERAGE


**Sika® Wintermix**

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
102408	SKWINT5	5LTR	AMBER	4	5055047200864

A chloride free admixture for concrete that is suitable for use with steel reinforcement. Sika® Wintermix allows mortars and concretes to be used in sub-zero temperatures, eliminating the need for a separate frostproof.

2.5-5L 50KG	
DOSAGE	FROST-PROOFER


**Sikamix®**  
Powdered Mortar Plasticiser

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
165860	SKMIXPMP	250 SACHETS	-	20	5055047209041

SikaMix® Powdered Mortar Plasticiser (PMP) is a pre-measured air entraining admixture which complies to EN 934-3 and replaces or complements the use of lime in sand and cement bricklaying and rendering.






**Sika® MaxMix**  
Waterproof

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
697906	SKMAXMWAT1	1LTR	YELLOW	6	7612894695649

A highly concentrated waterproofing and air entraining admixture for sand and cement mortars, renders and screeds. Sika® MaxMix® Waterproof improves the workability of mortar/render and helps prevent shrinkage, cracking, crazing and mild frost damage.

**Sika® MaxMix**  
Frostproof and Accelerator


SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
170378	SKMAXMACC1	1LTR	STRAW	6	7612894695724

A highly concentrated air entraining admixture which is designed specifically for cold weather by eliminating the requirement for a second frostproofing admix. Sika® MaxMix® Frostproof and Accelerator reduces the setting time of sand and cement based mortars, renders, screeds etc.

**Sika® MaxMix**  
Cement Colour


SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
170406	SKMAXMCOBK1	1LTR	BLACK	6	7612894695823
170408	SKMAXMCOB1	1LTR	BROWN	6	7612894695861
170410	SKMAXMCOB1	1LTR	RED	6	7612894695908
170412	SKMAXMCOYV1	1LTR	YELLOW	6	7612894695946

A concentrated, one-shot cement colourant that provides a uniform shade of colour to cement mortars, renders, concrete and pointing.

**Sika® MaxMix**  
Mortar Plasticiser

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
170376	SKMAXMPLAS1	1LTR	BROWN	6	7612894694888


A highly-concentrated, air entraining liquid plasticising admixture that is twenty five times the strength of conventional products. Forms extremely stable air bubbles in mortar mixes that improves the consistency and workability of mortar. Sika® MaxMix® Mortar Plasticiser helps to prevent shrinkage, cracking, crazing and mild frost damage.

**Opti-Mix**  
Integral Waterproof

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
697951	OPTIPROOF1	1LTR	-	12	5029347609894


Opti-Mix Integral Waterproof is a plasticiser, waterproofing agent and salt inhibitor, all in one. Waterproofs, plasticises, controlled dosage, consistent mix design, easy to use, no waste. 1 litre is equivalent to 25 litres of standard product.

Tested to EN934-3 (2009) +A1 (2012).

**Opti-Mix**  
3-In-1 Render Additive


SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
697962	OPTIREND1	1LTR	-	12	5029347609917

Opti-Mix 3-in-1 render designed specifically for use with renders, giving increased retarding properties with additional waterproofing, plasticising and salt inhibiting capability. Controlled dosage for a consistent mix in an easy to use design with zero waste. 1 litre is equivalent to 25 litres of standard product. Tested to EN934-3 (2009) + A1 (2012).

**Opti-Tone**  
Cement Colourant Black


SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486213	OPTITONEBK1	1LTR	-	12	5029347609924

Opti-Mix Cement Colourant is a cement colourant that enables accurate colour matching and consistency between different batches of mortar. Fast colouring formulation, controlled dosage, consistent mix design, easy to use and no waste. 1 litre is equivalent to 5 litres of standard product. Tested to EN12878.

**Opti-Mix**  
Mortar Plasticiser

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486210	OPTIMIX1	1LTR	-	12	5029347609970

The world's first 1:25 plasticiser is just Pure Admix, smells and works like the best traditional Admix. Controlled dosage, consistent mix design, easy to use, no waste. 1 litre is equivalent to 25 litres of standard product. Tested to EN934 (2009) +A1 (2012).



### 201 Mortar Admix

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486187	ADM5L	5L	-	4	5029347002152
486189	ADM25L	25L	-	1	5029347002169


Mortar Admix is an air entraining plasticiser that replaces lime in the mix to provide an easy to work 'butter like' consistency to the mortar and to prevent shrinkage, cracking and crazing during the setting process. **Tested to BSEN934-Part 3 (2009)+A1(2012).**



### 202 Integral Liquid Waterproof

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488850	ILW5L	5L	-	4	5029347002251
488851	ILWA25	25L	-	1	5029347002268


Integral Liquid Waterproof is a liquid additive that provides long term water protection to mortar, concrete and rendering. Reduces water permeability and is suitable for all applications where resistance to water absorption is necessary. **Tested to EN934-3 (2009)+A1(2012).**



### 203 Accelerator and Frostproof

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488853	ACC5L	5L	-	4	5029347002350
488854	ACC25L	25L	-	1	5029347002367


Accelerator and Frostproof is a liquid additive formulated to accelerate setting and hardening times of mortar, concretes, screeds and rendering to provide frost protection during the setting period. Effective even in sub-zero temperatures. **Tested to EN934-2 (2009)+A1(2012).**



### 204 Evermix 3 In 1

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488855	EMIX5	5L	-	4	5029347000006
488856	EMIX25	25L	-	1	5029347070533

Evermix 3 in 1 triple action admixture waterproofs, plasticises and retards to assist workability, reduce water penetration and allow larger areas to be covered in one application. Evermix 3 in 1 is particularly formulated for use in renders, dry dash and pebble-dashing. **Tested to EN934-3 (2009)+A1(2012).**



### 206 Strike Release Oil

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488885	STRIKE5	5L	-	4	5029347002657



Strike Release Oil is a highly effective release agent to enable concrete shuttering to be removed easily, leaving the edge of the concrete structure clean and well formed. Suitable for most types of form work, not affected by rain after application.



### 207 Zeromix C.F.F

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488857	ZER05	5L	-	4	5029347002756
488858	ZEROM25	25L	-	1	5029347002763

Zeromix CFF is a double action frostproof and air entraining mortar admixture for use throughout the winter period. Improves workability of mortar and increases resistance to frost in both wet and hardened state. Chloride free, can be used with steel reinforced concrete structures. **Tested to EN934-3 (2009)+A1(2012).**



Visit [gbr.knowledge.sika.com/](http://gbr.knowledge.sika.com/) for technical articles, eLearning platform, webinars and white papers



**Febmix Admix**  
 Air Entraining Plasticiser

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486723	FBMIX5	5LTR	-	4	5029347607203
487244	FBMIX25	25LTR	-	1	5029347607210
487247	FBSWMIX5	5LTR	-	4	5029347610791
487249	FBSWMIX25	25LTR	-	1	5029347610807



Febmix Admix is an original air entraining plasticiser that replaces lime in the mix to provide an easy to work "butter like" consistency and to prevent shrinkage, cracking and crazing during the setting process. For use in brick laying and plastering mortars. Provides a degree of frost resistance and long term resistance to freeze-thaw cycles when set. There is also a South West formula specially designed for South Wales and the West Country. **Conforms fully with the requirements of EN 934-3:(2009) +A1 (2012).**

	125-250ML 50KG
AIR ENTRAINING PLASTICISER	DOSAGE
	H <sub>2</sub> O
CHLORIDE FREE	WATER REDUCING


**Febmix Plus**  
 Air Entraining Plasticiser

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
487142	FBMIXPLUS5	5LTR	-	4	5029347607180
487143	FBMIXPLUS25	25LTR	-	1	5029347607197





Febmix Plus is a liquid ultra stable synthetic air entraining mortar plasticiser designed to enhance the workability and freeze thaw resistance of brick and block laying mortars. It may be used to replace or supplement the use of lime, and is designed to maintain efficiency with variations in cement and aggregate sources. **Conforms to EN 934-3:(2009) +A1 (2012).**

	125-250ML 50KG
AIR ENTRAINING PLASTICISER	DOSAGE
	H <sub>2</sub> O
CHLORIDE FREE	WATER-BASED/ CLEAN UP


**Febproof Plus**  
 Waterproof and Plasticiser

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
487146	FBPROOFPS5	5LTR	AMBER	4	5029347607319
487147	FBPROOFPS25	25LTR	AMBER	1	5029347607326




Febproof Plus is a waterproofer and plasticiser that provides water protection to mortar and non-structural concrete and improves workability. Suitable for use in rendering finishes and pointing mortars. Reduces the incidence of efflorescence. **Conforms to EN 934-3:(2009) +A1 (2012).**

	375ML DOSAGE
WATERPROOF	
	
AIR ENTRAINING PLASTICISER	CHLORIDE FREE
	H <sub>2</sub> O
WATER REDUCING	


**Rendamax**  
 Retarder and Plasticiser

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
487149	FBRENDAS	5LTR	AMBER	4	5029347607234





Feb Rendamax is a water resisting, retarding and plasticising admixture for use in sand: cement rendering mortars. The product also acts as an inhibitor for efflorescence. **Conforms to EN 934-3:(2009) for air entraining properties.**

	750ML DOSAGE
WATERPROOF	
	H <sub>2</sub> O
CHLORIDE FREE	WATER REDUCING
	RETARDER


**Febspeed**  
 Accelerator and Frostproof

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
487184	FBSPEED5	5LTR	CLEAR	4	5029347607333





Febspeed is a chlorine free liquid admixture formulated to accelerate the setting time of cement based mortar, non-reinforced concrete, renders and screeds. Also provides frost protection in the wet mortar during the setting period; even in sub-zero temperature and can also be used neat with cement as a plugging aid. **Tested to the requirements of EN 934-2: 2009 +A1 (2012).**

	2.5-5L 50KG
FROST-PROOFER	DOSAGE
	
CHLORIDE FREE	WATER-BASED/ CLEAN UP
	ACCELERATOR


**Wintamix**  
 Accelerator and Frostproof

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
487186	FBWINTAS	5LTR	CLEAR	4	5029347607258



Feb Wintamix is a chloride free, double action liquid frostproof and air entraining mortar admixture for use throughout the winter period, and also in sub-zero temperatures. Suitable for steel reinforced concrete, improves workability of mortar and increases resistance to frost in both wet and hardened state. **Conforms to EN943-3:2009.**

	2.5L TO -4°C
FROST-PROOFER	DOSAGE
	
5L TO -8°C	WATER-BASED/ CLEAN UP
	ACCELERATOR


**Brickclean**  
 Cleaner and Degreasing Solution

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
487189	FBBRICKCL5	5LTR	CLEAR	4	5029347607852

Feb Brickclean is a fast acting acid based cleaner and degreasing solution which dissolves mortar and cement stains, ingrained dirt and most paints on mineral surfaces such as brick, concrete, paving slabs and earthenware.

	7-10M <sup>2</sup> APPROX COVERAGE
WATER-BASED/ CLEAN UP	
	SOLVENT FREE



**Sikafloor®-122 Level**  
Self Levelling Compound

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
618323	SKLEV2025	25KG	GREY	1	5055047206316

A one-part, multi-purpose, cement based self-leveller for smoothing and levelling uneven internal rigid floors prior to applying a final wearing covering. Suitable for underfloor heating applications beneath heating systems this product is highly fluid and easy to apply.

2-4 HRS	FEATHER EDGE 6MM
TRAFFICABLE WITHIN	THICKNESS
DEPTH OF 3MM	8 HRS
5M <sup>2</sup>	FLOOR COVERINGS
APPROX COVERAGE	
EN 13813	
CT-C30-F7	
EN CLASSIFICATION	


**Sikafloor®-125 Level**  
Latex Self Levelling Compound

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
619027	SKLEV25LAT25	25KG	GREY	1	5055047206323

A one-part, latex modified smoothing and levelling compound with added polymer powder for improved flexibility and resilience. This product is suitable for smoothing and levelling rigid internal floors prior to applying final wearing coverings. Suitable for underfloor heating applications beneath heating systems.

2-4 HRS	FEATHER EDGE 6MM
TRAFFICABLE WITHIN	THICKNESS
DEPTH OF 3MM	8 HRS
5M <sup>2</sup>	FLOOR COVERINGS
APPROX COVERAGE	
EN 13813	
CT-C30-F6	
EN CLASSIFICATION	


**Sikafloor®-440 Level**  
Fibre Reinforced Self Levelling Compound

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
612787	SKLEV440FB20	20KG	GREY	1	5055492702944

A one-part, fibre and polymer re-enforced, flexible, high strength heat resistant cement based levelling compound. Designed specifically for the embedment of underfloor heating elements and for use on timber floors. Sikafloor® 440 Level Fibre Reinforced can be left as a final wearing surface or may be overlaid with floor coverings.

SUITABLE FOR USE WITH	DEPTH OF 5MM	FINAL WEARING SURFACE	INTERIOR AND EXTERIOR
UNDERFLOOR HEATING	2.4M <sup>2</sup>		
APPROX COVERAGE		EN 13813	2-30mm
3 HRS	4-5 HRS	CT-C30-F7-AR0.5	THICKNESS
TRAFFICABLE WITHIN	FLOOR COVERINGS	EN CLASSIFICATION	


**Sikafloor®-131 Level**  
Latex Ultra

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
619525	SKLEV30ULT25	25KG	GREY	1	5055047210726

A one-part, latex modified, high-strength self leveller for smoothing and levelling uneven rigid floors. Sikafloor® 131 Level Latex Ultra may be overlaid with common floor coverings or may be left as a final wearing surface. A rapid setting heavy duty product which is suitable for both internal and external floors, this product is also strong enough to withstand vehicular traffic.

FINAL WEARING SURFACE	3 HRS
FLOOR COVERINGS	
DEPTH OF 3MM	2 HRS
5M <sup>2</sup>	TRAFFICABLE WITHIN
APPROX COVERAGE	
2-10mm	
THICKNESS	


**Sikafloor®-245 Level**  
Deep Fill Ultra

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
612979	SKLEV245DP25	25KG	GREY	1	5055492702951

A one-part, thick bed, smoothing and resurfacing compound for levelling out highly uneven floors and screeds down to the depth of 50mm in just one coat. This product is known for its extremely low shrinkage properties and is suitable for use on internal and external floors.

3-50mm	4 HRS
THICKNESS	FLOOR COVERINGS
DEPTH OF 5MM	4 HRS
3.1M <sup>2</sup>	TRAFFICABLE WITHIN
APPROX COVERAGE	
INTERIOR AND EXTERIOR	





### 720 Febflor Fibre Plus

Fibre Self Levelling Compound




## TRUSTED

FOR USE ON INTERNAL UNEVEN RIGID FLOORS

SUITABLE FOR UNDERFLOOR HEATING APPLICATIONS BENEATH HEATING SYSTEMS

A fibre modified, cement based, protein free self-levelling compound used for levelling out uneven floors and screeds. Contains powdered polymer to eliminate the need for a separate latex liquid being added. Free flowing mix that sets in 4 hours and can be overlaid after 8 hours.

SCAN	CODE	SIZE	COLOUR	QTY	BARCODE
647831	SLFIBRE20	20KG	GREY	1	5029347615796



FLEXIBLE FORMULA - NO NEED TO ADD A SEPARATE LIQUID LATEX ADDITIVE

### 708 Febflor Universal

Self Levelling Compound

SCAN	CODE	SIZE	COLOUR	QTY	BARCODE
620324	SEL20	20KG	-	1	5029347003012

Perfect for most applications. Levelling floors prior to laying ceramic or thermoplastic tiles, lino, wood block flooring or carpet. Use on internal uneven rigid floors and underfloor heating applications beneath heating systems.

Cement based, free flowing, sets in 2-4 hours and can be overlaid after only 8 hours at 20°C. Mix with Febflor 709 to add moisture resistance, additional flexibility and durability.



### 710 Febflor Flexiplus

Self Levelling Compound

SCAN	CODE	SIZE	COLOUR	QTY	BARCODE
620325	SLPLUS20	20KG	-	1	5029347071028

For increased flexibility. Use to level out uneven floors where there may be a small level of movement. Self-smoothing with added latex powder for improved flexibility, resilience and adhesion. Suitable for use on internal uneven rigid floors, underfloor heating applications beneath heating systems.



### 709 Febflor Latex Plus

Liquid Additive

SCAN	CODE	SIZE	COLOUR	QTY	BARCODE
489452	LAT5	5L	-	4	5029347003029

To increase flexibility and durability by adding to flooring compounds and tile adhesives. Ideal for use on timber flooring substrates to allow for a limited amount of movement. Rubber based latex liquid. 5 litres mixes with a 20kg bag of 708 Febflor Universal Self Levelling Compound.



## Floor Paint

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
538684	FLOORGYNEW	5L	GREY	4	5029347602826
538683	FLOORRDNEW	5L	RED	4	5029347602833

Floor Paint is a solvent-based polyurethane formula designed to provide a clean hard wearing finish to concrete, stone and wooden floors subject to light to medium traffic. Ideal for use on garage floors, workshops, storerooms, walkways etc, Floor Paint gives enhanced durability, abrasion resistance and a good resistance to dilute acids/alkalis and oils.

Surveyline  
Marking Paint

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
490207	SURVEYBLUE	700ML	BLUE	12	5029347601560
490209	SURVEYGREEN	700ML	GREEN	12	5029347601584
490210	SURVEYOG	700ML	ORANGE	12	5029347608415
490213	SURVEYRED	700ML	RED	12	5029347601577
490214	SURVEYWE	700ML	WHITE	12	5029347000943
490215	SURVEYYELL	700ML	YELLOW	12	5029347601553

A spray applied marking paint for contractors/surveyors spot marking. Colour coded for electric, gas, water and cable company use. Semi permanent formula lasts at least 3 months after application. Survey Line is available in seven different colours: White (General Marker), Red (Electricity), Yellow (General Marker, Gas), Blue (Water), Orange (General Marking), Green (Cable Work) and Black (Covering Old Lines).

Trafficline  
Marking Paint

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489774	TRAFFICWE	700ML	WHITE	12	5029347602987
489782	TRAFFICYELL	700ML	YELLOW	12	5029347602994

A spray applied marking paint for permanent line marking. Heavy duty latex formulation for use over concrete, asphalt and most other surfaces. Ideal for car parks, warehouses, tennis courts, playgrounds etc. Trafficable in 1 hour at normal temperatures. Designed to be used with applicator or by hand. Available in three colours: White (General Marking), Yellow (Caution/Hazard), Red (Danger/Prohibited).

Febond Blue Grit  
Plaster Bonding Agent

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
487206	FBBLUE5	5LTR	BLUE	1	5029347608910
487207	FBBLUE10	10LTR	BLUE	1	5029347608880



WATER-BASED/ CLEAN UP	4.5M <sup>2</sup> APPROX COVERAGE	P/S PRIMER & SEALER
--------------------------	---	---------------------------

Febond Blue Grit is a high performance, plasterers grip coat bonding agent specifically designed to provide an improved key to smooth surfaces. Containing a fine aggregate, it provides a mechanical key to backgrounds such as plaster, concrete, painted surfaces, textured surfaces and ceramic tiles. One coat application, coloured blue to indicate coverage.

507 Rendagrip  
Render Bonding Agent

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
461975	RENDGP10	10L	RED	1	5029347612610

Rendagrip is an extra grip render bonding agent that contains a fine aggregate to provide an improved key before applying render on external surfaces e.g. concrete, lightweight blockwork, brick etc. The fine aggregates are suspended in a unique waterproof polymer to ensure easy application and an even spread of aggregate avoiding any weak spots in the key coat and preventing the aggregate particles coming loose during application.



WATER-BASED/ CLEAN UP	P/S PRIMER & SEALER	3M <sup>2</sup> APPROX COVERAGE
--------------------------	---------------------------	---------------------------------------

505  
Plasterers Gripcoat

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
461974	GRIPCT10	10LTR	BLUE	1	5029347611538

Plasterers Gripcoat is a high performance, plasterers grip coat bonding agent specifically designed to provide an improved key to smooth surfaces. Containing a fine aggregate, it provides a mechanical key to backgrounds such as plaster, concrete, painted surfaces, textured surfaces and ceramic tiles. One coat application, coloured blue to indicate coverage; now, with new improved colour.



4.5M <sup>2</sup> APPROX COVERAGE	WATER-BASED/ CLEAN UP	P/S PRIMER & SEALER
---	--------------------------	---------------------------



**SikaGrout®**  
111 GP


SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
527763	SKGROUT111	25KG	GREY	1	5055492702098

A one part, general purpose, high precision, shrinkage compensated cementitious grout. SikaGrout® 111 GP is easy to mix and apply; it is perfect for a multitude of jobs, such as filling voids, machine and base plates.


**Sikadur®**  
31 EF Normal

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
534999	SKDUR31NM1	1.2KG	GREY	8	8428868015646

A two-component, solvent-free, cold cure, thixotropic epoxy adhesive that is suitable for damp and dry substrates. Sikadur® 31 EF contains a combination of epoxy resins and special fillers that make it ideal for use at temperatures between +10 °C and +30 °C. This product is also available as rapid.

**Sikagard® 550 W Elastic**  
Crack Bridging and Protective Coating


SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
407930	7SPSKG550W1001	15 LTR	RAL 1001	1	7612894809237
407929	7SPSKG550W1002	15 LTR	RAL 1002	1	7612894809220
183570	7SPSKG550W1015	15 LTR	RAL 1015	1	7612895387826
524264	7SPSKG550W7023	15 LTR	RAL 7023	1	7612895322650
489356	7SPSKG550W7030	15 LTR	RAL 7030	1	7612895203720
504747	7SPSKG550W7032	15 LTR	RAL 7032	1	N/A
457266	7SPSKG550W7035	15 LTR	RAL 7035	1	7612895062860
403609	7SPSKG550W7037	15 LTR	RAL 7037	1	N/A
540553	7SPSKG550W7038	15 LTR	RAL 7038	1	7612894192360
452574	7SPSKG550W7040	15 LTR	RAL 7040	1	7612895046648
405013	7SPSKG550W7044	15 LTR	RAL 7044	1	7612895194356
414256	7SPSKG550W9001	15 LTR	RAL 9001	1	7612894841824
414250	7SPSKG550W9002	15 LTR	RAL 9002	1	7612894841794
182776	7SPSKG550W9010	15 LTR	RAL 9010	1	N/A
486873	7SPSKG550W9016	15 LTR	RAL 9016	1	7612895194356



**Sikagard 550 W Elastic is a one component, plasto-elastic coating based on UV-curing acrylic dispersion with excellent crack-bridging properties even at temperatures below 0°C.**

It has been specifically designed for the protection and enhancement of concrete structures (normal and lightweight concrete), especially exposed outdoor concrete surfaces with a risk of cracking. Sikagard 550 W Elastic is the perfect solution for overpainting render in the colour of your choice, giving an exceptional protection against UV, weather and aging.

Colour swatches are a guide only and may vary.



**Jetcem Rapid**  
Repair Cement

SCAN	CODE	SIZE	COLOUR	QTY	BARCODE
620460	JETCEM3	3KG	GREY	4	5010618043103
620438	JETCEM6	6KG	GREY	2	5010618044100

Ideal for rapid patching or when a fast repair job is needed. Sets in approximately 30 minutes. Sets in the cold and wet.

**Jetcem Waterproof**  
Rapid Repair Cement

SCAN	CODE	SIZE	COLOUR	QTY	BARCODE
620436	JETWAT3	3KG	-	4	5029347610166

Fast, strong and easy to use waterproof repair compound. Internal and external repairs to cracks and holes in structures subject to permanent water immersion. Ideal for patch repairs to tanking and water retaining structures including ponds. Suitable for use on concrete, stone and brick.

**Jetcem Deep**  
Rapid Repair Sand and Cement

SCAN	CODE	SIZE	COLOUR	QTY	BARCODE
620326	JETMIX2	2KG	GREY	6	5010618047101
620439	JETMIX6	6KG	GREY	2	5010618048108

Strong and easy to use rapid setting repair compound. Internal and external repairs to gaps and cracks on walls, floors, steps and kerbstones. Repairs deep holes in concrete, stone and brick.

**Jetcem Plaster**  
Rapid Repair

SCAN	CODE	SIZE	COLOUR	QTY	BARCODE
620437	JETPATCH6	6KG	-	2	5029347610173

Fast, strong and easy to use repair compound for patching plaster. Internal repairs for plasterboard, brick wood and stone. With added PVA powder to increase strength and reduce cracking and shrinkage.

**Febset 45 Rapid**  
High Strength Repair Mortar

SCAN	CODE	SIZE	COLOUR	QTY	BARCODE
628382	FBSET45	25KG	GREY	1	5029347607630

Febset 45 is a specially formulated repair mortar, based on magnesia-phosphate cement pre-mixed with selected aggregates, which gives controlled, extremely high early strengths in temperatures ranging from -20°C up to over 30°C. Trafficable after 45 minutes. High bond strength, no primers required.

**Febgrout Flowable**  
Anchoring Grout

SCAN	CODE	SIZE	COLOUR	QTY	BARCODE
627865	FBGRTFLO25	25KG	GREY	1	5055492703156

Febgrout Flowable is a structural fluid precision grout, specifically formulated to give high strength, shrinkage compensation and vibration resistance. It's suitable for grouting equipment and machinery, bearing pads, bridge bearings, rails and stanchion base plates. It can also be used to fill cavities, voids, gaps, recesses, and sealing around penetrations. Fills gaps in concrete 10mm to 150mm wide.

**Pro Point**  
Gun Kit

SCAN	CODE	SIZE	COLOUR	QTY	BARCODE
489049	PROPOINT	-	-	1	5029347603410

Mortar Pointing Gun Kit complete with nozzles for both mortar and tile grout and mixing paddle. Designed to apply mortar deep into joints for maximum protection and strength. Comes complete with two plastic nozzles, a metal ended nozzle and a mixing paddle packed in a high impact printed box.






### EpoxySet 105

Heavy Duty Epoxy Mortar Kit

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
490359	EPOX1054	4KG	-	1	5029347010515
490405	EPOX10514	14KG	-	1	5029347010522

Epoxyset 105 is a three part general purpose repair mortar based on epoxy technology. Formulated to withstand chemicals, impact and abrasion and can be used to repair concrete, screeds, stone, brick and steel in even the most demanding domestic and industrial situations. Pack includes finishing solvent and gloves.




Brick / Stone / Concrete

### EpoxySet NF

Epoxy Adhesive and Bedding Compound

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
490427	EPOXNF3	3KG	-	2	5029347607609
490431	EPOXNF10	10KG	-	1	5029347607616

Epoxyset NF is a two-part epoxy resin mortar for use as an adhesive in industrial and domestic bonding and bedding applications. Ideal for bedding stone and concrete lintels, stone mullions, ceramic and stone tiles. Pack includes finishing solvent and gloves.




Brick / Stone / Concrete / Metal

### SikaBond®

Rapid DPM

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
175129	SKBDRAPDPM5	5LTR	BROWN	4	5055047210603

A solvent-free, single-part, moisture curing polyurethane primer and damp proof membrane, ideal for use on cement based substrates. SikaBond® Rapid DPM can be used for priming, consolidating and sealing in various applications. This product is particularly ideal to use on absorbent and non-absorbent subfloors, consolidating weak cement screeds and isolating old adhesive residue. Can be used as DPM on subfloors under hydrostatic pressure.




### Sika® Primer

MB

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
498982	SKPRIMEMB5	5KG	BLUE	1	7612894379990
498974	SKPRIMEMB10	10KG	BLUE	1	7612894354652

A low viscosity, solvent-free, two-component epoxy resin based primer and moisture barrier for wooden floors. Suitable for use in conjunction with SikaBond® elastic adhesives on critical substrates.




### SikaBond®

PVA+

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
446005	SIKAPVA1	1LTR	WHITE	12	5055492700568
446004	SIKAPVA2	2.5LTR	WHITE	6	5055492700575
443233	SIKAPVA5	5LTR	WHITE	4	5055492700469
445915	SIKAPVA25	25LTR	WHITE	1	5055492700520

A medium viscosity general purpose adhesive, sealer and mortar admixture. It is easy to use, has excellent adhesion and reduces surface dusting. **SikaBond® PVA + Conforms to BS5270.**




### SikaBond®

Waterproof PVA

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
183382	SKBDWATPVA5	5LTR	WHITE	4	5055047209867

A water resistant, vinyl acetate polymer, specifically formulated for exterior use as an adhesive and sealer. Suitable for brickwork, mortar render, screed and plaster. Easy to use and, unlike normal PVA, will not re-emulsify when wet.




### SikaBond®

Contractors PVA

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
509205	SKBDCONPVA10	10KG	WHITE	1	5055492701688

A multi-purpose, economic adhesive, sealer and mortar admixture. SikaBond® Contractors PVA Adheres to most common building materials, making it ideal for priming unsound surfaces prior to plastering or painting. Also suitable for use as an adhesive, general dust sealer and cement admixture.




### SikaBond®

SBR+

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
443839	SIKASBR25	25LTR	WHITE	1	5055492700537
445916	SIKASBR5	5LTR	WHITE	4	5055492700476


A one-component, water-based, general purpose bonding agent and mortar admixture. As an admixture diluted with water, it produces a gauging solution for improving adhesion, workability and water resistance of mortars and cementitious mixes. Suitable for improving resistance to abrasion, chemicals and oils.



501  
PVA Bond

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489545	PVA05L	500ML	-	20	5029347005108
479075	PVA1L	1L	-	12	5029347005115
489546	PVA2	2.5L	-	6	5029347005122
482246	PVA5L	5L	-	4	5029347005153
489547	PVAB25L	25L	-	1	5029347005160
489427	PVAB1000	1000KG	-	1	-

501 PVA Bond is a multi-purpose bonding agent, primer, sealer, cement and plaster admixture that adheres to most common building and DIY materials. **Fully conforms to BS 5270.**

503  
S.B.R Bond


SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489469	SBR2L	2.5L	-	6	5029347613624
489466	SBR5L	5L	-	4	5029347005351
489467	SBRB25	25L	-	1	5029347005368

503 S.B.R Bond is a latex based, water resistant bonding agent and admixture for use in areas subject to humidity and dampness contact. Improves water resistance of cement mixtures by forming a reinforcing polymer that increases long term durability and flexibility of the mix on renderings.

506  
Contractors PVA

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489453	CONPVA5	5KG	-	4	5029347602680
489454	CONPVAB25	25KG	-	1	5029347613372

Contractors PVA is a multi-purpose primer, sealer, cement and plaster admixture that adheres to most common building and DIY materials. Ideal for priming and dust sealing on flaking surfaces and as an adhesive on wood, cork etc.

Febond  
PVA


SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
495084	FBONDPA1	1LTR	WHITE	12	5029347607449
495223	FBONDPA2	2.5LTR	WHITE	6	5029347607456
489517	FBONDPA5	5LTR	WHITE	4	5029347607463
495224	FBONDPA25	25LTR	WHITE	1	5029347607470

Febond PVA is the original multi purpose quick drying PVA adhesive, sealer and bonding agent and cement admixture which has many applications in the building and construction markets. Ideal primer and sealer for concrete and plaster. **Conforms to the requirements of BS 5270-1:1989.**

Febond  
SBR

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489444	FBOND5BR5	5LTR	WHITE	4	5029347607357
489445	FBOND5BR25	25LTR	WHITE	1	5029347607364

Febond SBR is a styrene-butadiene co-polymer latex specifically designed for use with cementitious mixes and as a reliable water resistant bonding agent. Ideal for concrete strengthening and repair, floor screeds and toppings, waterproofing and tanking.



## General Purpose PVA

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489446	FBGPPVA5	5KG	WHITE	4	5029347607487

Feb General Purpose PVA is a multi purpose quick drying PVA adhesive, sealer and bonding agent and cement admixture which has many applications in the building and DIY markets. Bonds a wide variety of building materials including wood, plaster, concrete and ceramics.





## Why Chemical Anchors?

**Chemical Anchors, also often referred to as 'Resin Bonded' anchors, are being increasingly used where a critical or heavy weight loading needs fastening.**

Unlike intrusive mechanical expansion anchors or plastic plugs, chemical anchors make the fixing an integral part of the substrate as the load is spread throughout the entire fixing area, removing the stress caused within the substrate when mechanical anchors or plastic plugs are "tightened" up.

This key difference is particularly relevant on lightweight substrates, and poor and friable substrates, cracked concrete, sandstone and masonry as well for fixings close to the edge.

## How are they used?

The hole is drilled to the required diameter dependent upon the threaded bar to be used, and the loading it has to take. Full tables of relevant hole diameter sizes and loading strengths can usually be found on all packs and technical data, but for example for an M8 fixing a 10mm diameter hole would normally be used in concrete.

## Where are they used?

In addition to the more critical structural applications Chemical Anchors also provide a more robust fixing solution in many day to day building applications such as:

- Satellite Dishes • Railings • Heavy Pipes
- Gates • Sanitary Fixings • Wall Ties • Fire Surrounds • Lamps • Steel Structures
- Kitchen Wall Cupboards • Towel Holders

## Anchorset Green 150

Styrene Free Anchor Fixing Resin

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
490165	ANCHGREEN150	150ML	-	12	5029347606503

Anchorset Green 150 is a styrene free anchor fixing resin packed using a twin bag system for application with a standard sealant gun. Applied in one single action, this general purpose resin will produce a strong, chemical resistant fixing. Ideal for a multitude of uses including fixing railings, satellite dishes, brackets etc. which require heavy loads.




## Anchorset Green 300

Styrene Free Anchor Fixing Resin


SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
482457	ANCHGREEN	300ML	-	12	5029347606046

A styrene free chemical anchor in a new easy to use twin bag system operated by a standard sealant gun, therefore easy to use by a general builder. Applied in one single action, this general purpose resin will produce a strong, chemical resistant fixing. Perfect for satellite dish mountings, gate hinges, balcony rails etc. Complete with a mixer nozzle.

Sika®  
AnchorFix-1

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
461476	SKANCH13	300ML	GREY	6	5055492700742


A two-component, fast curing, solvent and styrene free, polyester based chemical anchoring adhesive. Sika® AnchorFix®-1 is recommended for standard applications with low to medium loads.



## Sika® Concrete Crack Repair

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
175125	SKCONCFIX	250ML	-	12	5055047209980

A two-component, solvent-free, cold cure, thixotropic epoxy resin, structural adhesive and repair product. Sika® Concrete Crack Repair is ideal for use when a high strength repair to concrete is necessary. This product's non-sagging and excellent adhesion properties makes it ideal for use on horizontal, vertical and overhead repairs.

Anchorset  
Nozzle

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489048	METON0Z4	-	-	25	NO BARCODE

Nozzle No. 4 - Standard mixer nozzle, 215MM length for use with Anchorset 150 and 300.




## Sikadur® 33

Structural Epoxy Adhesive

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
498629	SKDUR33	250ML	GREY	12	7612894403688

A two-component, solvent-free, cold cure, thixotropic epoxy resin, structural adhesive. Sikadur® 33 is supplied in a cartridge with an in-line mixer nozzle.



### 101 Multi Purpose Linseed Oil Putty

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489026	MPBN05	0.5KG	BROWN	12	5029347001179
489027	MPBN1	1KG	BROWN	12	5029347001186
489027	MPN05	0.5KG	NATURAL	12	5029347001100
4890210	MPN1	1KG	NATURAL	12	5029347001117
4890211	MPN2	2KG	NATURAL	6	5029347001124
4890212	MPN5	5KG	NATURAL	1	5029347001155

101 Multi-Purpose Linseed Oil Putty is specially formulated using only the best grade linseed oil, for glazing single glass into metal, softwood and hardwood window frames.



### 102 Premium Butyl Glazing Compound

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489029	BUTGC2	2KG	BROWN	6	5029347001223

102 Butyl Glazing Compound is specially formulated for glazing double glazed units into timber window frames where a timber bead is to be used. Suitable for both soft and hardwood frames.



### 103 Premium Trowel Mastic

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488963	TROWRD	3KG	RED	4	5029347600532
488964	TROWST	3KG	STONE	4	5029347600525
488965	TROWGRD	6KG	RED	2	5029347606787
488966	TROWGST	6KG	STONE	2	5029347606794


103 Trowel Mastic is a premium oil based mastic for perimeter pointing around wood and metal window and door frames.



### 208 Powder Mortar Tone

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489429	PMTBK1	1KG	BLACK	6	5029347002817
489440	PMTBN1	1KG	BROWN	6	5029347002831
489441	PMTBUFF1	1KG	BUFF	6	5029347002855
489442	PMTMA1	1KG	MARIGOLD	6	5029347002848
489443	PMTRD1	1KG	RED	6	5029347002824

Powder Mortar Tone is formulated from best quality oxide pigments for colouring all types of mortars. The pigments disperse easily into the mix to give a uniform shade for each mix batch, shading can be adjusted to provide a wider variety of colour depths. **Tested to EN12878.**




### 209 Liquid Mortar Tone

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488950	LMTBK1	1L	BLACK	12	5029347002916
488951	LMTBK5	5L	BLACK	4	5029347002954

Liquid Mortar Tone is formulated to provide a colour to all types of mortars, rendering, concrete and pointing. The liquid disperses evenly throughout the mix to give uniform shade for each mix batch. Shading can be adjusted to provide a wide variety of colour depths.

**Tested to EN12878.**





# TILING

Trusted products are tried and tested by leading tradespeople on the most demanding of projects

TRUST

Wet Room System	160
Tile Adhesives	162
Grouts	165



## Aquaseal Wet Room System Kit

### TRUSTED

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
487861	AQWRSKIT	LARGE	-	1	5029347611149
487891	AQWRSSTDKIT	STD	-	1	5029347611262

The Aquaseal Wet Room System Kit gives you everything you need to waterproof both walls and floors prior to tiling showers, wet rooms, wet zones and other areas susceptible to water and excessive moisture. Ideal for use on Plasterboard, Plaster, MDF, Plywood, Cementitious Boards, Block work, Concrete and Specialist Wet Room Boards.

The Aquaseal Tanking Kit is available in two sizes; Standard – everything you need to waterproof 4.5m<sup>2</sup> and Large – everything you need to waterproof 7.5m<sup>2</sup>.

Both kits come complete with:

- Waterproof Tanking Primer (1L)
- Waterproof Tanking Membrane (3LTR – Standard, 5LTR – Large)
- Waterproof Tanking Tape (10MTR)
- Waterproof Tanking Drain Mat
- Aquaseal Wet Room System instruction leaflet

**SIMPLE AND EASY TO APPLY  
3 PART SYSTEM**

**COMES COMPLETE WITH ROLLER,  
BRUSH AND DRAIN MAT.**

**SUITABLE FOR USE WITH  
UNDERFLOOR HEATING**



**1 Tanking Primer**  
Apply primer to surfaces that are to be waterproofed.



**2 Tanking Tape and Mat**  
Apply self-adhesive tape across all joints, corners and pipe penetrations.  
Next, apply the self-adhesive drain mat around the drain outlet.




**3 Tanking Membrane**  
The ready-to-use membrane is applied by brush in a 2 coat system at right angles to each other.

## Aquaseal Waterproof Tanking Membrane

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
487333	AQWRSMEM5	5LTR	BLUE	1	5029347611163

Aquaseal Waterproof Tanking Membrane is the ideal product for use when waterproofing before tiling. It forms a permanently flexible watertight membrane, is non hazardous and solvent free. Aquaseal Tanking Membrane is easy to apply by brush, is quick drying and can be tiled after 12 hours.



## Aquaseal Wet Room System Tape

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
683645	AQWRSTAPE10	10MTR	-	1	NO BARCODE

Aquaseal Waterproof Tanking Tape is a self adhesive joint and corner tape ideal for use when waterproofing showers, wet rooms and wet zones in bathrooms before tiling. A permanently flexible butyl backed fleece with cross directional stability. Waterproof Tanking Tape can be used on all board joints, corners and pipe entries. Can be tiled directly or overcoated with Aquaseal Waterproof Tanking Membrane for full wet zones and is easy to apply with a pre-cut release liner.





## SikaCeram®-140 Rapid Set

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
674162	SKCM140GY20	20KG	GREY	1	5055492703712

SikaCeram®-140 Rapid Set is a water-resistant tile adhesive, suitable for bonding ceramic and mosaic tiles to floor or walls in both thick and thin bed applications.

Classification C1FT



## SikaCeram®-240 Flexible Rapid Set

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
677239	SKCM240GY20	20KG	GREY	1	5055492703729

SikaCeram®-240 Flexible Rapid Set Tile Adhesive is suitable for bonding ceramic tiles to walls or floors with a thick or thin bed application, with crack resistant properties making it ideal for applications where slight surface movement is likely.

Classification C2 FE



## SikaCeram®-272 Ultra Flexible Rapid Set

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
677329	SKCM272WE20	20KG	WHITE	1	5055492703736

SikaCeram®-272 Ultra Flexible is a rapid-setting, water resistant tile adhesive with superior flexibility, and is ideal for tiling heavy duty areas including heavily walked floors or areas under constant immersion.

Classification C2 FTE S1



## SikaCeram®-277 Flexible Standard Set

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
677506	SKCM277WE20	20KG	WHITE	1	5055492703743
677508	SKCM277GY20	20KG	GREY	1	5055492703750

SikaCeram®-277 Flexible Standard Set is a thin bed adhesive with a long working pot-life and extended open time for applications where extensive cutting is required during application.

Classification C2 TE S1



## SikaCeram®-282 Fibre Reinforced

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
678298	SKCM282GY20	20KG	GREY	1	5055492703767

SikaCeram®-282 Fibre Reinforced is a highly flexible, lightweight, fibre reinforced tile adhesive for applications where movement is expected.

Classification C2 TE S2



## 701 Non Slip Showerproof Ready Mixed Tile Adhesive

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
487066	NS02	3.75KG	OFF WHITE	1	5029347070120
487067	NS05	7.5KG	OFF WHITE	1	5029347070137
487068	NS10	14KG	OFF WHITE	1	5029347070144

Acrylic Non Slip Tile Adhesive is an acrylic based formula for extra slip resistance and grab. Designed for general use in bathroom and kitchen areas. May be used in domestic showers when used in conjunction with Everbuild Powdered Wall Tile Grout. **Tested to EN 12004 type D1T.**



## 702 Water Resistant Ready Mixed Tile Adhesive

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
487071	RES05	7.5KG	OFF WHITE	1	5029347070250
487072	RES10	16KG	OFF WHITE	1	5029347070205

Water Resistant Tile Adhesive is a premium grade adhesive that can be used in areas subject to prolonged/permanent wet conditions and in areas of high humidity and condensation. **Tested to EN 12004 type D2T.**



## 703 Fix And Grout Ready Mixed Tile Adhesive and Grout

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
487074	FIX005	750G	WHITE	12	5029347600426
487075	FIX01	1.5KG	WHITE	12	5029347070311
487077	FIX02	3.75KG	WHITE	1	5029347070328
487078	FIX05	7.5KG	WHITE	1	5029347070359

Fix and Grout Tile Adhesive is a premium grade adhesive, formulated to be used as both an adhesive and grout. Contains a fungicide to prevent mould growth and dries to a brilliant white finish. **Tested to EN 12004 type D2T.**




## TileSet 700 Universal

Floor and Wall Tile Adhesive

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
678329	TS700GY20	20KG	GREY	1	5029347615819
695061	TS700WE20	20KG	WHITE	1	5029347615826

700 TileSet Universal is a standard setting tile adhesive, ideal for when an extended opening time is required. Suitable for fixing ceramic, mosaic and natural stone tiles to semi-porous surfaces.




## TileSet 705 Rapid

Floor and Wall Tile Adhesive

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486663	RAPID20	20KG	GREY	1	5029347070526

705 TileSet Rapid is fast setting tile adhesive, drying in just 1-2 hours making it ideal for when same day fixing, and grouting is required. Suitable for bonding ceramic tiles to floors and walls.




## TileSet 711 Flexiplus S1

Floor and Wall Tile Adhesive

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486660	RSPLUS	20KG	GREY	1	5029347071110
695062	TS711WE20	20KG	WHITE	1	5029347615901

711 TileSet Flexiplus S1 is a rapid setting tile adhesive with added latex powder for improved flexibility. Can be used for ceramic, porcelain, and large format tiles.



## 730 Universal Flexible Hygienic


Wall and Floor Tile Grout

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
695765	UNIFLEX2WE	2.5KG	WHITE	4	5029347615918
486468	UNIFLEX5WE	5KG	WHITE	1	5029347612283
486045	UNIFLEX5ANTH	5KG	ANTHRACITE	1	5029347612337
486466	UNIFLEX5IV	5KG	IVORY	1	5029347612306
486465	UNIFLEX5GY	5KG	GREY	1	5029347612290

730 Uniflex Flexible Hygienic Wall and Floor Tile Grout is a cementitious grout designed specifically for wall and floor tile applications for joints up to 15mm wide. The added powder polymer provides flexibility and water resistance to provide a durable water repellent finish.

Suitable for most common tiles including ceramic, natural stone and porcelain. 730 Uniflex Flexible Hygienic Wall and Floor Tile Grout contains Mould Shield for long lasting Anti-Fungal protection against black mould.\*.

\*Simulated ageing.



These swatch colours may not be a true representation, please obtain a sample from your local stockist.



**SikaCeram® CleanGrout**  
Floor and Wall Tile Grout

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
427156	SKCMCGANTH5	5KG	ANTHRACITE	4	7612894904116
427154	SKCMCGASH5	5KG	ASH	4	7612894904079
427155	SKCMCGBEIG5	5KG	BEIGE	4	7612894904093
445625	SKCMCGBLA5	5KG	ABSOLUTE BLACK	4	7612895008011
445651	SKCMCGJAS5	5KG	JASMIN	4	7612895008318
427153	SKCMCGMAN5	5KG	MANHATTAN GREY	4	7612894904055
445640	SKCMCGSAN5	5KG	SAND	4	7612895008110
427157	SKCMCGWHI5	5KG	WHITE	4	7612894904130



SikaCeram® CleanGrout is a cementitious, floor and wall tile grout for joints 1mm to 8mm in width; incorporating a high-quality, water-repellent formula which also prevents colours from fading over time.

**Used:** in applications where water-resistance is essential including swimming pools and tanks.


Inhibits the formation of mould and bacterial growth

Suitable for interior and exterior applications

For use on all types of tiles, mosaic, marble and natural stone.



WHITE




MANHATTAN GREY




SAND




ABSOLUTE BLACK



JASMIN



ASH



BEIGE



ANTHRACITE

These swatch colours may not be a true representation, please obtain a sample from your local stockist.

**Forever White**  
Powder Wall Tile Grout

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
560638	FWPOWGROUT1	1.2KG	ARCTIC WHITE	8	5029347606145
485874	FWPOWGROUT3	3KG	ARCTIC WHITE	1	5029347606367

Forever White Powder Wall Tile Grout is a cement based powdered grouting compound with added PVA to promote adhesion and water repellents to shed water.

Simply mix with water to give a pure white paste. Can be used on wall joints up to 3mm.

**Forever White**  
Grout Reviver

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
487331	FWREVIVE	200ML	ARCTIC WHITE	12	5029347606152

Forever White Grout Reviver is the easy way to restore discoloured and dirty grout to a bright white finish.

Simply apply to grout lines using the easy to use applicator, allow to dry and remove any excess residue with a damp cloth. Depending upon size of tile, will cover approx 20m<sup>2</sup> of tiles.







# BUILDING FINISHING

Mineral Renders	170
Base Coats	171
Lime Renders	171
Top Coats	172
Complementary Products	173



## Parex Monorex GM

A medium grain one-coat or top coat finish, through coloured, weather resistant and breathable decorative render. Available in a wide range of colours.

Please visit [sika.co.uk/buildingfinishing](http://sika.co.uk/buildingfinishing) for full colour range.



## Parex Monorex GF

A fine grain one-coat or top coat finish, through coloured, weather resistant and breathable decorative render. Available in a wide range of colours.

Please visit [sika.co.uk/buildingfinishing](http://sika.co.uk/buildingfinishing) for full colour range.

SikaWall®-100  
Base Coat

SGAN	SIZE	PALLET QTY
711840	25KG	40

SikaWall®-100 Base Coat is for use prior to the application of SikaWall®-530 Top Coat. Made in the UK.

SikaWall®-1015  
Adhesive Coat

SGAN	SIZE	COLOUR	PALLET QTY
711844	25KG	WHITE	40
711843	25KG	GREY	40

SikaWall®-1015 Adhesive Coat is an adhesive to bond insulation as part of Sika EWI systems.



## SikaWall-580 Monorex GM UK

SGAN	SIZE	COLOUR	PALLET QTY
721393	25KG	G00	42
721401	25KG	G10	42
721394	25KG	G20	42

A medium grain one-coat or top coat finish, through coloured, weather resistant and breathable decorative render.



## Parex Monoblanco

SGAN	SIZE	PALLET QTY
629246	25KG	48

A bright white, semi-lightweight, one coat, weather resistant and breathable one-coat render for vertical masonry and concrete walls. Monoblanco is a bright white version of Monorex GF.



## Parex Maité

SGAN	SIZE	COLOUR	PALLET QTY
632422	25KG	G00	48
633990	25KG	J20	48
684906	25KG	G16	48

An Insulation adhesive and base coat used with the Parextherm and Parexdirect render systems.



## Parex Monogris E

SGAN	SIZE	PALLET QTY
674154	25KG	48

A high-performance polymer modified, weather resistant, grey base coat and finishing render for vertical external and internal walls.

SikaWall®-500  
Wet Dash

SGAN	SIZE	COLOUR	PALLET QTY
711785	25KG	BROWN	40
711783	25KG	RED	40
711784	25KG	TAN	40
711782	25KG	YELLOW	40
711777	25KG	FAWN	40
711776	25KG	CREAM	40
711779	25KG	IVORY	40
711780	25KG	MAGNOLIA	40
711781	25KG	WHITE	40
711778	25KG	GREY	40

SikaWall®-500 Wet Dash is combined with decorative aggregate to create a wet dash finish for masonry applications.

SikaWall®-530  
Top Coat

SGAN	SIZE	COLOUR	PALLET QTY
711795	25KG	YELLOW	40
711786	25KG	BEIGE	40
711793	25KG	TAN	40
711790	25KG	IVORY	40
711787	25KG	BROWN	40
711792	25KG	RED	40
711796	25KG	GREY	40
711788	25KG	CREAM	40
711789	25KG	FAWN	40
711791	25KG	MAGNOLIA	40
711794	25KG	WHITE	40

SikaWall®-530 Topcoat is a Dry Dash receiver for application onto SikaWall®-100 Base Coat.



## Parex Parmurex

SGAN	SIZE	PALLET QTY
673948	25KG	42

One-coat weather resistant grey render for internal and external dense masonry and concrete walls. Suitable as a grey coat finishing render or as a base coat for receiving a Parex decorative finish.

One-Coat GPR  
General Purpose Render

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
636028	FACGPRGY25	25KG	Grey	1	5055492703194

One-Coat General Purpose Render used to render over prepared masonry to provide a weather resistant, breathable rendered finish. Applied to a thickness of up to 15mm which cures to an overpaintable finish and perfect for use on brickwork, blockwork and concrete substrates. Dries to a grey surface finish that complies to W2 water capillary resistance.



**Parex Revlane+ Ignifuge Taloche Gros**

A pre-mixed, vapour permeable, ready to apply Acrylic based decorative coating for external and internal walls. Finished appearance is based upon grain size, Gros 1.6mm.

Please visit [sika.co.uk/buildingfinishing](http://sika.co.uk/buildingfinishing) for full colour range.

**Parex Revlane+ Ignifuge Taloche Fin**

A pre-mixed, vapour permeable, ready to apply Acrylic based decorative coating for external and internal walls. Finished appearance is based upon grain size, Fin 1.0mm.

Please visit [sika.co.uk/buildingfinishing](http://sika.co.uk/buildingfinishing) for full colour range.

**Parex Revlane Siloxane Ignifuge Taloche Gros**

A pre-mixed, vapour permeable, ready to apply Siloxane-based decorative coating offering increased weather resistance and water run off properties. Finished appearance is based upon grain size, Gros 1.6mm.

Please visit [sika.co.uk/buildingfinishing](http://sika.co.uk/buildingfinishing) for full colour range.

**Parex Revlane Siloxane Ignifuge Taloche Fin**

A pre-mixed, vapour permeable, ready to apply Siloxane-based decorative coating offering increased weather resistance and water run off properties. Finished appearance is based upon grain size, Fin 1.0mm.

Please visit [sika.co.uk/buildingfinishing](http://sika.co.uk/buildingfinishing) for full colour range.

**Parex Revlane+ Regulateur**

An acrylic-based, ready-to-use coloured primer designed to adjust the base absorption to substrates and increase the depth of colour prior to the application of Parex REVLANE+ top coat finishes.

Please visit [sika.co.uk/buildingfinishing](http://sika.co.uk/buildingfinishing) for full colour range.

**Parex Crylane**

An acrylic binder paint specially designed for new and existing building façades with excellent coverage. Can be used pure or diluted with water. Please see the Revlane Colour chart.

Please visit [sika.co.uk/buildingfinishing](http://sika.co.uk/buildingfinishing) for full colour range.

**Parex TV10 Reinforcement Mesh**

SGAN	SIZE	PALLET QTY
633203	1M X 50M ROLL	33

A glass fibre mesh fabric combined with specially designed surface treatments that can be used in a wide range of Parex cement and lime render applications. For ease of identification the TV10 mesh is coloured green and has the Parex logo throughout the mesh.

**Parex Fixopierre**

SGAN	SIZE	PALLET QTY
633436	5LTR	90
633435	20LTR	28

A water vapour-permeable and microporous substrate porosity regulator and key coat admixture, particularly suitable for lime or earth-based substrates where high breathability of the substrate is required or where a high absorption substrate is expected.

FIXOPIERRE improves the adhesion of façade renders by reducing the risk of the product drying out before hardening.

**Parex Render Bead Adhesive**

SGAN	SIZE	COLOUR	BOX QTY
651522	350ML	WHITE	12

A new ready-to-use, high-strength render bead adhesive. The bead adhesive has been designed for ease of application, fast drying and is capable of bonding to a wide range of substrates.

**Parex Monacel Plus**

SGAN	SIZE	PALLET QTY
669718	20LTR	26

Monacel Plus is an admixture used to reduce the initial setting time of one-coat renders and other general mortars.

**Parex Micro Gobetis 3000**

SGAN	SIZE	PALLET QTY
633272	20LTR	27

A pink coloured liquid with a high granular consistency for ease of application recognition, and to provide excellent bonding characteristics. Micro Gobetis 3000 is designed to control suction to high absorption or low porosity substrates and improves the adhesion for one coat render systems.

**Parex Paraguard**

SGAN	SIZE	PALLET QTY
630036	5LTR	48
630037	25LTR	24

A water-based coating, which provides a weatherproof, lotus leaf effect, water resistant surface to a range of render, paving, masonry and timber substrates.





**1. INTERPRETATION**

In these Terms and Conditions the following expressions will have the following meanings unless inconsistent with the context:

“Bespoke Goods”

means any Goods which are made to measure, bespoke, or otherwise manufactured to a unique specification.

“Brexit”

means the United Kingdom ceasing to be a member state of the European Union.

“Buyer”

the person(s), firm or company whose order for the Goods or Services is accepted by the Company in accordance with these Terms and Conditions.

“Company”

Sika Limited (Company number:226822) whose registered office is located at Watchmead, Welwyn Garden City, Herts, AL71BQ.

“Confidential Information”

means all information in respect of the business of the Company including, but not limited to, know-how, prices or other matters connected with the Goods

or Services (which shall include any instructions or procedures, instruction manuals, user guides and other information which is supplied by the Company with the Goods or Services) and any other information of whatever nature which, if disclosed, will be liable to cause harm to the Company, which, if disclosed, will be liable to cause harm to the Company.

“Contract”

any contract between the Company and the Buyer for the sale and purchase of the Goods or Services formed in accordance with Condition 2.

“Delivery Point”

the place where delivery of the Goods is agreed to take place, as set out in the Company’s written acknowledgement of order.

“Final Inspection Certificate”

A Certificate issued for the benefit of a third party at the completion of the Services.

“Goods”

any goods which the Company supplies to the Buyer (including any of them or any part of them) under a Contract.

“Guarantee”

a guarantee or Final Inspection Certificate for or related to the Goods in a form to be provided by the Company in favour of a third party nominated by the Buyer.

“Guarantee Period”

the on-going period of protection provided to a third party as set out in a Guarantee.

“Intellectual Property Rights”

all intellectual and industrial property rights including patents, know-how, registered trade marks, registered designs, utility models, applications for and rights to apply for any of the foregoing, unregistered design rights, unregistered trade marks, rights to prevent passing off for unfair competition and copyright, database rights, topography rights and any other rights in any invention, discovery or process, in each case in the United Kingdom and all other countries

in the world and together with all renewals and extensions

“Services”

any services which the Company performs for the Buyer under a Contract, which are ancillary to the supply of Goods.

“Service Point”

the place at which the Services are to be performed, as set out in the Company’s written acknowledgement of order.

“Specific Delivery Requirement”

any goods, which are required to be delivered by a type of vehicle specified by the Buyer.

“Terms and Conditions”

the standard terms and conditions of sale set out in this document together with any special terms agreed in writing between the Buyer and the Company.

“Trademark”

the SARNAFIL trademark registered in the United Kingdom under trademark number 1046240.

“Working Day”

any day other than Saturday or Sunday or a public or bank holiday in England.

**2. FORMATION AND INCORPORATION**

2.1 Subject to any variation under Condition 14.5, the Contract will be upon these Terms and Conditions, to the exclusion of all other terms and conditions and all previous oral or written representations including any terms or conditions which the Buyer purports to apply under any purchase order, confirmation of order or similar document, whether or not such document is referred to in the Contract.

2.2 Each order or acceptance of a quotation for Goods or Services will be deemed to be an offer by the Buyer to purchase Goods or Services upon these Terms and Conditions. The Contract is formed when the Buyer receives confirmation that the order is accepted by the Company. Such confirmation may either be given orally or in writing. No contract will come into existence until such confirmation has been given by the Company.

2.3 The Buyer must ensure that the terms of its order and any

applicable specification are complete and accurate.

2.4 Acceptance of delivery of the Goods or commencement of the performance of the Services will be deemed conclusive evidence of the Buyer’s acceptance of these Terms and Conditions.

2.5 Subject to Condition 5, the Buyer may not cancel the Contract. The Company may cancel the Contract at any time prior to delivery of the Goods or commencement of the performance of the Services.

**3. DESCRIPTION OF THE GOODS AND SERVICES**

3.1 The description of the Goods will be as set out in the Company’s price list. All samples, drawings, descriptive matter, specifications and advertising issued by the Company and any descriptions or illustrations contained in the Company’s catalogues or brochures are issued or published for the sole purpose of giving an approximate idea of the Goods represented by or described in them. They will not form part of the Contract and this is not a sale by sample.

3.2 The Company may make any change to the specification, design, materials or finishes of the Goods which are:

3.2.1 required to conform with any applicable safety, statutory or regulatory requirement; or

3.2.2 do not materially affect their quality

3.3 The Company will only perform Services which are ancillary to, or relating to, Goods provided under a contract.

3.4 The Services will only be performed by the Company at the Service Point.

3.5 The Company shall use all reasonable endeavours to perform the Services:

3.5.1 to the standard required for the issue of a Final Inspection Certificate;

3.5.2 promptly, but time shall not be the essence for the performance of the services

3.6 The Company shall have the right to make any changes to the Services which are necessary to comply with applicable safety, statutory or regulatory requirements, or which do not materially affect the nature or quality of the Services, and the Company shall notify the Buyer in any such event.

**4. PRICE AND PAYMENT**

4.1 The price for the Goods or Services will be the price set out in the Company’s published price list current at the date of delivery of Goods or performance of Services or as otherwise notified by the Company to the Buyer prior to the Contract being made. Orders for Goods valued below £2000 (before VAT) are exclusive of any costs of packaging and carriage, VAT and any other applicable sales tax or duty which will be added to the sum in question. Orders for Goods valued greater than £2000 (before VAT) and which are to be dispatched from the Company’s warehouse within the United Kingdom are inclusive of any costs of packaging and carriage within the United Kingdom but exclusive of VAT and any other applicable sales tax or duty will be added to the sum in question.

4.2 The Company may invoice the Buyer for the Goods on or at any time after dispatch, or for the Services on or at any time after performance commences and payment is due in pounds sterling by the last day of the next calendar month following the date of invoice, or upon termination of the Contract, whichever occurs first

4.3 Time for payment will be of the essence. No payment will be deemed to have been received until the Company has received cleared funds.

4.4 All payments to be made by the Buyer under the Contract will be made in full without any set-off, restriction or condition and without any deduction for or on account of any counterclaim

4.5 If any sum payable under the Contract is not paid when due then, without prejudice to the Company’s other rights under the Contract, that sum will bear interest from the due date until payment is made in full, both before and after any judgment, at a combined rate of the Bank of England base rate from time to time and the rate provided by the Late Payment of Commercial Debts (Interest) Act 1998 as amended from time to time; and the Company will be entitled to suspend deliveries of the Goods or performance of the Services until the outstanding amount has been received.

4.6 The Company reserves the right to recoup any sum, resulting from costs incurred from legal proceedings to recover the sum payable under the contract.

4.7 Any invoice queries must be communicated to the Company within ten (10) Working Days of receipt of the invoice by the Buyer

**5. INSTALLMENTS**

5.1 The Company may deliver the Goods, or perform Services, by separate instalments. Each instalment will be a separate Contract and no cancellation or termination of any one Contract relating to an instalment will entitle the Buyer to repudiate or cancel any other Contract or instalment unless otherwise notified by the Company. Each separate instalment will be invoiced and paid for in accordance with the provisions of the Contract.

**6. DELIVERY OF GOODS**

6.1 Delivery of the Goods within the UK mainland will be CPT Delivery Point INCOTERMS 2010 (save that carriage may be charged to the Buyer in accordance with Condition 6.4 and/or Condition 6.5).

6.2 Delivery of the Goods to Northern Ireland, the Scottish Isles, the Channel Islands or the Isle of Man will be made FOB Delivery Point INCOTERMS 2010.

6.3 Delivery of the Goods outside the UK will be made FAS Delivery Point INCOTERMS 2010, except that risk shall pass to the Buyer at the time that the Goods leave the Company’s premises.

6.4 Delivery of the Goods will be accepted at any time of day.

At the sole discretion of the Company, overnight deliveries or deliveries at specified times may be agreed in certain circumstances. Notwithstanding condition 6.1, such deliveries shall be subject to an additional charge being raised by the Company. If the Buyer fails to take delivery, or provide any necessary documents, the Goods will be deemed to have been delivered and the Company, without prejudice to its other rights, may at its option:

6.4.1 store or arrange for storage of the Goods until actual delivery or sale and charge the Buyer for all related costs and expenses (including, without limitation, storage and insurance); and/or

6.4.2 following written notice to the Buyer, sell any of the Goods at the best price reasonably obtainable in the circumstances and charge the Buyer for any shortfall below the price under the Contract.

Excessive waiting times may also be charged to the Buyer in certain circumstances.

6.5 The Company will use reasonable endeavours to deliver Goods five (5) Working Days after the date on which the order is confirmed by the Company, but the time of delivery will not be of the essence of a Contract. Notwithstanding condition 6.1, carriage will be charged on deliveries required within five (5) Working Days, or deliveries with specific time or vehicle type stipulations. If, despite those endeavours, the Company is unable for any reason to fulfil any delivery of Goods on a specified date, the Company will be deemed not to be in breach of the Contract, nor (for the avoidance of doubt) will the Company have any liability to the Buyer for direct, indirect or consequential loss (all three of which terms includes, without limitation, pure economic loss, loss of profits, loss of business, depletion of goodwill and like loss) howsoever caused (including as a result of negligence) by any delay or failure in delivery of Goods except as set out in this condition. Any delay in delivery of Goods will not entitle the Buyer to cancel the order unless and until the Buyer has given ten (10) Working Days’ written notice to the Company requiring the delivery of the Goods and the Company has not fulfilled the delivery of the Goods within that period. If the Buyer cancels the order in accordance with this Condition 6.5 then, save as excluded under Condition 6.6:

6.5.1 the Company will refund to the Buyer any sums which the Buyer has paid to the Company in respect of the Goods which have been cancelled;

6.5.2 and the Buyer will be under no liability to make any further payments under Condition 4 in respect of the Goods that have been

6.6 Notwithstanding, the provisions of Condition 5, the Company will be under no obligation to:

6.6.1 to refund the Buyer any sums which the Buyer has paid to the Company in respect of the Bespoke Goods which have been cancelled under Condition 5; and

6.6.2 waive any outstanding further payments due by the Buyer in respect of Bespoke Goods which have been cancelled under Condition 5.

6.7 The Buyer will provide at its expense at the Delivery Point adequate and appropriate equipment and manual labour for off-loading the goods.

6.8 A £10.00 handling charge will be made in addition to the carriage charge for overnight dispatch of Goods. This service is offered as resources allow and is subject to availability.

6.9 The type of vehicle used to deliver Goods and the method of packaging of the Goods for delivery will be at the discretion of the Company.

6.10 Any change required by the Buyer to the delivery vehicle and/or the method of packaging the Goods for delivery selected by the Company will constitute a Specific Delivery Requirement. The Buyer will incur any additional costs for a Specific Delivery Requirement

6.11 The Buyer will provide a full and correct address, including postcode, for the delivery of the Company.

7. RISK/TITLE IN THE GOODS

7.1 Risk of damage to or loss of the Goods will pass to the Buyer in accordance with Condition 6.

7.2 Ownership of the Goods will not pass to the Buyer until the Company has received in full (in cash or cleared funds) all sums due to it in respect of:

7.2.1 the Goods; and

7.2.2 all other sums which are, or which become due to the Company from the Buyer on any account, whether for Goods or Services

7.3 Until ownership of the Goods has passed to the Buyer, the Buyer must:

7.3.1 hold the Goods on a fiduciary basis as the Company’s bailee;

7.3.2 store the Goods (at no cost to the Company) separately from all other Goods of the Buyer or any third party in such a way that they remain readily identifiable as the Company’s property;

7.3.3 not destroy, deface or obscure any identifying mark or packaging or relating to the Goods; and

7.3.4 maintain the Goods in satisfactory condition insured on the Company’s behalf for their full price against all risks to the reasonable satisfaction of the Company, and will whenever requested by the Company produce a copy of the policy of insurance.

7.4 The Buyer may resell the Goods before ownership has passed to it solely on the following conditions:

7.4.1 any sale will be effected in the ordinary course of the Buyer’s business at full market value and the Buyer will account to the Company accordingly; and

7.4.2 any such sale will be a sale of the Company’s property on the Buyer’s own behalf and the Buyer will deal as principal when making such a sale

7.5 The Buyer’s right to possession of the Goods will

terminate immediately if any of the circumstances set out in Condition 11.1 occur.

7.6 The Company will be entitled to recover payment for the Goods notwithstanding that title in any of the Goods has not passed from the Company.

7.7 The Buyer grants the Company, its agents and employees an irrevocable licence at any time to enter any premises where the Goods are or may be stored in order to inspect them, or, where the Buyer’s right to possession has terminated, to recover them.

7.8 Where the Company is unable to determine whether any Goods are the goods in respect of which the Buyer’s right to possession has terminated, the Buyer will be deemed to have sold all goods of the kind sold by the Company to the Buyer in the order in which they were invoiced to the Buyer.

7.9 On termination of the Contract, howsoever caused, the Company’s (but not the Buyer’s) rights contained in this Condition 7 will remain in effect.

**8. LIABILITY OF COMPANY**

8.1 The Company will, free of charge, within a period of twelve (12) months from the date of delivery of Goods, or where a Guarantee has been issued, for the Guarantee Period, which are proved to the reasonable satisfaction of the Company to be missing, damaged or defective due to defects in material or design (other than a design made, furnished or specified by the Buyer), repair, or at its option provide or replace, such Goods. This obligation will not apply where:

8.1.1 the Goods have been improperly altered in any way whatsoever, or have been subject to misuse or unauthorised repair;

8.1.2 the Goods have been improperly installed or connected;

8.1.3 any maintenance requirements relating to the Goods have not been complied with;

8.1.4 the Buyer has failed to notify the Company of any defect(s) or missing item(s) from the order acknowledgement within forty-eight (48) hours of delivery where the defect(s) or missing item(s) should be apparent on reasonable inspection, or within forty-eight (48) hours of the same coming to the knowledge of the Buyer where the defect(s) or missing item(s) is not that which should be apparent on reasonable inspection, and in any event no later than twelve (12) months from the date of delivery;

8.1.5 where a guarantee has been issued, and has been breached by the third party beneficiary of the Guarantee within the Guarantee Period

8.2 Any Goods which have been replaced by the Company will belong to the Company. Any repaired or replacement Goods will be liable to repair or replacement under the terms specified in Condition 8.1 for the unexpired portion of the twelve (12) month period from the original date of delivery of the replaced Goods or where a Guarantee has been issued, for the Guarantee Period

8.3 In the event of any breach of the Company’s express obligations under Conditions 5, 8.1 and 8.2 above the remedies of the Buyer will be limited to damages.

8.4 The Company does not exclude its liability (if any) to the Buyer

8.4.1 for breach of the Company’s obligations arising under section 12 Sale of Goods Act 1979 or section 2 Supply of Goods and Services Act 1982;

8.4.2 for personal injury or death resulting from the Company’s negligence;

8.4.3 under section 2(3) Consumer Protection Act 1987;

8.4.5 for any matter which it would be illegal for the Company to exclude (or to attempt to exclude) its liability; or

8.4.6 for fraud

8.5 Except as provided in Conditions 6.5 and 8.1 to 8.4, the Company’s liability to the Buyer (whether in contract, tort (including negligence), breach of statutory duty, restitution or otherwise) for any injury, death, damage or direct, indirect or consequential loss (all three of which terms include, without limitation, pure economic loss, loss of profits, loss of business, depletion of goodwill and like loss) howsoever caused arising out of or in connection with:

8.5.1 any of the Goods, or the manufacture or sale or supply, or failure or delay in supply, of the Goods by the Company or on the part of the Company’s employees, agents or sub-contractors;

8.5.2 any of the Services, or their performance, or failure or delay in performance, of the Services by the Company or on the part of the Company’s employees, agents or sub-contractors

8.5.3 any breach by the Company of any of the express or implied terms of the Contract;

8.5.4 any use made or resale by the Buyer of any of the Goods, or of any product incorporating any of the Goods;

8.5.5 any use made by the Buyer of any of the Services, or of any product incorporating any of the Services; or

8.5.6 any statement made or not made, or advice given or not given, by or on behalf of the Company or otherwise under the Contract, shall be limited to the invoiced value of the Goods

8.6 Except as set out in Conditions 6.5 and 8.1 to 8.5, the Company hereby excludes to the fullest extent permissible in law, all conditions, warranties and stipulations, express (other than those set out in the Contract) or implied, statutory, customary or otherwise which, but for such exclusion, would or might subsist in favour of the Buyer.

8.7 Each of the Company’s employees, agents and sub-contractors may rely upon and enforce the exclusions and restrictions of liability in Conditions 6.5 and 8.3 to 8.6 in that person’s own name and for that person’s own benefit, as if the words “its employees, agents and sub-contractors” followed the word “Company” wherever it appears in those conditions save each reference in Condition 8.5.1.

**14. GENERAL**

14.1 Time for performance of all obligations of the Buyer is of the essence. Time for performance of all obligations of the Company is not of the essence.

14.2 Each right or remedy of the Company under the Contract is without prejudice to any other right or remedy of the Company whether under the Contract or not.

14.3 If any condition or part of the Contract is found by any court, tribunal, administrative body or authority of competent jurisdiction to be illegal, invalid or unenforceable then that provision will, to the extent required, be severed from the Contract and will be ineffective, without, as far as is possible, modifying any other provision or part of the Contract and this will not affect any other provisions of the Contract which will remain in full force and effect.

14.4 No failure or delay by the Company to exercise any right, power or remedy will operate as a waiver of it, nor will any partial exercise preclude any further exercise of the same, or of any other right, power or remedy.

14.5 Save as set out in the Contract and Condition 8.1.5, these Terms and Conditions may only be varied or amended in writing and signed by a senior manager of the Company.

14.6 The Company may assign, delegate, license, hold on trust or sub-contract all or any part of its rights or obligations under the Contract.

14.7 The Contract is personal to the Buyer who may not assign, delegate, license, hold on trust or sub-contract all or any of its rights or obligations under the Contract without the Company’s prior written consent.

14.8 The Contract contains all the terms which the Company and the Buyer have agreed in relation to the Goods and/or Services and supersedes any prior written or oral agreements, representations or understandings between the parties relating to such Goods and/or Services. The Buyer acknowledges that it has not relied on any statement, promise or representation made or given by or on behalf of the Company which is not set out in the Contract. Nothing in this Condition 14.8 will exclude any liability which one party would otherwise have to the other party in respect of any statements made fraudulently.

14.9 Save as set out in Condition 8.7 the parties to the Contract do not intend that any of its terms will be enforceable by virtue of the Contracts (Rights of Third Parties) Act 1999 by any person not a party to it.

14.10 Any notice in connection with the Contract will be in writing addressed to the other party at its registered office, or principal place of business and will be delivered by hand, or first class or special delivery post or the notice will be deemed to have been duly served if delivered by hand, when left at the proper address for service or if made by pre-paid, first class post or special delivery post, forty-eight (48) hours after being posted or in the case of Airmail, fourteen (14) days after being posted.

14.11 The formation, existence, construction, performance, validity and all aspects whatsoever of the Contract or of any term of the Contract will be governed by English law. The English courts will have exclusive jurisdiction to settle any dispute which may arise out of, or in connection with, the Contract. The parties agree to submit to that jurisdiction.

14.12 Where Part II of the Housing Grants, Construction and Regeneration Act 1996 applies, either party may refer any dispute or difference arising under this Agreement to adjudication. The adjudication procedures and the agreement for the appointment of an adjudicator shall be set out in the Model Adjudication Procedures published by the Construction Industry Council current at the date of reference. The nominating body shall be the Technology and Construction Solicitors’ Association or any successor organisation.

14.13 The Buyer will keep confidential any and all Confidential Information that it may acquire. The Buyer will not use the Confidential Information for any purpose other than to perform its obligations under the contract. The Buyer will ensure that its officers and employees comply with the provisions of this Condition 14.13. The obligations of the Buyer set out in this Condition will not apply to any information which is publicly available or becomes publicly available through no act or omission of the Buyer or if the Buyer is required to disclose by order of a court of competent jurisdiction.

14.14 Where a Brexit Trigger Event occurs (as defined below) and the Company gives notice to the Buyer of the same:

14.14.1 the Company shall not be liable to the Buyer for any failure or delay or for the consequences of any failure or delay in performance of the Contract where there is a Brexit Trigger Event (and the notice shall have effect from its date)

14.14.2 the Company may require the Buyer to negotiate in good faith an amendment to the Contract to alleviate the Brexit Trigger Event; and if no such amendment is made to the Contract within seven (7) days from notice given by the Company, the Company may terminate the Contract by giving Buyer notice not less than twenty one (21) days written notice

14.15 For the avoidance of doubt the rights afforded by this clause 14.14 are without prejudice to the entitlement of the Company to exercise its rights pursuant to Condition 2.5, and the Company may cancel the Contract at any time prior to delivery of the Goods or commencement of the performance of the Services, for any reason

14.16 “Brexit Trigger Event” means any of the following events occurring at any time on or after Brexit

14.16.1 an adverse impact on the Company’s ability to perform the Contract in accordance with its terms and the law (and the Company shall determine in its absolute discretion whether such an adverse impact has occurred);

14.16.2 an increase in the costs incurred by the Company performing the Contract since the price for the Goods was last agreed.

Revised April 2020

101 Multi Purpose Putty	156
102 Butyl Glazing Compound	156
103 Trowel Mastic	156
105 EpoxySet	150
115 GP Building Mastic	8
125 One Hour Caulk	8
145 Butyl Rubber Sealant	9
175 Universal Acrylic	9
195 Siliconised Acrylic	9
2 Part Wood Filler	9
200 Contractors LMA Silicone	9
201 Mortar Admix	136
202 Integral Liquid Waterproofer	136
203 Accelerator and Frostproof	136
204 Evermix 3 In 1	136
206 Strike Release Oil	137
207 Zeromix C.F.F	137
208 Powder Mortar Tone	157
209 Liquid Mortar Tone	157
225 Industrial and Glazing Silicone	10
30 Minute PU Wood Adhesive Gel	45
30 Minute PU Wood Adhesive Liquid	45
335 Construction Silicone	10
401 Brick and Patio Cleaner	63
402 Water Seal	61
403 Concrete Hardener and Dustproof	63
404 Fungicidal Wash	63
405 Path and Patio Seal	61
406 Stabilising Solution	64
407 Mortar Stain Remover	64
408 Super Seal	61
409 Block-Guard	61
45 Minute PU Wood Adhesive Liquid	45
450 Builders Silicone	10
5 Minute PU Wood Adhesive Gel	44
5 Minute PU Wood Adhesive liquid	44
500 Bath and Sanitary Silicone	10
501 PVA Bond	152
502 All Purpose Weatherproof Wood Adhesive	44
503 SBR Bond	152
505 Plasterers Gripcoat	145
506 Contractors PVA	152
507 Rendagrip	145
565 Clean Room Silicone	11
700 TileSet Universal	164
700T LMN Silicone	164
701 Non-Slip Tile Adhesive	163
702 Water Resistant Tile Adhesive	163
703 Fix and Grout	163
705 TileSet Rapid	164
708 Febflor Universal	143
709 Febflor Latex Plus	143
710 Febflor Flexiplus	143
711 TileSet Flexiplus	164
720 Febflor Fibre Plus	142
730 Universal Flexible Hygienic	165
901 Black Bitumen Paint	80
902 Bitumen Flashing and Primer	80

ABCDEFFill 0GH1JKLMN

## PRODUCT INDEX

## 0

P

ParPar

Q

RS

Safer Spirit	100
Salt Away	65
Seal Rite Smooth-Out Tool	20
Seal Rite Strip-Out / Smooth-Out Twin Pack	20
Seal Rite Strip-Out Tool	20
Shed and Fence Mate	71
Showerproof Bathroom Silicone	16
Sika Accelerator	132
Sika Anchorfix-1	155
Sika Block Paving Seal	59
Sika Brick and Patio Cleaner	62
Sika Concrete Crack Repair	155
Sika Dustproof	62
Sika FastFix All Weather	56
Sika MaxMix Cement Colour	134
Sika MaxMix Frostproof and Accelerator	134
Sika MaxMix Mortar Plasticiser	134
Sika MaxMix Waterproof	134
Sika MonoTop-115 GP	146
Sika Mould Buster	62
Sika Multiseal	79
Sika Patio Seal	58
Sika Plastix 22A	17
Sika Powercure Dispenser	19
Sika Primer -115	29
Sika Primer 3N	29
Sika Primer MB	150
Sika Proof	132
Sika Release Oil	133
Sika Rendermix	132
Sika Sanisil	17
Sika Setting Sand	58
Sika Silent Layer Mat	47



Sika Stone Protector	59	SikaWall-530	170	Wonder Wipes	114
Sika Water Repel+	58	SikaWall-580 Monorex GM UK	170	Wonder Wipes Spray	115
Sika Water Seal	59	SikaWall-1015	171	Wood Filler Hardener / Catalyst	97
Sika Wintermix	133	Silicone 825	21	Wood Preserver	70
Sika-1 Waterproofer	128	Silicone Eater	12	Wood Stain	72
Sika-2 Water Plug	129	Silicone S50	22	Woodworm Killer	70
Sika-4 Rapid Setting	129	Silicone Spray	117		
Sika-4A Water Stop	129	Silweld	107		
SikaBond Contractors PVA	151	Smart Tack Bulk	43		
SikaBond MS Foil	47	Smart Tack Bulk Gun	43		
SikaBond MS Wood Floor	46	Smart Tack Bulk Hose	43		
SikaBond PVA	151	Smart Tack Handy	43		
SikaBond Rapid DPM	150	Stain Block	100		
SikaBond SBR+	151	Standard Nozzles	20		
SikaBond Waterproof PVA	151	Stick 2 All Purpose Clear Adhesive	52		
SikaBond Wood Flooring Kit	47	Stick 2 All Purpose Contact Adhesive	49		
SikaBond-151	46	Stick 2 All Purpose Superglue Bottle	52		
SikaBond-52	46	Stick 2 All Purpose Superglue Tube	52		
SikaBond-54	46	Stick 2 Carpet Fix Spray Adhesive	49		
SikaBond-5500S	47	Stick 2 Contact Adhesive	52		
SikaCeram CleanGrout	170	Stick 2 Hard Plastic Adhesive	52		
SikaCeram FlowFix Bonding Primer	57	Stick 2 Rapid Epoxy Syringe	53		
SikaCeram FlowFix Jointing Compound	57	Stick 2 Rapid Epoxy Tube	53		
SikaCeram-140 Rapid	162	Stick 2 Spray Contact Adhesive	49		
SikaCeram-240 Flexible Rapid	162	Stick 2 Superglue Gel	53		
SikaCeram-272 Ultra Flexible	162	Stick 2 Textile Adhesive	52		
SikaCeram-277 Flexible Standard	162	Stick 2 Touch Up Enamel	53		
SikaCeram-282 Fibre Reinforced	163	Stixall Extreme Power	32		
SikaCim No Crack Concrete	133	Sugar Soap Liquid	99		
Sikadur-31 EF Normal	146	Sugar Soap Powder	99		
Sikadur-33	155	Superflow Sealant Gun	19		
Sikaflex -423 Powercure	28	Superglue De-bonder	50		
Sikaflex Construction+	27	Surveyline	144		
Sikaflex EBT+	34				
Sikaflex Floor	27				
Sikaflex PRO-3 Purform	26				
Sikaflex PRO-3 Self Levelling	26				
Sikaflex Tank N	26				
Sikafloor-122 Level	140				
Sikafloor-125 Level Latex	140				
Sikafloor-131 Level Latex Ultra	141				
Sikafloor-245 Level Deep Fill Ultra	141				
Sikafloor-440 Level Fibre Reinforced	140				
SikaGard Universal 5 Star Wood Treatment	68				
SikaGard Wood Preserver	68				
Sikagard Woodworm Killer	68				
Sikagard-112 Mortar and Brick Cleaner	62				
Sikagard-550 W Elastic	147				
SikaGrout-111 GP	146				
Sikahyflex-250	26				
Sikalastic-1K	129				
SikaMix Plus	132				
Sikamix Powdered Mortar Plasticiser	133				
SikaMur InjectoCream-100	130				
Sikaseal Multi Purpose Silicone	17				
Sikasil DW	29				
Sikasil Pool	27				
SikaWall-100	171				
SikaWall-500	170				

## JARGON BUSTER

**Fire Rating** – The measure of a sealants ability to maintain its insulation and integrity in a joint when exposed to fire.

**Hybrid Polymers / MS** – This is the next generation technology combining a sealant and adhesive into one product which can be used on most porous and non-porous materials giving them an almost unlimited number of application possibilities. One major advantage these products have over other sealants is that they can be applied in the wet and even under water.

**Neutral Cure** – Products which cure by a system of crosslinkers that, when activated by exposure to moisture in the air release almost odourless by-products, mainly alcohols. Neutral cure sealants have very little effect on the substrate applied to i.e. non-corrosive.

**Modulus** – Sealants can be either high, mid or low modulus and refers to the elastic nature of the material.

**Flexibility** – The degree of movement a sealant can cope with when applied with a greater number meaning the sealant is more flexible.

**Shore A Hardness** – A number which denotes the surface hardness of a sealant once cured. The higher the number, the harder the surface.

**Silicone** – The most common form of sealant on the market, silicones come in a variety of grades for multiple application uses.

**Polyurethanes** – Combining the properties of a sealant, adhesive and filler into one product.

**Oil Based Mastic** – A traditional product mainly used in wooden window installations and pre-cast concrete panel sealing applications.

**Treated Articles** – Some products now state ‘Please use treated articles responsibly’ within the health and safety panel which refers to any item which contains a preservative to protect the product through its life cycle.

**Acetoxy** – A product that cures by a reaction with moisture in the air, giving off an odour of Acetic Acid or vinegar.

Acetoxy cure sealants shouldn't be used when they are primarily in contact with alkaline substrates such as concrete.

**Acrylic** – Water based sealants which cure through the loss of water into the substrate. These products are commonly used for interior finishing and can be overpainted once cured.



**CE / UKCA** – There are four main types of approval under the sealant CE / UKCA Mark:

- 1 **F** – Façade use which is split into two sub categories with FINT meaning internal use only and F EXT INT meaning the product can be used both internally and externally. F EXT INT is then split into various classifications:
  - P** – Plastic which means the product has limited elastic recovery and behaves more like a plastic bag.
  - E** – Elastic which means the product behaves more like an elastic band.
  - HM** – High Modulus.
  - LM** – Low Modulus.
- 2 **G** – Glazing use.
- 3 **S** – Sanitary use which is only approved for internal use and is split into two sub categories S and XS with the latter being the more stringently tested of the two. A number will always follow the S or XS with 1 showing the least biological growth and 3 showing the most, basically meaning S3 is the lowest classification and XS1 is the highest.
- 4 **PW** – Pedestrian Walkway use.