



THE ONE BOOK

SHOWER & TAP GUIDE

OCTOBER 2022

METHVEN Tapware

Methven - we make water amazing.

We believe that how a shower performs is just as important as how it looks. That's why we blend ingenious innovation with beautiful human design.

A pioneer in bathroom plumbing, we are renowned globally for breakthrough shower and tap design, product development, distinctive aesthetics with a focus on performance without compromise. Our dedication to water conservation and quality products has been recognised with a host of global awards for design and innovation.

Deva _{ву Метнуел}

Deva has been supplying showers and taps to the UK market for over 30 years and offers a wide range of products at the right price.

This brochure includes all the vital information you need when specifying our products and the easy to use new-look icons allow you to quickly identify each products benefits. For more information visit our websites or contact us direct.

NEXT DAY DELIVERY ON ORDERS RECEIVED BEFORE 4PM (3PM ON FRIDAYS)'

FREEPHONE 0800 195 1602

FAX ORDER LINE: 08444 068690 EMAIL: sales@uk.methven.com OPENING TIMES: 8am - 5pm Monday – Friday



Explained	METHVEN Showers
w Product	
stainable imised flow, Part G ready	METHVEN Tapware
Pressure all pressure systems	
h Pressure high pressure systems	
e gular Spray tifies the number of spray functions from the wer handset or shower head	Deva Metriven Showers
egular Spray itifies the number of spray functions from the wer handset or shower head	
egular Spray itifies the number of spray functions from the wer handset or shower head	Deva WMETHINEN Bathroom Taps
egular Spray itifies the number of spray functions from the wer handset or shower head	
lide Spray tifies the number of spray functions from the wer handset or shower head	
lide Spray ntifies the number of spray functions from the wer handset or shower head	Deva Methoden Kitchen Taps
Itra Wide Spray Itifies the number of spray functions from the wer handset or shower head	
r y Fit y fit connections make fitting a bar valve quick easy	Deva MERNEN Commercial
nsor Range ery or mains operated sensor taps for the mate in hygiene and water conservation	
nper Proof specialist design of these products reduces	

Our Icons

NEW

2

3

5 ///\

2 ⁄//

ß

((0))

vandalism and risk from flooding

Product features 360° swivel hose adapter to make

Twist Free Hose

nowering easier

t design award

ERMAN ESIGN WARD

GOOD DESIGN

Wastes & Spares

170

20

60

МЕТНУЕN

METHVEN Tap

DEVA SHOWERS

DEVA BATHROOM TAPS

TAPS

108

146

160

A commitment to nature

As a company born in the South Island of New Zealand, nature has always provided our inspiration. Though we never take it for granted, especially when it comes to water.

Pure, fresh water is a necessity of life yet increasingly scarce. That's why at Methven we make taking care of water a primary focus in every product we develop.

A shower typically accounts for around 30% of household water use. So, our innovative shower technologies have been designed to deliver a luxurious experience whist preserving water.

When you're as passionate about water as we are, making the most of it comes as second nature.

Making magic with water since

1886

Our love of water began the day George Methven began producing brass and iron hardware in New Zealand, back in 1886. Ever since, we've been captivated by its power to transform: to change our moods, lift our spirits, to make us feel refreshed and renewed.

It's a passion that has inspired generations of Methven engineers and designers in a quest to create the ultimate experience of water.

Today, we offer a range of exceptional water experiences that all share one vision. The ability to create a treat for the senses.

This is what sets Methven apart. Because when you experience Methven, you truly experience water.







METHVEN Airstream[®]



Experience vitality with Airstream™

A conventional needle jet spray was originally designed to allow water to flow as freely as possible and deliver the maximum amount of water.

At Methven we believe in optimising water performance creating the best showering experience but, while using less water thereby reducing our environmental impact. A refreshing combination of air and water that delivers a rain like feel to your shower.

Fully integrated into the base of the handset, Airstream technology allows air to be drawn in and mixed with water at high pressure.

Each air infused droplet then emerges from the shower head as a larger, softer, rain like drop.



METHVEN Aurajet



Experience the sensation that is Satinjet[®]

A sensation for both mind and body.

Satinjet uses unique twin-jet technology to create optimum water droplet size and pressure.

Delivering 300,000 of these droplets per second*, Satinjet creates a truly immersive, full body shower experience.

*Spray Analysis and Research Services -Test #2010T89+1 Kiri Satinjet at 250kPa



Experience the unforgettable feeling of Aurajet[®]

It looks and feels out of this world.

Hidden nozzles generate individual jets of water that collide against precisely angled surfaces within Aurajet's open, seemingly floating, shower head.

The result is a stunning fan of luxuriously dense droplets, delivering 20% more spray force than a conventional shower, and twice the amount of water contact with your skin*. Its enveloping warmth and heavenly feeling has to be felt to be believed.

*Compared to a conventional Methven shower at 9L per minute



ISO 9001 CERTIFIED

We believe that quality of service, before and after sale, is of the utmost importance. It's for this reason that we constantly strive to improve both our service to you and our product offering by listening to your comments and suggestions. By doing this it has helped us achieve and retain the renowned ISO9001 since 1995 – proving to you that we are a quality assured company.



ISO 14001 CERTIFIED

We believe in looking after the environment by actively seeking to reduce energy consumption, while improving energy efficiency and using renewable or recyclable materials wherever we can. Besides developing our own ideas, whether they are new innovations in design or environmental issues, we also work closely with trade bodies to further ensure you're getting the best products and service possible. In recognition of our focus on the environment, we have achieved ISO 14001 accreditation; demonstrating our commitment towards environmental issues and our pledge to reducing the impact our business has on the environment.



FREE RIBA APPROVED SEMINARS

We also offer free continuing professional development training on water saving, sustainability and regulatory requirements in partnership with the Royal Institute of British Architects (RIBA) Enterprises.

For more information call 0800 195 1602 or email cpd@uk.methven.com.



BATHROOM MANUFACTURERS ASSOCIATION (BMA)

Methven UK are members of the Bathroom Manufacturers Association. They ensure the industry has a recognised voice with UK government, industry regulators and European standards bodies. The BMA provide an authoritative voice for the industry on all matters affecting manufacturing and supply.



KUKREG4

The Kiwa UK Regulation 4 Product Approval Scheme (KUKreg4) is a robust method for demonstrating compliance with the Water Supply (Water Fittings) Regulations 1999. The regulations set legal requirements for the design, installation, operation and maintenance of water fittings, systems and appliances, specifically in order to prevent the contamination of drinking water as well as preventing misuse, waste, undue consumption and erroneous measurement.



TMV APPROVAL

Thermostatic products are an integral part of the Methven and Deva by Methven ranges. For complete peace of mind they maintain a safe water temperature for users and will cut off if the cold water supply fails.

We use third party thermostatic valve accreditation partners to independently test the suitability of product against current legislation. Approval at TMV2 standard means the product complies with BS EN 1111/1287 and indicates suitability for use in the domestic home whilst approval at TMV3 meets



WRAS WATER REGULATIONS ADVISORY SCHEME

The Water Regulations Advisory Scheme (WRAS) represents more than twenty water companies and:

- Coordinates consistent advice
- Promotes the water regulations
- Offers advice to industry and consumers
- · Maintains directory of approved products

Products are tested against various requirements, grouped by:

- Mechanical tests (against TCS')
- Material / hygienic tests (against BS 6920)

Methven are strong supporters of WRAS approved products and offer a comprehensive portfolio of both Deva and Methven products which adhere to, and are approved to the stringent standards.

NHS D 08 and indicates suitability for commercial installations such as care homes and hospitals.

Methven are proud to offer products in our portfolio which adhere to these standards having undergone the initial rigorous testing procedure and on-going audit requirements. We advocate continuous in-service testing at regular intervals to ensure there has been no temperature change ensuring maximum safety standards.

TMV approved products are highlighted with the relevant icon and correct at the time of going to print.

Confidence In Us



The confidence we have in our products mean we are delighted to offer a comprehensive set of warranties for all of our products in our Methven and Deva brands.

All details are laid out below, for the latest warranty information see www.methven.com and www.deva-uk.com or call us on 0800 195 1602.

METHVEN

Methven Brand Warranty (subject to the terms and conditions)

Product	Parts	Labour
Aurajet* Shower Heads & Handsets	Lifetime Replacement*	
Satinjet [®] & Airstream Shower Heads & Handsets	Lifetime Replacement*	
Tapware**	20 Years	2 Years
Thermostatic Valves	5 Years	2 Years
Shower Accessories	1 Year	
Replacement Components & Parts	1 Year	

Deva by Methven Brand Warranty (subject to the terms and conditions)				
Product	Parts	Labour		
Chrome tapware**	12 Years	2 Years		
Shower valves	5 Years	2 Years		
Shower accessories	1 Year			
Electrical products (including sensor taps)	2 Years	2 Years		
Replacement components and parts	1 Year			
Finish				
Outer Coloured Finishes (excluding Chrome)	5 Years	2 Years		

* For the lifetime of the original purchaser ** All other finishes 5 Years Parts, 2 Years Labour. Any product that has not been fitted in a private dwelling located in the United Kingdom or the Republic of Ireland will be subject to our Commercial Warranty of 12 months parts and labour, as set out in Condition 8 of Methven's Terms and Conditions of Sale. For full terms and conditions see www.methven.com

Methven will not be required to repair or replace products under this warranty where: • the system the products are fitted to contains debris • the product has been damaged by misuse, accident, or neglect • harsh detergents or abrasive cleaners have been used on the product • the product has been tampered with or repaired in any way other than in accordance with this warranty • the product has discolouration, corrosion or rusting from 'hard' water and/or other environmental factors

Water Hardness & Warranty

What is hard water?


The simple definition of water hardness is the amount of dissolved calcium and magnesium in the water. Hard water is high in dissolved minerals, largely calcium and magnesium.

Hard water and warranty

Hard water is a factor beyond our control. If limescale accumulates it can impact the functionality and finish of your taps and showers and affect the warranty conditions.

Here's a few simple steps to take to avoid damage to your products:

- Clean your taps regularly with warm water and a soft cloth to prevent stains.
- Never use harsh abrasive cleaners as these can damage the products finish.
- In particularly hard water areas consider the installation of a water softener to counteract the effects of limescale.



This map is a guide to water hardness by region, for absolute confirmation of the water hardness in your area please contact your local water authority.

Water Saving Flow Regulators



Our flow regulators are cheap and easy to fit and will save you money on your water and heating bills year after year.

Showers

Seal Flow Regulator

Features

- · Replaces the standard seal in hoses and flexi-tails to reduce water consumption
- Regulates flow constantly to the L/min shown

Code	Description	Ex.VAT	Inc.VAT
HSR 2	Flow regulator for shower hose – 2 L/min	£3.95	£4.74
HSR 3	Flow regulator for shower hose – 3 L/min	£3.95	£4.74
HSR 4	Flow regulator for shower hose – 4 L/min	£3.95	£4.74
HSR 6	Flow regulator for shower hose – 6 L/min	£3.95	£4.74
HSR 8	Flow regulator for shower hose – 8 L/min	£3.95	£4.74
HSR 9	Flow regulator for shower hose – 9 L/min	£3.95	£4.74

Code	Description	Ex.VAT	Inc.VAT
FRAV 9	Flow regulator to fit a shower head - 9 L/min	£3.95	£4.74
FRHS-8	Flow regulator for shower handset – 8 L/min	£3.95	£4.74



Taps

For Mono Basin And Mono Sink Mixers Features

- Reduces flow to the L/min shown
- Replaces standard anti-splash in mono basin, kitchen mixers and basin pillar taps
- Regulates flow constantly

Code	Description	Ex.VAT	Inc.VAT
FR101-3	Flow Regulator for Basin Pillar Taps - 3 L/min	£6.33	£7.60
FR101-4	Flow Regulator for Basin Pillar Taps - 4 L/min	£6.33	£7.60
FR101-6	Flow Regulator for Basin Pillar Taps - 6 L/min	£6.33	£7.60
FR113-4	Flow Regulator for Mono Basin and Sink Mixers - 4 L/min 🌑	£6.33	£7.60
FR113-5	Flow Regulator for Mono Basin and Sink Mixers - 5 L/min	£6.33	£7.60

Flow Regulator

Features

- Outlet regulator at 1.0 bar+
- Regulates flow constantly to the L/min shown

Code	Description	Ex.VAT	Inc.VAT	
FR106-12	Flow Regulator for Bath Shower Mixers above 1.0 Bar	£10.28	£12.34	
FR106-7	Flow Regulator for Bath Shower Mixers above 1.0 Bar	£10.28	£12.34	

Meet Part G: Deliver Under 110 Litres Per Person Per Day



Part G Water Calculator	Capacity/Flow rate	Ltr/Person/ Day	Part G Water (
WC Single Flush	6	26.52	WC Dua
Basin taps	10	17.38	Basin ta
Shower	15	65.55	Shower
Bath	100	11	Bath
Kitchen Tap	10	14.76	Kitchen
Dishwasher		4.5	Dishwas
Washing machine		17.16	Washing
Normalisation factor	X 0.91	142.75	Normal
External water use	5	5	Externa
Total		147.75	Total

Water Calculator	Flow rate	Day	Day
WC Dual Flush (6+4/2)	4.5	20.6	5.92
Basin taps	4	7.9	9.48
Shower	5.5	30.8	34.75
Bath	100	11	-
Kitchen Tap	6	13	1.76
Dishwasher		4.5	
Washing machine		17.16	
Normalisation factor	X 0.91	95.50	47.25
External water use	5	5	
Total		100.5	

Capacity/

Ltr/

Saving/

Includes shower only (no bath)



Unrestricted Home

Part G Water Calculator	Capacity/Flow rate	Ltr/Person/ Day
WC Single Flush	6	26.52
Basin taps	10	17.38
Shower	15	84.00
Kitchen Tap	10	14.76
Dishwasher		4.5
Washing machine		17.16
Normalisation factor	X 0.91	149.53
External water use	5	5
Total		154.50



Methven home

Part G Water Calculator	Capacity/ Flow rate	Ltr/ Person/ Day	Saving/ Day
WC Dual Flush (6+4/2)	4.5	20.6	5.92
Basin taps	4	7.9	9.48
Shower	5.5	24.04	59.96
Kitchen Tap	6	13	1.76
Dishwasher		4.5	
Washing machine		17.16	
Normalisation factor	X 0.91	89.36	60.17
External water use	5	5	
Total		94.4	

Our product saving after normalisation = 45.9 litres

Our product saving after normalisation

= 38.07 litres

Homeowner Savings

Changing your showerhead	d
to 8 litres per minute	

Annualised Savings	15 LPM	8 LPM
Cost of water per shower (£)	£247.13	£131.80
Cost of Gas per shower (£)	£243.67	£129.96
Total cost	£490.80	£261.76
Carbon per shower (kg)	707 96	377.58
Cash saving (£) vs 15 LPM		£229.04
Water saving (I) vs 15 LPM		37.443.8
Energy saving (kWh) vs 15 LPM		1,5367
CO2E saving (kg) vs 15 LPM		330.4


*Calculated for average household size of 2.4 people, showering once per day, for 11 months of the year, for 6.5 mins, using a gas combi boiler, with an outlet temp of 40°C and inlets of 10°C cold and 60°C hot. Energy and water cost as of May 2022.

Water Savings Calculator

The average household could save up to £310 per year by using a Methven shower*

Here at Methven, we believe in making the smart choice when it comes to water-saving products. Our online calculator shows how switching from a conventional needle jet shower to one of our showering technologies will help you to save money.

Methven's tapware and showering range meets energy saving targets and complies with Part G water conservation regulations. With a choice of stylish taps that deliver 4 to 6 litres per minute and showers with a flow rate of up to 8 litres per minute, Methven is future-proofing homes and reducing water and energy usage, all without any compromise on performance.



Scan to see how much you can save



*based on average household of 2.4 people, reducing flow rate from 15 to 5.5 PLM, shower time = 6m 36s, 11 months/year, May'22 energy prices


CHECK THIS OUT!

EASY FIT SHOWER RAIL

SIMPLE INSTALLATION, IDEAL FOR RETROFIT USING EXISTING HOLES. NO NEED FOR DRILLING.












Methven Supports The Unified Water Label Scheme



www.europeanwaterlabel.eu



Methven Showers Choose Your Style





PAGE 25

PAGE 25

PAGE 26



Satinjet[•]

PAGE 27

Satinjet[®]

PAGE 26

KIRI MK2







Aurajet AIO PAGE 28

Aurajet AIO PAGE 29

DUAL BAR SHOWERS

PAGE 24

PAGE 24













COOL TOUCH BAR VALVE PAGE 34






 Satinjet [*]	Satinjet"	SQUARE	SOL BAR
WAIPORI	KIRI MK2	BAR VALVE	SHOWER
PAGE 33	PAGE 33	PAGE 34	PAGE 35
FAGE 55	FAGE 33		

Methven Showers Choose Your Style

KAHA



PAGE 36

PAGE 36

KIRI

22







PAGE 37



KIRI CONCEALED MIXER VALVE (2 OUTLETS) PAGE 38


KIRI CONCEALED MIXER VALVE (3 OUTLETS) PAGE 39

NEXT DAY DELIVERY ON ORDERS RECEIVED BEFORE 4PM* *3pm on Fridays, all prices subject to VAT at current prevailing rate



Methven Showers Single Bar Showers







Methven Showers Single Bar Showers







METHVEN

Methven Showers Single Bar Showers




Satinjet[®] Kaha Cool Touch Bar Shower With **Easy Fit Kit** Water efficient without compromising performance Includes Satiniet Kaha handset • Fitted with 8l/min flow regulator Choose from Satinjet body shower or massage sprays . 38°C temperature hot stop with override facility Valve is safe and cool to touch making it ideal for families Includes easy fit connections Easy to fit shower rail - simply twist and lock brackets into place, see page 18 VALVE: Thermostatic OPERATION: Separate flow and temperature controls · 🕀 🛔 🕀 : Water Label 8 l/min Variable KHCTSEFCP Chrome





Methven Showers Single Bar Showers





The unmistakable feeling of 300,000 droplets per second.



Satinjet[®]

26

INLET CONNECTIONS:

WORKING PRESSURE: 1.0 - 5.0 bar

15mm Compression


NSF

Ex.VAT £300.45 Inc.VAT £360.54

Methven Showers Single Bar Showers



INLET CONNECTIONS:






AOCTSEFCP Chrome

Methven Showers Single Bar Showers



Ex.VAT £375.09 Inc.VAT £450.11

Aurajet" Aio Cool Touch Bar Shower



AOCTSCPUK Chrome



Variable


Ex.VAT £372.82 Inc.VAT £447.38


28

METHVEN Sho

Methven Showers Dual Bar Showers







30 **NEXT DAY DELIVERY ON ORDERS RECEIVED BEFORE 4PM*** *3pm on Fridays, all prices subject to VAT at current prevailing rate

72mm

1100mm

WORKING PRESSURE:

methven.com

Methven Showers Dual Bar Showers


72mn

Ռե

1100mm



METHV<u>en</u>



Satinjet° Kiri MK2 Cool Touch Diverter Shower

INLET CONNECTIONS:

WORKING PRESSURE:


15mm Compression

1.0 - 5.0 bar

kiwa

Type 2 TMV

Ex.VAT £558.23 Inc.VAT £669.88



313mm

Methven Showers Dual Bar Showers



WORKING PRESSURE:

Ex VAT £598.00 Inc VAT £717.60


1.5 - 5.0 bar



OPERATION: Separate flow and temperature controls



SJWDS01CP Chrome



32 **NEXT DAY DELIVERY ON ORDERS RECEIVED BEFORE 4PM*** *3pm on Fridays, all prices subject to VAT at current prevailing rate


Methven Showers Dual Bar Shower & Shower Pack


N. 1. 31 N. 18 (K. 6.3)

4



METHV<u>en</u>





Methven Showers Bar Valves



Cool Touch Bar Valve

- 38°C temperature hot stop with override facility · Valve is safe and cool to touch making it ideal for families · Includes easy fit connections
- 277 150



VALVE:

INLET CONNECTIONS:

15mm Compression

NSF

Ex.VAT £151.25 Inc.VAT £181.50

Ex.VAT £173.94 Inc.VAT £208.73

Ex.VAT £134.54 Inc.VAT £161.45

INLET CONNECTIONS:

CTBV03 Chrome

Includes easy fit connections Lever handle for ease of use

VALVE:

Thermostatic

• 38°C temperature hot stop with override facility

· Valve is safe and cool to touch making it ideal for families

Cool Touch Bar Valve






CTBV02 Chrome CTBV02BK Matte Black

Includes easy fit connections

• 38°C temperature hot stop with override facility

Square Bar Valve





Sol Bar Shower





• Ultimate thermostatic performance

- · Ideal for care homes
- Includes easy fit connections

VALVE: Thermostatic

OPERATION: Separate flow and temperature controls 15mm Compression WORKING PRESSURE: 0.2 - 5.0 bar

kiwa

INLET CONNECTIONS:





SOLBEF Chrome Ex.VAT £392.02 Inc.VAT £470.42



Methven Showers Kaha







Methven Showers Kaha


3





Kaha Concealed Mixer Valve (3 Outlets)

- 38°C temperature hot stop with override facility
- · Front access filters no need to disconnect shower from water supply during maintenance
- Diverter cartridge to two outlets and separate stopcock for bath • fill
- Available with brass or ABS concealing plate
- Concealed shower spindle extension available see page 177



^{1⁄2&}quot; BSP WORKING PRESSURE: 0.2 - 5.0 bar

Ex.VAT £636.88 Inc.VAT £764.26 Ex.VAT £584.29 Inc.VAT £701.15 Ex.VAT £730.37 Inc.VAT £876.44

INLET CONNECTIONS:



36

methven.com


Methven Showers Kiri

METHVEN Showers



Kiri Concealed Mixer Valve (Single Outlet)

- 38°C temperature hot stop with override facility
- Front access filters no need to disconnect shower from water supply during maintenance
- Available with brass or ABS concealing plate





KIRI 1DA Chrome (ABS plate)

Ex.VAT £397.32 Inc.VAT £476.78 Ex.VAT £344.73 Inc.VAT £413.68

INLET CONNECTIONS:

WORKING PRESSURE:

1/2" BSP

0.2 - 5.0 bar

Kiri Concealed Mixer Valve (2 outlets)

- 38°C temperature hot stop with override facility · Front access filters - no need to disconnect shower from water
- supply during maintenance · Diverter cartridge to two outlets
- Available with brass or ABS concealing plate •
- Concealed shower spindle extension available see page 177

	VALVE: Thermostatic	INLET CONNECTIONS: ¹ /2" BSP
	OPERATION: Separate flow and temperature controls	WORKING PRESSURE: 0.2 - 5.0 bar
80		


KIRI 2D Chrome (Brass)

KIRI 2DA Chrome (ABS plate)









Kiri Concealed Mixer Valve (3 Outlets)

1⁄2" BSP WORKING PRESSURE: 0.2 - 5.0 bar

INLET CONNECTIONS:



KIRI 3D Chrome (Brass) KIRI 3DA Chrome (ABS plate) Ex.VAT £636.88 Inc.VAT £764.26 Ex.VAT £584.29 Inc.VAT £701.15

-11



Mix and match with our shower accessories to create your own configuration, overheads for drenching & handsets for rinsing


FREEPHONE 0800 195 1602 | FAX ORDERS 01942 680 190 | EMAIL sales@uk.methven.com 39


38 **NEXT DAY DELIVERY ON ORDERS RECEIVED BEFORE 4PM*** *3pm on Fridays, all prices subject to VAT at current prevailing rate

methven.com

Ex.VAT £461.59 Inc.VAT £553.91 Ex.VAT £409.00 Inc.VAT £490.80








Methven Showers Shower Kits



METHVEN Showers



65

Hose 2000



Satinjet° Kiri Shower Kit - 1 metre

.

- \cdot $\;$ Water efficient without compromising performance
- Includes 1 metre shower rail
- Includes Satinjet Kiri handset


KIMSK Chrome & Graphite

- Fitted with 8l/min flow regulator
- Riser rail features adjustable brackets ideal for retrofit



Airstream[®] 3 Mode Easy Fit Shower Kit

Ex.VAT £104.49 Inc.VAT £125.39




Methven Showers Shower Kits












Methven Showers Shower Kits

684













MAX

SOOr

Aurajet Aio Easy Fit Shower Kit

- · Unique, halo shaped head for a designer look
- Water efficient without compromising performance
- Includes Aurajet Aio handset
- Fitted with 8l/min flow regulator
- Handset resists the build up of limescale Easy to fit shower rail - simply twist and lock brackets into
- place, see page 18 Riser rail features adjustable brackets - ideal for retrofit

ble INLET CONNECTIONS: WORKING PRESSURE: 1/2" BSP 1.0 - 5.0 bar




EKITO6/AIO Chrome

Ex.VAT £182.24 Inc.VAT £218.69

Methven Showers Shower Kits



METHVEN Show



Beat The Rising Cost Of Living

Annualised Savings	8 LPM
Cash saving (£) vs 15 LPM	£229.04
Water saving (I) vs 15 LPM	37.443.8
Energy saving (kWh) vs 15 LPM	1,5367
CO2E saving (kg) vs 15 LPM	330.4

To find out more visit www.uk.methven.com/interactive-calculator



METHVEN Showers



Lifetime warranty on shower head 6 mg Aurajet Aio Shower System • Unique, halo shaped head for a designer look • Water efficient without compromising performance • Fitted with 12l/min flow regulator in overhead and 8l/min in handset · Handset and head resist the build up of limescale Integrated diverter Quick fit connector for easy installation Perfect with Kaha or Kiri single outlet shower valve - see pages 36 & 38 239 INLET CONNECTIONS: WORKING PRESSURE: 1/2" BSP 1.0 - 5.0 bar Water Label • 12 l/min AOSSCPUK Chrome Ex.VAT £740.64 Inc.VAT £888.77



48 NEXT DAY DELIVERY ON ORDERS RECEIVED BEFORE 4PM* *3pm on Fridays, all prices subject to VAT at current prevailing rate

methven.com

Methven Showers Shower Kits

385



METHVEN Showers

Easy Fit Shower Rail

- · Easy to fit shower rail simply twist and lock brackets into place, see page 18
- Riser rail features adjustable brackets ideal for retrofit •
- Button operation on slider adjustment


EFSR005 Chrome **EFSRO05BK** Matte Black

Ex.VAT £76.47 Inc.VAT £91.76 Ex.VAT £111.00 Inc.VAT £133.20



600mm MAX justable Centr





50 NEXT DAY DELIVERY ON ORDERS RECEIVED BEFORE 4PM* *3pm on Fridays, all prices subject to VAT at current prevailing rate methven.com

Methven Showers Handsets & Heads








Methven Showers Handsets & Heads



methven.com




52 NEXT DAY DELIVERY ON ORDERS RECEIVED BEFORE 4PM* *3pm on Fridays, all prices subject to VAT at current prevailing rate


Methven Showers Handsets & Heads


















54

methven.com

Methven Showers Heads



• Unique, halo shaped head for a designer look Aurajet" Aio Overhead Shower • Ultra wide spray coverage Resists the build up of limescale Fitted with 12l/min flow regulator Quick fit connector for easy installation • Perfect with Kaha or Kiri single outlet shower valve - see pages 36 & 38 н 12 l/min Natorlaho WORKING PRESSURE: INLET CONNECTIONS: 1⁄2" BSP 1.0 - 5.0 bar AOOSCPUK Chrome Ex.VAT £307.89 Inc.VAT £369.47



56 NEXT DAY DELIVERY ON ORDERS RECEIVED BEFORE 4PM* *3pm on Fridays, all prices subject to VAT at current prevailing rate

Methven Showers Arms & Accessories







ARMW06CP Chrome

ARMWO6BK Matte Black

Ex.VAT £58.43 Inc.VAT £70.12

Ex.VAT £81.80 Inc.VAT £98.16


Methven Showers Arms & Accessories

METHVEN Showers





Ceiling Mounted Shower Arm 300mm

 Brass construction · Pair with a round or square head



Ceiling Mounted Shower Arm 500mm






· Pair with a round or square head




Wall Elbow Parking Bracket

Brass construction



Round Parking Bracket


Brass construction



Methven Showers Accessories









INLET CONNECTIONS:

HOS1.5PVS07 Chrome (1.5m) Ex.VAT £33.99 Inc.VAT £40.79 HOSE2.0 Chrome (2m) Ex.VAT £39.52 Inc.VAT £47.42 HOS1.5PVS07BK Matte Black (1.5m) Ex.VAT £42.00 Inc.VAT £50.40

Ex.VAT £62.74 Inc.VAT £75.29

Methven Taps Choose Your Style



BATHROOM





WAI

PAGE 64









BREEZE PAGE 70

КАНА PAGE 71 THERMOSTATIC PAGE 72

KITCHEN

ΑΜΙΟ

PAGE 62







HAWEI PAGE 74 ELLESMERE PAGE 75

DUNSTON PAGE 75

KEA

PAGE 68




MATHESON PAGE 75

Methven Taps Amio

METHVEN Tapware





95

A

AMBMCPUK Chrome

AMBMBK Matte Black


Methven Taps Amio

Amio Deck Mounted Bath Filler




5 year warranty on non-chrome finishes

· Ceramic disc handles ensure a smooth operation · Supplied with metal backnuts



Shower Mixer



- · Water efficient without compromising showering performance
- · Handset fitted with 8l/min flow regulator
- · Lifetime warranty on the handset
- · Ceramic disc handles ensure a smooth operation
- · Supplied with metal backnuts

INLET CONNECTIONS: 3/4" BSP

A

WORKING PRESSURE: 0.3 - 5.0 bar

METHVEN Tapware

AMBSMCPUK Chrome & Graphite Ex.VAT £219.00 Inc.VAT £262.80 **AMBSMBK** Matte Black Ex.VAT £296.29 Inc.VAT £355.55



lle

40

4

Ex.VAT £90.17 Inc.VAT £108.20

Ex.VAT £121.74 Inc.VAT £146.09

Methven Taps Wai

METHVEN Tapware

64





 WAIBMCPUK Chrome
 Ex.VAT £99.19 Inc.VAT £119.03

 WAIBMBK Matte Black
 Ex.VAT £151.91 Inc.VAT £182.29

methven.com

NEXT DAY DELIVERY ON ORDERS RECEIVED BEFORE 4PM* *3pm on Fridays, all prices subject to VAT at current prevailing rate

Methven Taps Wai



5 year warranty on non-chrome finishes

· Contemporary square design Wai Wall Mounted Basin Mixer Ceramic cartridge for smooth operation (Fitted with a 4l/min flow regulator Slim stream directional aerator prevents splashback • Long reach spout - ideal for free standing basins 220 100 \Box INLET CONNECTIONS: WORKING PRESSURE: 0.1 - 5.0 bar 1/2" BSP Water Labe 4 l/min 52 196 Α WAIWMBCP Chrome Ex.VAT £144.49 Inc.VAT £173.39 · Contemporary square design Wai Bath Filler · Ceramic disc handles ensure a smooth operation · Supplied with metal backnuts -216-135 INLET CONNECTIONS: WORKING PRESSURE: 3/4" BSP 0.3 - 5.0 bar -180 -70--A . 101 WAIBFCPUK Chrome Ex.VAT £177.13 Inc.VAT £212.56 **WAIBFBK** Matte Black Ex.VAT £223.99 Inc.VAT £268.79 ⊢47⊣ · Contemporary square design Wai Wall Mounted Bath Filler Ceramic cartridge for smooth operation • Long reach spout - ideal for freestanding baths 220 100 INLET CONNECTIONS: WORKING PRESSURE: 0.3 - 5.0 bar 1/2" BSP 52 220 A WAIWMBFCP Chrome Ex.VAT £147.07 Inc.VAT £176.48

Methven Taps Wai



Wai 3 Hole Bath Filler



A :)

180

Contemporary square design

Õ WAIFMBSM Chrome & Graphite Ex.VAT £586.08 Inc.VAT £703.30 **WAIFMBSMBK** Matte Black Ex.VAT £785.28 Inc.VAT £942.34

66 **NEXT DAY DELIVERY ON ORDERS RECEIVED BEFORE 4PM*** *3pm on Fridays, all prices subject to VAT at current prevailing rate


180

Methven Taps Wai









Methven Taps Кеа



 Ceramic cartridge for smooth operation **Kea Basin Mixer** · Slim stream aerator with directional flow Fitted with 7 l/min flow regulator Compatible with Waterblade - innovative technology which uses just 2.5l/min • Includes press top waste INLET CONNECTIONS: WORKING PRESSURE: 1/2" BSP 0.3 - 5.0 bar Water Labe 7 l/min ۵ Α

Kea Mini Basin Mixer


METHVEN Tapware

- Ceramic cartridge for smooth operation
- Slim stream aerator with directional flow

KEBCPUK Chrome


• Works with flow regulator FR113-4 to achieve 4 litres per minute see page 13

Ex.VAT £136.74 Inc.VAT £164.09



Kea Bath Filler

· Ceramic disc handles ensure a smooth operation



68 **NEXT DAY DELIVERY ON ORDERS RECEIVED BEFORE 4PM*** *3pm on Fridays, all prices subject to VAT at current prevailing rate


Methven Taps





Кеа

Satinjet[®] Kea Bath Shower Mixer



WORKING PRESSURE: INLET CONNECTIONS: 3/4" BSP 0.3 - 5.0 bar

Complete with Satinjet Maku handset & wall bracket

(A **KEBSMCPUK** Chrome & Graphite Ex.VAT £222.62 Inc.VAT £267.14




Methven Taps Breeze

Breeze Basin Mixer



• Ceramic cartridge for smooth operation

· Includes press top waste



70 **NEXT DAY DELIVERY ON ORDERS RECEIVED BEFORE 4PM*** *3pm on Fridays, all prices subject to VAT at current prevailing rate

Methven Taps Kaha





METHVEN Tapware

· Swivels at base, ideal for smaller basins Kaha Basin Mixer With Swivel Base Ceramic cartridge for smooth operation • Fitted with a 7l/min flow regulator · Slim stream directional aerator prevents splashback 116 INLET CONNECTIONS: WORKING PRESSURE: 1/2" BSP 0.3 - 5.0 bar Water Labe 7 l/min A 1/2" BS KAHA 113 Chrome Ex.VAT £219.52 Inc.VAT £263.42




Swivel base smaller basins

Methven Taps Thermostatic

72






TLVBSM Chrome & Graphite **NEXT DAY DELIVERY ON ORDERS RECEIVED BEFORE 4PM*** methven.com *3pm on Fridays, all prices subject to VAT at current prevailing rate

Methven Taps Thermostatic

Shower Mixer





TLVEFLF2 Chrome & Graphite Ex.VAT £448.45 Inc.VAT £538.14

Methven Taps Kitchen









Tilt and turn temperature & flow control


Methven Taps Kitchen



5 year warranty on non-chrome finishes









Rydal Bar Shower

Page 85





The Shower & Tap Brand.

Deva provide a wide range of products for both domestic and commercial applications. As one of the largest suppliers of showers and taps to the UK market and with over 30 years heritage, Deva has developed a reputation for providing excellent levels of service and customer care, bringing products to the market of the highest quality at the right price. From concept through to manufacture, we are backed by a testing programme unrivalled in our industry.

Deva deliver the latest styles of bathroom and kitchen taps, showers and shower accessories, next day - nationwide. We pride ourselves on our service first policy. Not only do we deliver 98% of orders next day in full, we also aim to provide the highest standards of customer service. Our in-house customer service technicians are fully trained to provide personal, friendly and in-depth support as well as our field based Area Sales Managers.

Deva became part of the Methven Group in 2007 and operates from Methven UK headquarters in Lancashire. Methven as a group, are innovative, design focussed and conscious to produce product ranges which meet both consumer need, legislation and regulatory requirements whilst minimising our impact to the environment.

HAVE CONFIDENCE IN US

Deva By Methven Brand Warranty (Subject To The Terms And Conditions)

Product	Parts	Labour
Chrome Tapware**	12 Years	2 Years
Shower Valves	5 Years	2 Years
Shower Accessories & Wastes	1 Year	
Electrical products (Including Sensor Taps)	2 Years	2 Years
Replacement Components And Parts	1 Year	

* For the lifetime of the original purchaser ** All other finishes 5 Years Parts, 2 Years Labour

Any product that has not been fitted in a private dwelling located in the United Kingdom or the Republic of Ireland will be subject to our Commercial Warranty of 12 months parts and labour, as set out in Condition 8 of Methven's Terms and Conditions of Sale. Excludes sensor and thermostatic products. For full terms and conditions see www.methven.com

Choose Your Style

SINGLE BAR SHOWERS



BELMONT	PENNINGTON	DERWENT	CONISTON	KESTREL MK2
PAGE 82	PAGE 82	PAGE 83	PAGE 83	PAGE 84

DUAL BAR SHOWERS



DYNAMIC	SAVVI	VISION
PAGE 89	PAGE 89	PAGE 90

DEVA SHOWERS




COMBI	GRASMERE	RYDAL
PAGE 84	PAGE 85	PAGE 85

DEVA SHOWERS



Choose Your Style



Deva by METHVEN

NEW

-

(e-

GRBS01

85

£250.00

40mm

1

 \checkmark

 \checkmark

1

Chrome

120mm

3 Push Button

COMBMEF

84

£228.46

40mm

1

1

1

1

Grey

82mm

DEVA SHOWERS

0

RYBS01

85

£250.00

32mm

/

 \times

Chrome

130mm

80

DEVA SHOWERS

Bar Showers

Single Bar Showers














(NEW

Kit .

Available January 2023

Single Bar Showers


DEVA SHOWERS











Grasmere Cool Touch Bar Shower with Multi Mode Kit

- Valve is safe and cool to touch making it ideal for families
- Riser rail features adjustable brackets ideal for retrofit
- 38°C temperature hot stop with override facility
- Includes fast fit valve connectors for quick & easy installation
- Push button mode selection
- Double interlocked 1.5m hose
- · Works with flow regulator HSR8 to achieve 8 litres per minute see page 12

VALVE:	INLET CONNECTIONS:
Thermostatic	15mm Compression
OPERATION: Separate flow and temperature controls	WORKING PRESSURE: 0.5 - 5.0 bar





NSF



Push button mode selection

VALVE:

Separate flow and

temperature controls

- Double interlocked 1.5m hose
- Works with flow regulator HSR8 to achieve 8 litres per minute see page 12

INLET CONNECTIONS: Thermostatic OPERATION:



3 /灬 NSF H RYBS01 Chrome Ex.VAT £250.00 Inc.VAT £300.00

84 **NEXT DAY DELIVERY ON ORDERS RECEIVED BEFORE 4PM*** *3pm on Fridays, all prices subject to VAT at current prevailing rate



Vertical L Shaped Bar Shower Valve

INLET CONNECTIONS:

WORKING PRESSURE:

Ex.VAT £143.84 Inc.VAT £172.61

1/2" BSP

1.0 - 5.0 bar

• 38°C temperature hot stop with override facility

Ideal for caravans and where space is limited

DEVA SHOWERS



VALVE:

Thermostatic



INLET CONNECTIONS:

15mm Compression

Bar Valves

NEW Available January 2023

261

150

G1/2″

Cool Touch Bar Valve


- Valve is safe and cool to touch making it ideal for families
- 38°C temperature hot stop with override facility
- Includes fast fit valve connectors for quick & easy installation




NEW Available January 2023

Cool Touch Bar Valve

- Valve is safe and cool to touch making it ideal for families
- 38°C temperature hot stop with override facility
- Includes fast fit valve connectors for quick & easy installation



(A) (B)	Currentine to NEFT TAV2
CTBV06 Chrome	EX.VAT £136.43 Inc.VAT £163.



BV01CP Chrome

⊷45-

0

1/2" BSP

Available January 2023

1/2" BSP

170

(NEW

VALVE:

H

Thermostatic

OPERATION:

VVERT01 Chrome

Bar Valve

• 38°C temperature hot stop with override facility

Separate flow and

temperature controls

86







DEVA SHOWERS Dual Bar Showers









Ex.VAT £485.24 Inc.VAT £582.29

89

н

SCTSDEF Chrome

Dual Bar Showers








Vision Exposed Sequential Shower






VSNVSEQT01 Chrome

DEVA SHOWERS

Vision Concealed Sequential Shower Valve



• Riser swivels 180° so you can select your optimal position. Riser height can be adjusted to suit your bathroom

38°C temperature hot stop with override facility

· Integral diverter to fixed head and handset

Vision Cool Touch Diverter Shower

Valve is safe and cool to touch making it ideal for families

- Lever handles for ease of use
- Double interlocked 1.5m hose

200

1100

850

- 200

A

150 313

• Works with flow regulator HSR8 to achieve 8 litres per minute - see page 12

VALVE: INLET CONNECTIONS: Thermostatic 15mm Compression OPERATION: WORKING PRESSURE: Separate flow and 1.5 - 5.0 bar temperature controls kjwa ß

VCTSDEF Chrome

Type 2 TMV

Ex.VAT £504.14 Inc.VAT £604.97

NEXT DAY DELIVERY ON ORDERS RECEIVED BEFORE 4PM* *3pm on Fridays, all prices subject to VAT at current prevailing rate

90

DEVA SHOWERS



DEVA SHOWERS Concentric Showers



VALVE:

A

Thermostatic

OPERATION:

Separate flow and

temperature controls



Georgian Concentric Exposed Shower Valve

- Cross handle for temperature control and white lever for on/off
- Co-ordinate with shower accessories see pages 96-99
- · Can be fitted with an adjustable or rigid riser



Co-ordinate with shower accessories see pages 96-99

Vision Concentric Concealed Shower


Co-ordinate with shower accessories see pages 96-99

Valve

• Easy to use lever handle

Adjustable centres

Can be fitted with an adjustable or rigid riser





128

165

	INLET CONNECTIONS: 15mm Compression
I	WORKING PRESSURE: 0.1 - 5.0 bar
ols	

Ex.VAT £532.64 Inc.VAT £639.17





INLET CONNECTIONS: 15mm Compression	
WORKING PRESSURE: 0.1 - 5.0 bar	

DEVA SHOWERS



Ex.VAT £625.19 Inc.VAT £750.23

NSE

Georgian Concentric Concealed Shower Valve

- Cross handle for temperature control and white lever for on/off
- Co-ordinate with shower accessories see pages 96-99

VALVE: INLET CONNECTIONS: Thermostatic 15mm Compression WORKING PRESSURE: OPERATION: Separate flow and 0.1 - 5.0 bar temperature controls

NSF


(A

92

Concentric Showers

DEVA SHOWERS





Georgian Concentric Concealed Shower With Single Mode Kit Cross handle for temperature control and white lever for on/off • Double interlocked 1.5m hose • Works with flow regulator HSR8 to achieve 8 litres per minute - see page 12 VALVE: INLET CONNECTIONS: Thermostatic 15mm Compression WORKING PRESSURE: **OPERATION:** Separate flow and 0.1 - 5.0 bar temperature controls 165 155 NSF À Ex.VAT £777.11 Inc.VAT £932.53 GEOCC01 Chrome

GEOCE02 Chrome Ex.VAT £753.73 Inc.VAT £904.48

DEVA SHOWERS Manual Showers



125





- Exposed and concealed valve options in one box
- Tilt and turn temperature and flow control
- Includes wall union for concealed installations
- Co-ordinate with shower accessories see pages 96-99

	VALVE: Manual	INLET CONNECTIONS: 15mm Compression
<u></u>	OPERATION: Single lever flow and temperature control	WORKING PRESSURE: 0.3 - 5.0 bar
	(A)	
¥ /	LACVMANM03 Chrome	EX.VAT £155.83 Inc.VAT £187.00

94


Shower Kits

DEVA SHOWERS

96



Core Single Mode Shower Kit



• Double interlocked 1.5 metre hose

NEXT DAY DELIVERY ON ORDERS RECEIVED BEFORE 4PM* *3pm on Fridays, all prices subject to VAT at current prevailing rate


deva-uk.com

DEVA SHOWERS







Shower Kits



Showers Kits








*3pm on Fridays, all prices subject to VAT at current prevailing rate

DEVA SHOWERS Shower Heads



Deva by METHVEN

DEVA SHOWERS



Handsets

DEVA SHOWERS


100



WORKING PRESSURE: 0.5 - 5.0 bar

Ex.VAT £30.50 Inc.VAT £36.60

deva-uk.com




DEVA SHOWERS






Handsets



Traditional Single Mode Handset




H (3

HANM11 Chrome

Shower Rails






DEVA SHOWERS





Accessories



INLET CONNECTIONS: 15mm Compression 5PE16 Chrome Ex.Vat £91.68 inc.Vat £110.02

DEVA SHOWERS

102 NEXT DAY DELIVERY ON ORDERS RECEIVED BEFORE 4PM* *3pm on Fridays, all prices subject to VAT at current prevailing rate

RR04CP Chrome

Ex.VAT £45.90 Inc.VAT £55.08

Round Shower Arm

DEVA SHOWERS

Shower Accessories

Wall-Mounted Shower Arm

Over Head Wall Shower Arm

Ceiling Mounted Shower Arm


200mm



DEVA SHOWERS Shower Accessories








104 **NEXT DAY DELIVERY ON ORDERS RECEIVED BEFORE 4PM*** *3pm on Fridays, all prices subject to VAT at current prevailing rate

200

330

Shower Accessories








106 NEXT DAY DELIVERY ON ORDERS RECEIVED BEFORE 4PM* *3pm on Fridays, all prices subject to VAT at current prevailing rate

DEVA SHOWERS





Choose your style

BATHROOM TAPS

CONTEMPORARY



LACE

PAGE 112



MILAN

PAGE 116

ETHOS

PAGE 114



HENLEY

PAGE 118



ZONOS

PAGE 119

MOTIF

PAGE 121

ADORE

PAGE 110






INSIGNIA


PAGE 123

SWOOP

PAGE 126








Adore Basin Taps

110



ADORE313 Chrome
 ADORE313 Chrome
 Ex.VAT £68.91 Inc.VAT £82.69
 ADORE313C Chrome inc waste
 Ex.VAT £68.91 Inc.VAT £82.69
 Ex.VAT £68.91 Inc.VAT £82.69
 INLET CONNECTIONS:
 WORKING PRESSURE:
 Var BSP
 O.1 - 5.0 bar

WORKING PRESSURE:

0.1 - 5.0 bar

NEXT DAY DELIVERY ON ORDERS RECEIVED BEFORE 4PM* *3pm on Fridays, all prices subject to VAT at current prevailing rate deva-uk.com

DEVA BATHROOM TAPS






Adore


Adore Bath Taps

ved wanding of non-chlorne inisites

Ceramic disc handles ensure a smooth operation and longer life
Optimised for bath filling



Adore Bath Shower Mixer




Ceramic disc handles ensure a smooth operation and longer life
Comes complete with single mode shower kit and wall bracket

Works with flow regulator HSR8 to achieve 8 litres per minute - see page 12

INLET CONNECTIONS: WORKING PRESSURE: %" BSP 0.1 - 5.0 bar ADORE106 Chrome Ex.VAT \$164.03 Inc.VAT \$196.84 EX.VAT \$164.03 Inc.VAT \$196.84 EX.VAT \$246.06 Inc.VAT \$295.27


Adore Bath Filler

Ceramic disc handles ensure a smooth operation and longer life











Lace Mini Basin Mixer



Lace Basin Taps

 Ceramic disc handles ensure a smooth operation and longer life • Works with flow regulator FR101-4 to achieve 4 litres per minute - see page 13



2	INLET CONNECTIONS: 1/2" BSP	WORKING PRESSURE: 0.1 - 5.0 bar
31		
	A	
	LACE101 Chrome	EX.VAT £68.91 Inc.VAT £82.69


LACE101 Chrome

DEVA BATHROOM TAPS





Lace



180


LACE108 Chrome

Ex.VAT £137.78 Inc.VAT £165.34


113

112





Ethos Mini Basin Mixer




page 13

• Tilt and turn temperature and flow control

• Works with flow regulator FR113-4 to achieve 4 litres per minute - see

Ceramic disc handles ensure a smooth operation and longer life

Ethos Bath Shower Mixer



114 **NEXT DAY DELIVERY ON ORDERS RECEIVED BEFORE 4PM*** *3pm on Fridays, all prices subject to VAT at current prevailing rate

DEVA BATHROOM TAPS






Ethos

Ethos Bath Filler

Ceramic disc handles ensure a smooth operation and longer life





Milan







Comes complete with single mode shower kit and wall bracket


• HSR8 code achieves 8 I/min on the shower head



117

Milan


Milan Bath Shower Mixer



A

MILAN 102 Chrome

MILAN SPEC102 Chrome



180

6 NEXT DAY DELIVERY ON ORDERS RECEIVED BEFORE 4PM* *3pm on Fridays, all prices subject to VAT at current prevailing rate

-85

50

Ex.VAT £52.96 Inc.VAT £63.55

Ex.VAT £56.92 Inc.VAT £68.30

116

133

Henley

Henley Basin Mixer

Henley Bath Shower Mixer

Henley Bath Filler

DEVA BATHROOM TAPS




DEVA BATHROOM TAPS





Zonos




118 NEXT DAY DELIVERY ON ORDERS RECEIVED BEFORE 4PM* *3pm on Fridays, all prices subject to VAT at current prevailing rate

Zonos



Zonos Bath Filler

Ceramic disc handles ensure a smooth operation and longer life





NEXT DAY DELIVERY ON ORDERS RECEIVED BEFORE 4PM*


*3pm on Fridays, all prices subject to VAT at current prevailing rate

DEVA BATHROOM TAPS





Motif




MOTIO2 Chrome

Ex.VAT £116.19 Inc.VAT £139.43










Motif Bath Filler

122




DEVA BATHROOM TAPS





Insignia



Ex.VAT £106.21 Inc.VAT £127.45

INS2313 Chrome


-- 54 ---

Insignia



Insignia Basin Taps


· Ceramic disc handles ensure a smooth operation and longer life · Works with flow regulator FR101-4 to achieve 4 litres per minute - see page 13




Insignia Bath Taps

· Ceramic disc handles ensure a smooth operation and longer life • Optimised for bath filling

Ceramic disc handles ensure a smooth operation and longer life



Insignia Bath Shower Mixer



124 **NEXT DAY DELIVERY ON ORDERS RECEIVED BEFORE 4PM*** *3pm on Fridays, all prices subject to VAT at current prevailing rate

DEVA BATHROOM TAPS






Insignia

Insignia Bath Filler

· Ceramic disc handles ensure a smooth operation and longer life







Luxury Handwashing Half the Water

- Innovative technology that uses just 2.5l/min of water
- Save water and money!
- Developers it helps you comply with Part G
- Exceptional performance, giving 'Blade' at all mains supply pressures

www.bamfordswaterblade.com

Swoop MK2

Swoop MK2 Basin Mixer



Ex.VAT £141.71 Inc.VAT £170.05

WORKING PRESSURE:

Ex.VAT £161.03 Inc.VAT £193.24

0.2 - 5.0 bar

INLET CONNECTIONS:

1/2" BSP

Α

SW02113 Chrome

INLET CONNECTIONS:

SWO2113/EX Chrome

1/2" BSP

Α

Ceramic cartridge for smooth operation and longer life

Ceramic cartridge for smooth operation and longer life

• Tilt and turn temperature and flow control

• Tilt and turn temperature and flow control

123

54

DEVA BATHROOM TAPS Swoop MK2





WORKING PRESSURE:


0.1 - 5.0 bar

 Ceramic cartridge for smooth operation and longer life Ceramic disc handles ensure a smooth operation and longer life Swoop MK2 Bath Shower Mixer • Tilt and turn temperature and flow control Comes complete with single mode shower kit and wall bracket Comes complete with press top waste INLET CONNECTIONS: WORKING PRESSURE: 0.1 - 5.0 bar 3/4" BSP A

1 /爪 SWO2106 Chrome Ex.VAT £257.64 Inc.VAT £309.17


Swoop MK2 Bath Filler

Ceramic disc handles ensure a smooth operation and longer life



Swoop MK2 Mini Basin Mixer

Swoop MK2 Tall Basin Mixer



126 **NEXT DAY DELIVERY ON ORDERS RECEIVED BEFORE 4PM*** *3pm on Fridays, all prices subject to VAT at current prevailing rate

Savvi MK2




Savvi MK2 Basin Mixer Ceramic cartridge for smooth operation and longer life Illi and turn temperature and flow control Comes complete with press top waste Works with flow regulator FR113.4 to achieve 4 litres per minute - see page 13

 Ceramic cartridge for smooth operation and longer life Savvi MK2 Mini Basin Mixer • Tilt and turn temperature and flow control • Works with flow regulator FR113-4 to achieve 4 litres per minute - see page 13 INLET CONNECTIONS: WORKING PRESSURE: 1/2" BSP 0.1 - 5.0 bar 50 Α 38 SAVV2313 Chrome Ex.VAT £109.50 Inc.VAT £131.40 139 Ceramic disc handles ensure a smooth operation and longer life

Savvi MK2 Bath Shower Mixer

Ceramic disc handles ensure a smooth operation and longer life
 Comes complete with single mode shower kit and wall bracket
 Works with flow regulator HSR8 to achieve 8 litres per minute - see
 page 12




DEVA BATHROOM TAPS Savvi MK2





Savvi MK2 Bath Filler

Ceramic disc handles ensure a smooth operation and longer life








 Ceramic cartridge for smooth operation and longer life Sparkle MK2 Basin Mixer • Tilt and turn temperature and flow control Comes complete with press top waste 104 79 INLET CONNECTIONS: WORKING PRESSURE: 1/2" BSP 0.1 - 5.0 bar Α SPA2113 Chrome Ex.VAT £170.05 Inc.VAT £204.06 54

Sparkle MK2 Tall Basin Mixer






• Tilt and turn temperature and flow control

Sparkle MK2 Mini Basin Mixer

42




DEVA BATHROOM TAPS Sparkle MK2






Sparkle MK2 Bath Shower Mixer

- Ceramic disc handles ensure a smooth operation and longer life
- Comes complete with single mode shower kit and wall bracket




Sparkle MK2 Bath Filler


Ceramic disc handles ensure a smooth operation and longer life








Vision Tall Basin Mixer





DEVA BATHROOM TAPS






Vision

Vision Bath Filler

· Ceramic disc handles ensure a smooth operation and longer life







Luxury Handwashing Half the Water

- Innovative technology that uses just 2.5l/min of water
- Save water and money!
- Developers it helps you comply with Part G
- Exceptional performance, giving 'Blade' at all mains supply pressures

www.bamfordswaterblade.com

Tudor




5 year warranty on non-chrome finishes

· Comes complete with a lever operated pop up waste

• Works with flow regulator FR113-4 to achieve 4 litres per minute - see

Tudor Basin Mixer With Pop Up Waste




page 13

page 13


Tudor Basin Taps





Tudor Bath Taps







134 NEXT DAY DELIVERY ON ORDERS RECEIVED BEFORE 4PM* *3pm on Fridays, all prices subject to VAT at current prevailing rate deva-uk.com

DEVA BATHROOM TAPS



Tudor





Coronation




5 year warranty on non-chrome finishes

Coronation Mono Basin Mixer With Pop Up Waste


Works with flow regulator FR113-4 to achieve 4 litres per minute - see page 13

· Comes complete with a lever operated pop up waste




Coronation Basin Taps

 Works with flow regulators FR101-4 to achieve 4 litres per minute - see page 13



Coronation Bath Taps

Optimised for bath filling




DEVA BATHROOM TAPS





Coronation




Georgian




5 year warranty on non-chrome finishes

Georgian Basin Mixer With Pop Up Waste

 Ceramic disc handles ensure a smooth operation and longer life · Comes complete with a lever operated pop up waste Works with flow regulator FR113-4 to achieve 4 litres per minute - see . page 13




Georgian Basin Taps



Georgian Bath Taps

138


 Ceramic disc handles ensure a smooth operation and longer life · Optimised for bath filling



DEVA BATHROOM TAPS

Georgian





FREEPHONE 0800 195 1602 | FAX ORDERS 01942 680 190 | EMAIL sales@uk.methven.com




139

Cross Handle




Cross Handle Basin Taps



Additional set of red and blue indices included

· Additional set of red and blue indices included

Cross Handle Bath Taps



DEVA BATHROOM TAPS





Profile

5 year warranty on non-chrome finishes · Includes lever operated pop up waste **Profile Basin Mixer With Pop Up** Compatible with Waterblade - innovative technology which uses just Waste 2.5l/min • Works with flow regulator FR113-4 to achieve 4 litres per minute - see page 13 WORKING PRESSURE: INLET CONNECTIONS: 0.1 - 5.0 bar 15mm Copper A DCM113 Chrome Ex.VAT £81.40 Inc.VAT £97.68 DCM113/501 Gold Ex.VAT £133.69 Inc.VAT £160.43 • Metal backnuts on SPEC code **Profile Basin Taps** • Works with flow regulators FR101-4 to achieve 4 litres per minute - see page 13 WORKING PRESSURE: INLET CONNECTIONS: 0.1 - 5.0 bar 1/2" BSP 72 25 Α DCM101 Chrome Ex.VAT £30.04 Inc.VAT £36.05 DCM SPEC101 Chrome Ex.VAT £33.99 Inc.VAT £40.79 DCM101/501 Gold Ex.VAT £63.97 Inc.VAT £76.76 • Metal backnuts on SPEC code **Profile Bath Taps** INLET CONNECTIONS: WORKING PRESSURE: 3/4" BSP 0.1 - 5.0 bar 25

A

DCM102 Chrome

DCM SPEC102 Chrome

DCM102/501 Gold

FREEPHONE 0800 195 1602 | FAX ORDERS 01942 680 190 | EMAIL sales@uk.methven.com

141

Ex.VAT £32.42 Inc.VAT £38.90

Ex.VAT £36.37 Inc.VAT £43.64


Ex.VAT £66.43 Inc.VAT £79.72

Profile




Comes complete with single mode shower kit and wall bracket

Profile Bath Shower Mixer



Profile Bath Filler





DEVA BATHROOM TAPS





Lever






DEVA BATHROOM TAPS

Lever



Lever Action Basin Mixer With Pop Up Waste Includes lever operated pop up waste
Works with flow regulator FR113-4 to achieve 4 litres per minute - see page 13




0.1 - 5.0 bar

WORKING PRESSURE:


Lever Action Basin Taps

Metal backnuts on SPEC code
Available with 4I/min flow regulator, see code DLT SPEC101-4



Lever Action Bath Taps

Metal backnuts on SPEC codes




144 NEXT DAY DELIVERY ON ORDERS RECEIVED BEFORE 4PM* *3pm on Fridays, all prices subject to VAT at current prevailing rate **DEVA BATHROOM TAPS**






Lever



Lever Action Bath Filler

Optimised for bath filling



Single Handle




Adore Sink Mixer


Ceramic cartridge for smooth operation and longer life


Tilt and turn temperature and flow control

Swivel spout

Flexi-tails version available see F code







146 NEXT DAY DELIVERY ON ORDERS RECEIVED BEFORE 4PM* *3pm on Fridays, all prices subject to VAT at current prevailing rate

DEVA KITCHEN TAPS






DEVA KITCHEN TAPS

Ex.VAT £257.64 Inc.VAT £309.17

Single Handle




VSN104 Chrome

24(


Ø15mm⁺


Single Handle





SLINKY218 Chrome






250

Α

DCM104 Chrome

Dual flow

Easy to use lever handles



Ex.VAT £87.72 Inc.VAT £105.26

DEVA KITCHEN TAP


Ex.VAT £279.56 Inc.VAT £335.47

Dual Handle

KITCHEN TAP

DEVA





А

SM057 Chrome

SM057/501 Gold

150 **NEXT DAY DELIVERY ON ORDERS RECEIVED BEFORE 4PM*** *3pm on Fridays, all prices subject to VAT at current prevailing rate

Ex.VAT £149.38 Inc.VAT £179.26

Ex.VAT £204.21 Inc.VAT £245.05

DEVA KITCHEN TAPS






Dual Handle


Nelson Sink Mixer

 Ceramic disc handles ensure a smooth operation and longer life Swivel spout




Puffin Sink Mixer

 Swivel spout Dual flow



Metropolis Sink Mixer

 Ceramic disc handles ensure a smooth operation and longer life Swivel spout



Dual Handle



Taurs Sink Mixer

Brixton Sink Mixer



Ceramic disc handles ensure a smooth operation and longer life

WORKING PRESSURE:

Ex.VAT £197.60 Inc.VAT £237.12

0.1 - 5.0 bar

INLET CONNECTIONS:

15mm Copper

TAUR130 Chrome

Swivel spout

A


DEVA KITCHEN TAPS






DEVA KITCHEN TAPS

Bridge






145

250

220

360




152 NEXT DAY DELIVERY ON ORDERS RECEIVED BEFORE 4PM* *3pm on Fridays, all prices subject to VAT at current prevailing rate deva-uk.com






Georgian Bridge Sink Mixer

 Swivel spout · Features adjustable centre pillars for easy installation



Coronation Bridge Sink Mixer

- Swivel spout Dual flow
- · Features adjustable centre pillars for easy installation



DEVA KITCHEN TAPS





Deck Mounted

Profile Deck Mounted Sink Mixer	
---------------------------------	--

 Swivel spout • Dual Flow


• Metal backnuts on SPEC codes

INLET CONNECTIONS: WORKING PRESSURE: 0.1 - 5.0 bar 1/2" BSP Α DCM105 Chrome Ex.VAT £75.08 Inc.VAT £90.10 DCM SPEC105 Chrome Ex.VAT £79.02 Inc.VAT £94.82

Lever Action Deck Mounted Sink Mixer

 Swivel spout • Dual Flow

• Metal backnuts on SPEC codes



Lever Action Deck Mounted Sink Mixer

> INLET CONNECTIONS: WORKING PRESSURE: 1/2" BSP 0.1 - 5.0 bar (A DLT172 Chrome

Ex.VAT £156.22 Inc.VAT £187.46

Taps



WORKING PRESSURE:

Ex.VAT £38.73 Inc.VAT £46.48


Ex.VAT £42.66 Inc.VAT £51.19

0.1 - 5.0 bar


Profile Sink Taps


Metal backnuts on SPEC codes


Additional set of red and blue indices included



Cross Handle Sink Taps







56 NEXT DAY DELIVERY ON ORDERS RECEIVED BEFORE 4PM* *3pm on Fridays, all prices subject to VAT at current prevailing rate deva-uk.com


DEVA KITCHEN TAPS





Taps

Milan Sink Taps



Lever Action Contract Sink Pillar Taps


> INLET CONT W" BSP I45 50 50 CNTLO3 CR

 INLET CONNECTIONS:
 WORKING PRESSURE:

 \%" BSP
 0.1 - 5.0 bar

Ceramic disc handles ensure a smooth operation and longer life


Coronation High Neck Sink Taps



Taps



Cross Handle Bib Taps



Lever Action 6" Bib Taps


INLET CONNECTIONS: WORKING PRESSURE: 1/2" BSP 0.1 - 5.0 bar 120 **DEVA KITCHEN TAI** Α DLV095 Chrome Ex.VAT £66.96 Inc.VAT £80.35

Lever Action 3" Bib Taps

• 2.0 bar maximum working pressure on DFV

Additional set of red and blue indices included

Ceramic disc handles ensure a smooth operation and longer life







Deva by METHVEN

Non Concussive







	Non Concussive Vision Se Closing Basin Tap	əlf	•	Sold as singles Self closing basin taps Pre set automatic shut off after ap Recommended for use with a ble	. ,
IERCIAL		←──150 ──→	•	Compatible with Waterblade - inr 2.51/min	novative technology which uses just
VA COMN				INLET CONNECTIONS: ½" BSP	WORKING PRESSURE: 0.1 - 3.0 bar
DE	170			Water Label 6.8 l/min	

- G 1/2" **VSN123** Chrome

 $\left(\left. \right\} \right)$ A

Ø54



Ex.VAT £149.38 Inc.VAT £179.26

DEVA COMMERCIAL TAPS






Mixed

	\mathbf{C}
Lever Action Sequential Mono Basin Mixer	 Ceramic cartridge for smooth operation and longer life Sold as a single mixer tap Operates under unequal pressure Can be purchased with a TBV008 Recommended for use with a blending valve see page 165
	INLET CONNECTIONS: WORKING PRESSURE: ½" BSP 0.2 - 5.0 bar
	C SOL004 Chrome EX.VAT \$161.03 Inc.VAT \$193
Thermostatic Sequential Lever Mono Basin Mixer	 Sequential flow and temperature control for ease of use Prevents scalding by accurately controlling the water temperature
	INLET CONNECTIONS: WORKING PRESSURE: 0 ½" BSP 0.2 - 5.0 bar
	0 (A) (SOL003 Chrome EX.VAT £331.93 Inc.VAT £398
Non Concussive Pre-Set Exposed Shower Valve	Suitable for sports centres, public facilities etc Pre-set automatic shut off after approximately 20 seconds
	VALVE: INLET CONNECTIONS: Manual 15mm Compression WORKING PRESSURE: 0.2 - 5.0 bar



Non Concussive Pre-Set Recessed Shower Valve

 Suitable for sports centres, public facilities etc · Pre-set automatic shut off after approximately 20 seconds




Anti-Vandal Shower Head

 Sturdy brass construction and compact rounded shape for both style and durability Suitable for sports centres, public facilities etc.


Sturdy brass construction and compact rounded shape for both

Can be fitted with FRAV 9 to achieve 9 litre per minute - see page 12



style and durability

Anti-Vandal Shower System



162 **NEXT DAY DELIVERY ON ORDERS RECEIVED BEFORE 4PM*** *3pm on Fridays, all prices subject to VAT at current prevailing rate

DEVA COMMERCIAL TAPS






Mixed

Bracket

Bracket





Ex.VAT £331.93 Inc.VAT £398.32

<u>/</u>115


DYN 106 Chrome

A






Dynamic Pillar Mounted Thermostatic Bath Shower Mixer • 38°C temperature hot stop with override facility Comes complete with single mode shower kit · Riser rail features adjustable brackets - ideal for retrofit




Dynamic Wall Mounted Thermostatic Bath Shower Mixer



• 38°C temperature hot stop with override facility

Dynamic Pillar Mounted Thermostatic Bath Shower Mixer



164 **NEXT DAY DELIVERY ON ORDERS RECEIVED BEFORE 4PM*** *3pm on Fridays, all prices subject to VAT at current prevailing rate

deva-uk.com

DEVA COMMERCIAL TAPS





Mixed


MIXEO	AL CONDITIONS
Thermostatic 15mm Blending Valve	 Prevents scalding by accurately controlling the water temperature Approved at high and low pressure designations For single outlet
	INLET CONNECTIONS: WORKING PRESSURE: 15mm Copper 0.2 - 5.0 bar
	A BV008 Chrome Ex.VAI \$60.00 Inc.VAI \$72.0
Thermostatic 22mm Blending Valve	 Prevents scalding by accurately controlling the water temperature Approved at high and low pressure designations For single outlet
	INLET CONNECTIONS: WORKING PRESSURE: 22mm Compression 0.2 - 5.0 bar
Pressure Equalising Valve	 The valve equalises the outlet pressure, by automatically adjusting the higher inlet pressure to level out the lower inlet pressure
	INLET CONNECTIONS: WORKING PRESSURE:
	1/2" BSP 0.2 - 5.0 bar

1/2" BSP

PEV002 Brass

Ex.VAT £136.72 Inc.VAT £164.06

Sensor




DEVA COMMERCIAL TAPS





Sensor




167

166 **NEXT DAY DELIVERY ON ORDERS RECEIVED BEFORE 4PM*** *3pm on Fridays, all prices subject to VAT at current prevailing rate

-121

DEVA COMMERCIA

Sensor



SENSOR3/D Chrome

240V AC POWER SUPPLY

DEVA COMMERCIAL

DEVA COMMERCIAL TAPS







Waste less water Save money on water bills Easy & hygienic to use Choice of deck and wall mounted designs Choice of battery or mains power

Ex.VAT £456.81 Inc.VAT £548.17

Wastes









Ex.VAT £12.78 Inc.VAT £15.34

Ex.VAT £20.55 Inc.VAT £24.66 Ex.VAT £25.73 Inc.VAT £30.88

Ex.VAT £23.03 Inc.VAT £27.64

Wastes

1¼" Basin Slotted Waste	 Complete with poly plug and chain Slotted waste for basins with a built in overflow 	Free Flow 1¼" Basin Unslotted Waste	 Allows water to flow continuously reducing the risk of flooding For basins without an overflow
	DW300 Chrome EX.VAT £7.90 Inc.VAT £9.48		WSTGR114/UNS Chrome Ex.WAT £12.78 Inc.WAT £15.
Free Flow 1¼" Basin Slotted Waste	 Allows water to flow continuously reducing the risk of flooding Slotted waste for basins with a built in overflow 	1¼" Basin Slotted Press Top Waste	Slotted waste for basins with a built in overflow
	WSTGR114/S Chrome Ex.VAI £12.06 Inc.VAI £14.47		PTW300/017 Chrome Ex.VAT \$20.55 Inc.VAT \$24. PTW300/MB Matte Black Ex.VAT \$25.73 Inc.VAT \$30.
1¼" Basin Slotted Waste	Complete with brass plug and chainSlotted waste for basins with a built in overflow	1¼" Basin Unslotted Press Top Waste	Unslotted waste for basins without a built in overflow
	DW300/017 Chrome DW300/501 Ex.VAT \$12.64 DW300/501 Gold		WSTI2CP Chrome Ex.VAT \$23.03 Inc.VAT \$27.

170

NEXT DAY DELIVERY ON ORDERS RECEIVED BEFORE 4PM* *3pm on Fridays, all prices subject to VAT at current prevailing rate

deva-uk.com

Wastes



Ex.VAT £31.95 Inc.VAT £38.34

Free Flow 1¹/₄" Basin Waste

1¼" Basin Flip Top Waste

 Allows water to flow continuously reducing the risk of flooding • For basins without an overflow








Wastes


1½" Bath Waste

Complete with overflow assembly and brass plug



1½" Bath Waste - Brass Body

Complete with overflow assembly and brass plug



86 102

WST13CP Chrome


FOV414 Chrome

Slotted waste for basins with a built in overflow

G1 1/4'

11/2" Bath Waste - Plastic Body

Complete with overflow assembly and poly plug



1½" Bath Tidy Waste

Complete with overflow assembly and metal plug

Ex.VAT £21.33 Inc.VAT £25.60

Ex.VAT £54.96 Inc.VAT £65.95



FREEPHONE 0800 195 1602 | FAX ORDERS 01942 680 190 | EMAIL sales@uk.methven.com

Ex.VAT £8.69 Inc.VAT £10.43

Wastes



1¹/₂" Bath Press Top Waste

Complete with overflow assembly and press top waste



1³/₄" Sink Waste With Overflow



WSTGR112/UNS Chrome

FOV412 Chrome

Complete with poly plug and chain




Ex.VAT £18.46 Inc.VAT £22.15

Ex.VAT £9.47 Inc.VAT £11.36

Wastes

1 ½" Grated Waste

Allows water to flow continuously reducing the risk of flooding




PTW404/017 Chrome


Pop up waste

EX.VAT £39.52 Inc.VAT £47.42

11/2" Bath Waste



1¹/₂" Bath Fill And Overflow Waste



174


450mr

1 3/4'


Wastes



1¼" Bottle Trap With Wall Extension







Square Bottle Trap With Wall Extension



Wall Bracket

WASTES & SPARES



176

Ex.VAT £24.51 Inc.VAT £29.41

Deva by METHVEN

Showers Spares



Ex.VAT £5.54 Inc.VAT £6.65

Hose Retainer







15mm Brass Non Return Valve

Prevents water backflow



Hose Retainer Wall Mounted


Brass construction

Converts female ½" BSP to male ½" BSP

SPE08 Chrome

-70 -44.5 SPE09 Chrome Ex.VAT £15.02 Inc.VAT £18.02


Brass Straight Nipple And Back Nut ½"



Tap Spares




Under Sink Mounting Triangle



10mm to ½ BSP Flexi Tails

Sold in pairs

• Provides a thicker mounting surface for tap fixing



NEXT DAY DELIVERY ON ORDERS RECEIVED BEFORE 4PM*

*3pm on Fridays, all prices subject to VAT at current prevailing rate

WASTES & SPARES





Tap Spares


Wall Mounting Unions

Sold in pairs



Standard Valve 1/2"

• Sold in pairs - dispatched as 1 hot and 1 cold valve



Valve To Suit DLT Range ½"

• Sold in pairs - dispatched as 1 hot and 1 cold valve



Ex.VAT £29.26 Inc.VAT £35.11

Tap Spares



Valve To Suit DLT Range 3/4"

Profile Acrylic Tap Head

Chrome Plated Handle Option


• Sold in pairs - dispatched as 1 hot and 1 cold valve Quarter trun







Tap Spares



Universal Conversion Kit

Period Style Conversion Kit

Tap Spares

Handle










Tap Spares



Dcm179(Pr) + V2(Pr)




Notes

Sold in pairs




INLET CONNECTIONS: 1/2" BSP	WORKING PRESSURE: 0.1 - 5.0 bar
A	
DCMK001 Chrome	EX.VAT £17.35 Inc.VAT £20.82

Cistern Lever



Victoriana Cistern Lever

• Cerdinic





Deva by METHVEN

ASTES & SPARES

TERMS AND CONDITIONS OF SALE

TERMS AND CONDITIONS OF SALE

1. Definitions

In these standard terms and conditions: the following words and expressions will have the following meanings unless the context otherwise requires:

"Applicable Law" means any: (a) statute, statutory instrument, bye law, order, regulation, directive, treaty, decree, decision of the European Council or law (including any common law or civil law judgment, demand, order or decision of any court, regulator or tribunal); and/or (b) legally binding rule, policy, guidance or any com, regulator or induitaj, ancoro (pregany binding fate, policy, guadance or recommendation issued by any governmental, statutory or regulatory body in each case which relates to the Contract and/or the Goods; "Business Day" means a day that is not a Saturday, Sunday or public or bank

holiday in England

"Conditions" means these standard terms and conditions of sale together with any special terms agreed in writing between the Customer and Methven; "Contract" means the contract between Methyen and the Customer for the sale and purchase of the Goods formed in accordance with Condition 2; "Customer" means the person whose Order for Goods is accepted by Methven in

accordance with Condition 2.3: 2016/679) ("GDPR") unless and until the GDPR is no longer directly applicable in the UK, together with any national implementing laws, regulations and secondary legislation as amended or updated from time to time in the UK, including the Data Protection Act 2018 ("DPA"); and then (ii) any successor legislation to the GDPR and the DPA.

"Delivery Point" means the place where delivery of the Goods is to take place

under Condition 51 as set out in the Order; "Force Majeure Event" means any (a) act of God; (b) war, insurrection, riot, civil commotion, act or threat of terrorism; (c) lightning, earthquake, fire, flood, storm or extreme weather condition; (d) theft, malicious damage; (e) strike, lockout or industrial dispute (whether affecting the workforce of Methven and/or any other person); (f) breakdown or failure of plant or machinery; (g) inability to obtain essential supplies or materials; (h) change in Applicable Law; (i) failure or default of a supplier or sub-contractor of Methven; or (j) event or circumstance to the extent it

is beyond the reasonable control of Methven: "Goods" means any goods which Methren supplies to the Customer (including any of them or any part of them) under a Contract;

"Insolvent" the Customer is Insolvent where it: (a) ceases, threatens to cease

insolvent the customer is insolvent where it (a) ceases, uncaters to cease or, in Methven's reasonable opinion appears likely to cease, to trade; (b) goes into liquidation or bankruptcy (or has a petition for its winding up or bankruptcy presented or passes a resolution for its winding up), (c) goes into administration (or is subject to an administration order or an application for an administration order nade in respect of it), (d) has a receiver or administrator appointed over some or all of its assets or proposes an arrangement or compromise with its creditors; or (e) is the subject of anything analogous to the foregoing under the laws of any applicable jurisdiction

"Methven" means Methven UK Limited (registered number 06290166) whose registered office is at 2 New Bailey. 6 Stanley Street, Salford, M3 5GS: "Order" means a request by the Customer to purchase Goods from Methven: and 'Prices' means the price(s) of the Goods set out in Methven's price list in force at the date of dispatch of the Goods or such other price(s) as agreed by the

parties in writing all headings are for ease of reference only and will not affect the construction or interpretation of the Conditions:

13 unless the context otherwise requires 1.3.1 references to the singular include the plural and vice versa and references to

any gender include every gender;

13.2 references to a "nerson" include any individual body corporate association partnership, firm, trust, organisation, joint venture, government, local or municipal authority, governmental or supra-governmental agency or department, state or agency of state or any other entity (in each case whether or not having separate

legal personality); 1.4 references to any statute or statutory provision will include any subordinate legislation made under it and will be construed as references to such statute. statutory provision and/or subordinate legislation as modified, amended, extended solidated, re-enacted and/or replaced and in force from time to time; and 1.5 any words following the words "include", "includes", "including", "in particular" or any similar words or expressions will be construed without limitation and accordingly will not limit the meaning of the words preceding them.

2 Formation and Incorporation

2.1 Subject to Condition 2.7, these Conditions apply to all Orders and Contracts for the supply of Goods by Methyen to the Customer Methyen's acceptance of any Order placed by the Customer is strictly conditional upon the Customer's acceptance of these Conditions and by placing an Order the Customer confirms its unconditional accentance of these Conditions to the exclusion of all other terms and conditions which the Customer purports to apply under the Order, confirmation of order or similar document (including those stipulated or referred to by the Customer during the course of pre-contract discussions and/or negotiations) whether

or not such document is referred to in the Contract. 2.2 Methven may update these Conditions from time to time. The current version of Methven's Conditions (as updated) can be found at www.methven.com/uk (the "I IRI "1

2.3 Each Order or acceptance by the Customer of a quotation for Goods will be deemed to be an offer by the Customer to purchase Goods upon the most recent version of these Conditions (as available at the URL) at the time that the Order is placed or the quotation for Goods is accepted. The Contract is formed when the order is accepted by Methven by way of a written acknowledgement of order or by

processing the Order (whichever the earlier)

the Customer's accentance of these Conditions

Methven may cancel the Contract at any time prior to delivery.

2.7 Save as otherwise expressly provided in the Contract. no variation to the Con- due by the Customer under these Conditions.

unless otherwise agreed in writing by Methyen

3. Description and Specification

188

3.1 All samples and information, prices, specifications, descriptions and/or colou of illustrations shown in Methven's catalogues, advertisements, brochures, on Methven's website or in any other communications from or on behalf of Methven from time to time are indicative, subject to change without notice and shall under o circumstances form part of the Contract or otherwise bind Methyen

3.2 Methven may make any changes to the specification, design, materials or ishes of the Goods which: 3.2.1 are required to conform with any Applicable Laws; or 3.2.2 do not materially affect their quality or performance.
 3.3 Where Goods are made to the Customer's own specification or design ("Specification"), the Customer undertakes full responsibility for the suitability and fitness of the Specification and will indemnify keep indemnified and hold harn Methven in full and on demand against all actions, claims, costs, demands expenses and damages (including without limit for legal actions) however suffered

or incurred by Methven in the event that any claim or claims are made or alleged. en relating to the Specification and/or the manufacture, use, sale, import and/or export of any Goods based on the Specification.

4 Price and Payment

4.1 Except as set out in Condition 4.3 or as otherwise agreed in writing by the Data Protection Legislation" means (i) the General Data Protection Regulation (IEU) pata Protection Legislation" means (i) the General Data Protection Regulation (IEU) pata Protection Legislation" means (i) the General Data Protection Regulation (IEU) pata Protection Legislation" means (ii) the General Data Protection Regulation (IEU) pata Protection Legislation" means (ii) the General Data Protection Regulation (IEU) pata Protection Legislation" means (iii) the General Data Protection Regulation (IEU) pata Protection Legislation" means (ii) the General Data Protection Regulation (IEU) pata Protection Legislation" means (iii) the General Data Protection Regulation (IEU) pata Protection Legislation" means (iii) the General Data Protection Regulation (IEU) pata Protection Legislation" means (iii) the General Data Protection Regulation (IEU) pata Protection Legislation" means (iii) the General Data Protection Regulation (IEU) pata Protection Legislation" means (iii) the General Data Protection Regulation (IEU) pata Protection Legislation" means (iii) the General Data Protection Regulation (IEU) pata Protection Legislation" means (iii) the General Data Protection Regulation (IEU) pata Protection Legislation" means (iii) the General Data Protection Regulation (IEU) pata Protection Legislation" means (iii) the General Data Protection Regulation (IEU) pata Protection Legislation" means (iii) the General Data Protection Regulation (IEU) pata Protection Regulation (IEU) Contract is exclusive of value added tax (and any other similar or equivalent taxes. duties, fees and levies imposed from time to time by any government or other authority) which will be payable in addition to that sum in the manner and at the rate prescribed by law from time to time. 4.2 Mothyon will be entitled to yary the Price

 4.2.1 following any request by the Customer to change the delivery date(s), quantities or types of Goods ordered; 4.2.2 following any changes in the specification made at the request of the

mer and agreed by Methven; 42.3 to cover any extra expense as a result of the Customer's instructions or lack of cancelled. instructions and/or a failure of the Customer to give Methven adequate or accurate 5.3 Methven shall not be in breach of Condition 5.2 and, subject to Condition 9.5,

information; 4.2.4 to comply with the requirements referred to in Condition 3.2.1; 4.2.5 to cover any increase in the cost to Methyen of manufacturing or selling the

Goods including foreign exchange fluctuations, increases in taxes and duties and/or the application of any new taxes or duties including import tariffs, and increases in labour, materials and/or manufacturing costs; and/or 4.2.6 to cover any increase in the cost to Methyen of supplying any Goods and/ 4.2.5 to cover any increase in the cost to weatwent of supplying any goods and or complying with any of its obligations under the Contract where such increase are caused in whole or in part (directly or indirectly) by any factor(s) outside the

reasonable control of Methven Methyen will give written notice of the variation to the Customer. 4.3 Where the Price for the Goods contained in any Order for delivery:

4.31 to the United Kingdom (excluding Northern Ireland and all Scottish islands) 4.5.1 to the once thigdon (excluding rounder health and an South standay) is equal to orgreater than \$50.00 (fifty pounds sterling) excluding VAT, the Price includes the cost of carriage to the contracted place of delivery; 4.3.2 to the United Kingdom (excluding Northern Ireland and all Scottish islands) is less than £50.00 (fifty pounds sterling) excluding VAT, a delivery charge of £5.00 (five pounds sterling) will be payable by the Customer to Methven in addition to the

Man is equal to or greater than £200.00 (two hundred pounds sterling) excluding VAT, the Price includes the cost of carriage to the contracted place of delivery: charge of £20.00 (twenty pounds sterling) will be payable by the Customer to Methyen in addition to the Price

and in each case, Methven will deliver the Goods to the contracted place of delivery by the means most convenient to Methven.

44 The Customer will pay the Prices to Methyen in accordance with this

Condition 4. All payments will be made in cleared funds in the currency in which the 6. Risk and Ownership sums payable are expressed on Methven's invoice. 4.5 Payment for Goods by credit or debit card will incur at the time of payment a 6.1 The risk of damage to or loss of the Goods shall pass to the Customer on rcharge of 2% of the Price of the Goods, or such other rate as notified in writing delivery

succing of 2.2 of the Fire of the Goods, or such other face is founded in which to the Customer by Methyen from time to time. 4.6 Methyen will be entitled to invoice the Customer for the Prices for the Goods and in any event within seven days from and including the date of delivery, give 4.0° meenti whi ce ennoe cu whoce are Custanne ou are hits on the douts and any applicable insurance, carriege and delivery costs applieb by the Customs on the terms what a seven tags fold and or adjusted by the in addition to the Prices following dispatch of the Goods to the Livice will be payled by the Customer carried and any applicable and the customer carried and the customer carried and the customer carried and the any applicable and the customer carried and the customer carried and the customer carried and the customer carried and the applicable and the customer carried and the customer carried and the customer customer carried and the applicable and the customer carried and the customer carried and the customer by the Customer not later than 30 days following the month in which the invoice is

 By the Customer han take that bo days informing the month in minute in motice is issued. Time for payment by the Customer shall be of the essence of the Contract.
 Notwithstanding any purported contrary appropriation by the Customer, Methven will be entitled, by giving written notice to the Customer, to appropriate any payment by the Customer to any invoice issued by Methven. 4.9 If any sum payable under the Contract is not paid on or before the due date

for payment Methyen will be entitled to charge the Customer interest on that of payment methods are induced to change the customer metal of the Bank of England from the due date until the date of payment (whether before or after judgment) compounding annually, such interest to accrue on a daily basis. 4.10 Notwithstanding Condition 4.9. Methyen may, at its sole discretion and as an alternative to Condition 4.9, claim interest under the Late Payment of Commercial Debts (Interest) Act 1998.

411 Save as otherwise expressly provided in the Contract or required by law, all And save as outerwise expression provided in the contract or required by law, and as outerwise expression provided in the contract or required by law, and t of any counter-claim

4.12 Methven will be entitled to invoice and the Customer will pay (within 30 days following the date on which the invoice was issued) the sum of £25.00 or, if greater, any sums payable by Methven to any financial institution as a result of one 6.5 The Customer's right to possession, use and resale of the Goods will processing use Outer (wincrever the earner). 24. The Customer will see yearner the terms of its Order and any applicable specification are complete and accurate. 25. Acceptance of delevery of the Goads will be deemed conclusive evidence of 413. The Customer will pay to Methyen all costs, expenses and disbursements ues failing to pass such financial institution's cheque clearing process

incurred by Methven (including debt collection costs, agency fees and commissions and legal costs) relating to the recovery by Methven of any amounts not paid when

tract (including these Conditions) will be effective unless it is in writing and slaned 4.14. In the event that Methyen agrees to apply discounted Prices to the tract including these containing wind beneficient unless it is in writing and signed with an intervention and writing expenditure in the terminal memory and the second se instructions scaled and/of technology memorys employees similar to constitute and offer A uniess that scaling of the scale of the scal plication of the discounted Price to an Order is conditional on the Customer quoting such Order. If the Customer fails to quote the quotation number or the agreed

NEXT DAY DELIVERY ON ORDERS RECEIVED BEFORE 4PM³

*3pm on Fridays, all prices subject to VAT at current prevailing rate

discounted price at the time of placing an Order (i) the discounted Prices will not be applied to the Order; and (ii) no credits or other adjustments will be made to

the Price payable for the ordered Goods once the Order has been accepted by Methven. At the end of the period of fixed term pricing, the Price for the Goods will he the Price set out in Methyen's price list in force at the date of dispatch of the s from Methven to the Customer

5 Delivery

5.1 The Goods will be delivered to the Delivery Point. Where the Delivery Point is a location other than Methyen's place of business, the Customer shall be solely ansible for (i) providing Methyen with a correct address for delivery suitable ss having regard to the size and nature of the delivery and (ii) no less than 5 Business Days prior to Methyen's proposed delivery date, notifying Methyen in b data less bays prior to weariers projected derivery date, routing wearier in writing of any changes to the delivery address and the Customer's contact details 5.2. Any dates quoted for delivery are approximate only. Methyen will use reasonable endeavours to deliver each of the Customer's orders for the Goods within the time agreed when the Customer places an Order and, if no time is agreed, then within a reasonable time, but the time of delivery will not be of the essence. If, despite those endeavours, Methven is unable for any reason to fulfil any delivery or performance on the specified date. Methyen will not be in breach of the relevant Contract, nor (for the avoidance of doubt), subject to Condition 9.5, will Methven have any liability to the Customer for direct, indirect or consequential loss (all three of which terms include pure economic loss, loss of profits, loss of husiness depletion of goodwill and like loss) howspever caused (including as a result of negligence) by any delay or failure in delivery. Any delay in delivery will no entitle the Customer to cancel the Order unless and until the Customer has given 5 Business Davs' written notice to Methven requiring the delivery to be made and Methven has not fulfilled the delivery within that period. If the Customer cancels the order in accordance with this Condition 5.2 then:

5.21 Methyon will refund to the Customer any sums which the Customer has naid iven in respect of that Order or part of the Order which has been canc 5.2.2 The Customer will be under no liability to make any further navments

Ider Condition 4.3 in respect of that Order or part of the Order which has been

sall have no liability to the Customer for any delay in delivery of the Goods or fail ure to deliver the Goods which arises out of or in connection with the Customer's failure to provide Methven with adequate delivery instructions or other information reasonably required to enable Methyen to comply with Condition 5.2. 5.4 Methyen shall be entitled to defer or withhold delivery of the Goods until all

monies due from the Customer under the Contract or any other contract between Methyen and the Customer have been received by Methyen. 5.5 Where the Delivery Point is Methyen's place of business, (i) the Customer will take delivery of the Goods within five Business Days of Methyen giving it notice

that the Goods are ready for delivery: (ii) delivery of the Goods will be made during Methyen's usual business hours; and (iii) delivery shall be deemed to occur upon the taking of possession of the Goods by the Customer. Where the Delivery Point is not Methyen's place of business, delivery of the Goods will be accepted at any time of day and delivery shall be deemed to occur upon commencement of unloading the Goods from the delivery vehicle. 5.6 The Customer will be responsible for loading or off-loading (as applicable)

the Goods at the Delivery Point and, where the Delivery Point is not Methyen's place of business, the Customer will provide at its risk and expense adequate and propriate equipment and manual labour for such loading or off-loading. 4.3.3 to Northern Ireland, the Republic of Ireland, the Channel Islands or the Isle of 5.7 Methyen may deliver the Goods by separate instalments. Methyen will be entitled to invoice the Price for each instalment separately in accordance with

Condition 4.6. A3 40 Northem Ireland, the Republic of Ireland, the Channel Islands or the Isle of Man is less than £200.00 (two hundred pounds sterling) excluding VAT, a delivery of any one Contract relating to an instalment will entitle the Customer to repudiate of any one Contract relating to an instalment will entitle the Customer to repudiate or cancel any other Contract or instalment. 5.9 In the case of goods to be sent by sea. Methyen shall be under no obligation to give the Customer any notice for the purposes of Section 32(3) of the Sale of

Goods Act 1979

6.2 The Customer will inspect the Goods on delivery and will, as soon as possible

respect of any Goods, the Customer will be deemed to have accepted such Goods on expiry of the seven day period from and including the date of delivery. 6.3.1 Legal and beneficial ownership of the Goods shall not pass to the Customer until Methven has received navment in full in cleared funds for: 6.3.2 all sums including any interest and any debit or credit card surcharge due in

respect of the Goods; or 6.3.3 any other goods or services that Methyen has supplied to the Custome 6.4 Until title to the Goods has passed to the Customer, the Customer shall 6.4. Until the to the Goods has passed to the Customer, the Customer shall 6.4.1 hold the Goods on a fiduciary basis as Methyen's ballee;

6.4.2 store the Goods (at no cost to Methyen) separately from all other goods held by the Customer so that they remain identifiable as Methyan's property 6.4.3 not destroy, remove, deface or obscure any identifying mark or packaging on

or relating to the Goods; and 6.4.4 maintain the Goods in satisfactory condition and keep them insured against

business. Any sale of Goods by the Customer pursuant to this Condition 6.4 will be a sale of the Customer's property on the Customer's own behalf and the Custo will deal as principal when making such a sale.

terminate immediately: 6.5.1 if the Customer becomes Insolvent; 6.5.2 on Methyen giving the Customer written notice that it has any reasonable

concerns regarding the financial standing of the Customer; 6.5.3 if the Customer fails to pay any sum due to Methven under the Contract or any other contract between Methyen and the Customer on or before the due date: or

6.5.4 if the Customer encumbers or in any way charges any of the Goods.
6.6 The Customer grants Methven, its agents, employees and sub-contractors ar Customer with a quotation number in respect of the Fixed Term Quotation, the ap-be stored in order to inspect them, or, where the Customer's right to possession and resale has terminated, to recover them 6.7 If the Customer's right to possession, use and resale of the Goods terminates

in accordance with Condition 6.5. Methyen will be entitled to issue the Custome with a credit note for all or any part of the price of the Goods together with value added tax thereon

6.8 In the event that Methven has failed to deliver the Goods by the date on 10 Return of Goods which the Customer received an invoice in respect of the Goods, the Customer must within seven days from and including the date on which the invoice was re-10.1 No return of Goods will be accented by Methyan without prior authorisation and a return order number being issued by Methven. 10.2 In the event the Customer returns any Goods which are not defective, such eived by the Customer inform Methven that such Goods have not been delivered.

11.8.1 subject matter of processing: the provision of Goods pursuant to these

by Methven for the duration of the Order and until these Conditions expire or are

as required by its insurance policies in place for time to time, to enable it to deal with contractual claims under these Conditions and to meet statutory obligations.

mention in a reason and a advantage of the second market and a second market and the customers of the second secon

Customer's organisation will be Processed in order to fulfil the order placed by the

Customer or the end-consumer in respect of whom Personal Data has been passe to Methyen by the Customer. Personal Data about the Customer will be Processed

in order to send satisfaction surveys and similar documents to the Customer

11.8.4 purpose of processing: for fulfilment of the Customer's Order pursuant to

elephone number; Methven's correspondence and communications with the Customer; information about any complaints and enquiries made to Methven by

the Customer or the end-consumer: information provided by the Customer in its

responses to customer satisfaction surveys; and information Methyen receive

from other sources, such as publicly available information (for example Companies

11.8.7 obligations and rights of the data controller: the obligations and rights of the

Customer as set out in the Data Protection Legislation and these Cond

12.1 Methven will not be in breach of the Contract or otherwise liable to the

Customer for any failure to perform or delay in performing its obligations under

the Contract to the extent that such failure or delay is due to a Force Majoure

Event. The Customer will continue to pay the prices for any Goods which Methver

12.2 in weather is a made to derive of the customer is unable to take derivery of a material part of the Goods for a period of more than 14 days due to a Force Majeure Event which gives rise to relief from liability under Condition 12.1, Methver

will be entitled to terminate the Contract immediately by giving written notice to

13.1 Time will not be of the essence in respect of any obligation with which

13.3 If any term of the Contract is found by any court or body or authority of

13.2. Methodn's rights and remedies set out in the Conditions are in addition to and not exclusive of any rights and remedies provided by law.

competent jurisdiction to be illegal, unlawful, void or unenforceable, such term will be deemed to be severed from the Contract and this will not affect the remainder

exercise of a right or remedy prevent or restrict the further exercise of that or any

other right or remedy. A waiver of any right, remedy, breach or default will only be

valid if it is in writing and signed by the party giving it and only in the circumstances

and for the purpose for which it was given and will not constitute a waiver of any

Methven will be entitled to assign, transfer, charge, hold on trust for any

13.8 The Contract constitutes the entire agreement between the parties and supersedes any prior agreement or arrangement in respect of its subject matter

13.8.1 neither party has entered into the Contract in reliance upon, and it will have

no remedy in respect of, any misrepresentation, representation or statement

breach of any representation or statement which was made prior to entry into

the Contract and which is expressly set out in the Contract will be for breach of

construed as limiting or excluding the liability of any person for fraud or fraudulent

13.9 Any notice or other communication required to be given to a party under or in

sent by pre-paid first-class post or other next working day postal delivery servic

13.10 Any notice or communication shall be deemed to have been received if delivered by hand, on signature of a delivery receipt, or otherwise at 9.00 am

on the second Business Day after posting or at the time recorded by the delivery

13.11 Conditions 13.9 and 13.10 do not apply to the service of any proceedings or

other documents in any legal action to which the Civil Procedure Rules apply.

any other relief of similar nature or effect in any court of competent jurisdiction

189

(whether made by the other party or any other person) which is not expressly set

the only remedies available for any misrepresentation of

nothing in this Condition 13.8 will be interpreted or

person and deal in any other manner with any of its rights under the Contract and

Methyen is required to comply under the Contract.

of the Contract which will continue in full force and effect.

to sub-contract any of its obligations under the Contract.

other right, remedy, breach or default.

continues to supply notwithstanding the occurrence of the Force Maleure Event.

12.2 If Methven is unable to deliver or the Customer is unable to take deliver

Methyen may retain Personal Data about individual contacts at the Customer's

terminated. Methven shall retain Personal Data beyond the end of that period

duration of processing: Personal Data shall be retained

types of personal data; name: address; e-mail address

11.8.2

these Conditions;

12 Force Maleure

that effect to the Customer

Flocesson 1 was adject, Plassing balas, Plocesson 2 Flocesson 1 was adjected by the Collinate time to maintaine in the math protection Legislation. The Classing investing of the Data Plotection Legislation, the Customer is the Data 11.2. For the purposes of the Data Plotection Legislation, the Customer is the Data Controller and Methern is the Data Plocesson.

measures to protect against unauthorised or unlawful Processing of, accidental loss 13.5 The Customer will not be entitled to assign, transfer, charge, hold on trust for

or destruction of or damage to Personal Data, appropriate to the harm that might any person or deal in any other manner with any of its rights under the Contract or

Cussione and wereven shall relian in turn have to the Cussione to be considered in the source and on its boungeoints on the contract will be enforceable the other processor's obligations to the extent the other processor fails to fulfil their 137. The parties do not intend that any term of the Contract will be enforceable data protection obligations. For the purposes of this dause 11.3.3, the Customer under the Contract (Rights of Third Parties) Act 1999 by any person other than the

narties

13.8.2

13.8.3

Customer on termination of the Contract unless Methven is required by law to store connection with this contract shall be in writing and shall be delivered by hand or

enz unsame to pass are resistant and are mentered or and use tagislation to pass the resistant and and are mentered or and use tagislation to pass are resistent and and are mentered or and the tagislation to pass the resistant and and are mentered and and are tagislation to pass the resistant and and are mentered and and are tagislation to pass the resistant and and are mentered and are tagislation to pass the resistant and tagislation tagislat

Construction of the second second

out in the Contract;

contract; and

maintain complete and accurate records and information to at its registered office (if a company) or (in any other case) its principal place of

House or credit reference agencies):

11.8.5

Goods will be accepted by Methven only if they are returned to Methven in an undamaged resalable condition which requires that the Goods are unused and

Contained while the original interactinged packaging, and only it. 10.2.1after Methem has inspected such Goods, Metheen reasonably considers that the Goods are in a condition which is no worse than the condition in which the Goods were delivered to the Customer; and

within 30 days following the date on which the Goods were delivered to the

10.3 In the event that the Customer wishes to return non-defective Goods to

plus any surcharge paid under Condition 4.5 for the relevant Goods: and

plus any surcharge paid under Condition 4.5 for the relevant Goods)

10.6 If Methven receives any returned Goods or other products which

10.6 Thave not been given prior authorisation for return in accordance with

Methyen will be entitled but not obliged to return such Goods to the Customer at

the Customer's cost and charge to the Customer a £15 (plus VAT) handling fee. 10.7 Methyen shall be under no obligation to accept the return of or provide a

refund in respect of any Goods ordered to the Customer's Specification except

10.8 If a return of Goods are being agreed by Methyen, it will arrange a collection date with its carrier. If Methyen or its carrier is unable to collect the Goods on the

administration fee of £15.00 will be payable by the Customer (which Methven may deduct from any sums refunded to the Customer).

Legislation. This clause 11 is in addition to and does not replace a party's obligation

ions under the Data Protection Legislation. The terms "Data Controller", "Data

Processor", "Data Subject", "Personal Data", "Process" and "Processing" have the

11.3.1 Process Personal Data only on the Customer's written instructions. If Methyer

is required by any applicable laws to Process Personal Data it shall, to the extent

esult from the unauthorised or unlawful Processing or accidental loss, destruction

11.3.3not engage another processor without general written authorisation from the

to deliver Goods on Methven's behalf; and (ii) third party invoice processing

11.3 4ensure that persons who have access to or Process Personal Data keen the

ven shall ensure that the transfer is made in accordance with the Data Protection

Legislation and that the organisations to which the Personal Data is transferred

Subject and to comply with the Customer's obligations under the Data Protection

has the meaning given to it in the Data Protection Legislation); 11.3.8at the Customer's written direction, delete or return Personal Data to the

11.4 Methyen shall immediately inform the Customer if, in Methyen's opinion, an instruction from the Customer infringes the Data Protection Legislation.

11.5 If the Customer passes Personal Data about an end-consumer to Methyen

for Methven to Process, the Customer confirms that it has either obtained consent

(in accordance with the requirements of the Data Protection Legislation) from the

end consumer to pass the Personal Data to Methyen or that the Customer is able

Personal Data to New Zealand and the transfer is conducted on that basis

11.7 More information about the ways in which Methven processes Personal Data

the duration of the Processing, the types of Personal Data and categories of Data

Subject and the obligations and rights of the data controller are set out below

FREEPHONE 0800 195 1602 | FAX ORDERS 01942 680 190 | EMAIL sales@uk.methven.com

about individual contacts at the Customer is set out in Methven's privacy policy,

ersonal Data confidential (either under contractual or statutory obligations); I.3.5 subject to clause 11.6, not transfer Personal Data outside of

assist the Customer to respond to any request from a Data

have in place appropriate technical and organisational

legally permitted, notify the Customer before doing so;

damage and the nature of the data to be protected;

ensure an adequate level of protection:

demonstrate Methyen's compliance with this clause

the Personal Data; and

available on its website.

which it is not permitted by law to exclude or limit, or to attempt to exclude or limit. 11.8 Details of the subject matter, nature and purpose of Processing by Methyer

insofar as such Goods are defective in which case Condition 8 shall apply

Methyen following the expiry of the 30 day period set out in Condition 10.2.2 above, Methyen of the value sole discretion as to whether it shall offer a

10.4.1 under Condition 10.2, Methven will deduct 25% of the aggregate of the Price

discretionary restocking fee (which may exceed 25% of the aggregate of the Price

under Condition 10.3 above. Methven will deduct a

have been returned as defective but which, upon inspection

are received by Methven more than 90 days following the

date proposed by the carrier due to any act or omission by the Customer then an 13 Miscellaneous

the Customer has returned the relevant Goods to Methyen

contained within their original undamaged packaging, and only if:

refund to the Customer in respect of such Goods

by Methven, are found not to be defective; and/or

10.4 In relation to any returns made:

10.4.2

Condition 10.1

delivery date

11 Data Brotostion

11.3 Methven shall:

11 3 2

1136

10.6.2

10.6.3

7 Termination

7.1 If the Customer

711 fails to make any payment when it becomes due

 All becomes insolvent;
 commits a material breach of the Contract which cannot be remedied; or 71.4 commits a material breach of the Contract which can be remedied but fails to 10.2.2

emedy that breach within 30 days of a written notice setting out the breach and requiring it to be remedied being given by Methven, without prejudice to any other rights that Methyen may have under the Contract or otherwise, Methven may fait is discretion) defer or cancel any further deliveries and/or terminate the Contract immediately by giving written notice to that effect

to the Customer. 72 A material breach can be remedied if the Customer can comply with the want obligation in all respects other than as to time of performance unless time

of performance of such obligation is of the essence. 7.3. Following expiry or termination of the Contract:
 7.3.1. Methven will be entitled to invoice all Prices and any insurance, carriage and

erv costs incurred which have not vet been invoiced; and

beiner y toos include and the containt 3 and the repeated of the repeated o other Conditions which expressly or impliedly continue to have effect after expiry or or credit in respect of) non-faulty Goods more than 90 days following the delivery

The second second

1.3.4 an other highs and obligations, own inimications (each end of the pipeloce of the other highs and obligations, claims (including claims for damages for breach) and liabilities which have accrued prior to the date of expiry or termination.
7.4 Methyen will be entitled to suspend any deliveries otherwise due to occur and the suspend any deliveries otherwise due to occur and the suspend any deliveries otherwise due to occur and the suspend any deliveries otherwise due to occur and the suspend any deliveries otherwise due to occur and the suspend any deliveries otherwise due to occur and the suspend and suspend and the following service of a notice specifying a breach under Condition 71.4, until either the breach is remedied (if applicable) or the Contract terminates, whichever occurs

7.5 Subject to Condition 5.2, cancellation and/or deferment of any Order by the Customer will only be accepted (at Methyen's sole discretion) by Methyen issuing express written approval of such cancellation and/or deferment to the Custome and in any case on condition that any costs or expenses incurred by Methven up to

the date of cancellation and/or deferment and all loss costs and/or other liabilities

resulting to Methven by reason of such cancellation and/or deferment will be immediately (on request by Methven) reimbursed by the Customer to Methven.

8. Warranty

8.1 Methven will, free of charge, within a period of 12 months from the date of delivery of Goods which are proved to the reasonable satisfaction of Methven to not comply with specification due to defects in materials, workmanship and/or design (other than a design made, furnished or specified by the Customer), repair. 11.1 Each party shall comply with applicable requirements of the Data Protection or at its option replace, such Goods. This obligation will not apply where: 8.11 any instructions as to storage of the Goods have not been complied with in al espects or the Goods have been otherwise incorrectly stored; or 812 the Customer has failed to notify Methyen of any defect or suspected defect. within 7 days of the delivery where the defect should be apparent on reasonable inspection, or within 7 days of the same coming to the knowledge of the Customer where the defect is not one which should be apparent on reasonable inspection. and in any event no later than 12 (twelve) months from the date of delivery. 8.2 Methyen will arrange for any such defective or damaged Goods to be collected and will deliver any replacement Goods to the Customer at Methyen's own expense. If Methyen or its carrier is unable to collect the Goods on the date

proposed by the carrier due to any act or omission by the Customer then an administration fee of £15.00 will be payable by the Customer (which Methyen may leduct from any sums refunded to the Customer) 8.3 Any Goods which have been replaced will belong to Methven. Any repaired or replacement Goods will be liable to repair or replacement under the terms

specified in Condition 8.1 for the unexpired portion of the 12 month period from the Customer and Methven shall remain fully liable to the Customer for performance of to sub-contract any of its obligations under the Contract. original date of delivery of the replaced Goods. 8.4 Subject to Condition 9.5 the Customer's sole remedy and Methven's entire li-

ability in respect of (i) Goods which do not comply with specification due to defects authorises Methven to engage: (i) third party delivery companies and couriers in materials, workmanship and/or design; and/or (iii) Goods which are otherwise defective, shall be as set out in this Condition 8.

9. Liability

9.1 In the event of any breach of Methven's obligations under Conditions 5.2 or 8 the European Economic Area without rollfying the Customer in advance and Meth-

above, the remedies of the Customer will be limited to damages. 9.2 Except as set out in these Conditions, all warranties, conditions and other terms implied by law (whether by statute, common law or otherwise), are, to the fullest extent permitted by law, excluded from the Contract

9.3 Subject to Conditions 9.4 and 9.5, Methven's maximum aggregate liability arising out of or in connection with a Contract, whether in contract, tort, misrepresentation under statute or otherwise howsnever caused includion by nepligence 1137 notify the Customer without undue delay of a Personal Data breach (which and also including any liability under an indemnity contained in the Contract and/or arising from a breach of, or a failure to perform or defect or delay in performance of any of Methyen's obligations under the Contract and/or any defect in any of the

s supplied under the Contract and/or any use made or resale of any of such

loss of business (in each case whether direct or indirect): loss of goodwill, loss of

enutation or loss of opportunity (in each case whether direct or indirect): loss of

r indirect, consequential or special loss; arising out of or in connection with the

Contract, whether in contract, tort, misrepresentation, under statute or otherwise, howseever caused including by negligence and/or arising from a breach of,

obligations under the Contract. 9.5 Nothing in the Contract shall operate to exclude or restrict Methyen's liability

(if any) to the Customer for breach of its obligations arising under section 12 of the

Sale of Goods Act 1979; for breach of its obligations arising under Section 2 of the Supply of Goods and Services Act 1982; for death or personal injury resulting from

entation: or for any matter for

or a failure to perform or defect or delay in performance of, any of Methven's

its negligence; for its fraud or fraudulent misrepres

its liability.

anticipated savings or loss of margin (in each case whether direct or indirect); loss of bargain; liability of the Customer to third parties (whether direct or indirect);

Goods by the Customer or of any product incorporating any of such Goods shall be 11.3.9 Subject to Condition 9.5, Methyen shall have no liability to the Customer 9.4 Subject to Condition 9.5, Methyen shall have no liability to the Customer for any loss of profit (direct or indirect); loss of revenue, loss of production or

METHVEN

METHVEN UK LIMITED Methven Experience Centre 3-3A Stone Cross Court Yew Tree Way Golborne Warrington United Kingdom WA3 3JD

UK Freephone: 0800 195 1602 +44 (0)1942 680 177 Tel: +44 (0)8444 068690 Fax: Email: sales@uk.methven.com Web: www.methven.com www.deva-uk.com

- f facebook.com/MethvenUK
- facebook.com/DevaByMethven
- f y y twitter.com/MethvenUK
- twitter.com/uk_deva
- Ы Instagram.com/methven_uk
- P pinterest.co.uk/ukmethven

Please note: While every effort is made to ensure that the details in this brochure were correct at the time of printing, Methven reserves the right to alter specifications or product from that shown. This brochure is printed on an environmentally responsible paper, elemental chlorine free.



Please recycle this brochure and all packaging elements after use. Methven encourages product recycling, please contact your local recycling centre for more details.



BROB23